

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Bamboo Teak Fragrance Oil

Page 1 of 8 2016-03-10

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Crafter's Choice™ Bamboo Teak Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

## 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

### 1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

**+1 813 248-0585** International

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4 H227: Combustible liquid
Acute Toxicity Oral, Category 4 H302: Harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled
Target Organ Systemic Toxicity - Single H371: May cause damage to organs

Exposure, Category 2

Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIA Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate

16: Causes

9: Harmful if absorbed through the skin.

Acute Inhalation 25: Inhalation at high levels may cause: tremors, labored breathing, hypothermia,

lethargy, ataxia

Acute Oral 2 : Harmful if swallowed

Reproductive/Developmental 39 : Causes reproductive/developmental Sensitization/Allergic Response 31 : May cause allergic skin reaction.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028

www.crafters-choice.com

# Crafter's Choice™ Bamboo Teak Fragrance Oil

Page 2 of 8 2016-03-10

Target Organ Effects 26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen,

blood, stomach, brain, bile duct, tongue, mucous membranes, musculo-skeletal

system

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

### **Hazard pictograms**







Combustible liquid

## Signal Word: Warning

## **Hazard Statements**

H227

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled

H333 May be harmful if inhaled
H371 May cause damage to organs
H400 Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

#### Prevention:

P233	Keep container tightly closed
------	-------------------------------

P235 Keep cool

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

### Response:

P301 + P312 + P330 I	IF SWALLOWED: Call a POISON CEN	NER or doctor/physician if you feel unwell Rinse
----------------------	---------------------------------	--

mouth

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P309 IF exposed or you feel unwell:

P311 Call a POISON CENTER or doctor/physician

P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention

P363 Wash contaminated clothing before reuse



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Bamboo Teak Fragrance Oil

Page 3 of 8 2016-03-10

P370 + P378

In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391

Collect Spillage

2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification	
120-51-4	204-402-9	50 - 60 %	H302; H313; H400; H411	28, 3	
Benzyl Benzoate					
118-58-1	204-262-9	10 - 20 %	H303; H317; H320; H371; H401; H412	31	
Benzyl Salicylate					
54464-57-2	259-174-3	2 - 5 %	H315; H317; H400; H410	11, 31	
Tetramethyl Acetyloctahydronaphthalenes					
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411	11, 15	
Hexyl cinr	namaldehyde				
91-64-5	202-086-7	1 - 2 %	H302; H317; H402	12, 15, 2, 26, 31, 9	
Coumarin					
140-11-4	205-399-7	1 - 2 %	H303; H316; H401; H412	15, 25, 26, 31, 39	
Benzyl acetate					
24851-98-7	246-495-9	1 - 2 %	H402		
Methyldih	ydrojasmonate				
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410	11, 15	
Hexamethylindanopyran					
97-54-1	202-590-7	0.1 - 1.0 %	H302; H312; H315; H317; H319; H401	12, 15, 3, 31, 9	
Iso Euger	nol				

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.03

## 4. First Aid Measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Bamboo Teak Fragrance Oil

Page 4 of 8 2016-03-10

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable** Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

## 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific end uses

No information available



Crafter's Choice™ Bamboo Teak Fragrance Oil

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Page 5 of 8 2016-03-10

SDS Type: GHS / OSHA

## 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

**Exposure Limits:** 

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm TWA ppm STEL ppm

**140-11-4** Benzyl acetate 10

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

# 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Yellow Tint to Greenish Yellow (G0-2)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.0047

 %VOC:
 1.7908

 Specific Gravity @ 25 C:
 1.0760

 Density @ 25 C:
 1.0730

 Refractive Index @ 20 C:
 1.5420

 Soluble in:
 Oil

# 10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Bamboo Teak Fragrance Oil

Page 6 of 8 2016-03-10

10.6 Hazardous decomposition products None known

## 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1,829.92) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3,453.58) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 154.27) May be harmful if inhaled

Skin corrosion / irritation

Causes mild skin irritation

Serious eye damage / irritation

Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

**Skin sensitization** May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Reproductive toxicity

Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure May cause damage to organs

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

## 12. Ecological Information

### 12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

### 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Bamboo Teak Fragrance Oil

Page 7 of 8 2016-03-10

## 14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI		Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.	
ADR/RID (International Road/Rail)						
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082	
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082	
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082	

## 15. Regulatory Information

**U.S. Federal Regulations:** 

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

**U.S. State Regulations:** 

California Proposition 65 Warning

This product contains the following components:

94-59-7 202-345-4 <= 7 ppm Safrole (NFS)

93-15-2 202-223-0 <= 3 ppm Methyl Eugenol (NFS)

Canadian Regulations:

**DSL / NDSL** 99.90% of the components are listed or exempt.

144020-22-4 482-330-9 0.1 - 1.0 % Acetic acid, anhydride, reaction products with

1,5,10-trimethyl-1,5,9-cyclododec

### 16. Other Information

### GHS H-Statements referred to under section 3

### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(1.34) Skin Corrosion/Irritation, Category 3 (1.00) Sensitization, Skin, Category 1A

(1.52) Eye Damage/Eye Irritation, Category 2A (10.01) Target Organ Systemic Toxicity - Single Exposure,

Category 2

(2.64) Aquatic Acute Toxicity, Category 1 (4.35) Aquatic Chronic Toxicity, Category 2



Crafter's Choice™ Bamboo Teak Fragrance Oil

Page 8 of 8

2016-03-10

SDS Type: GHS / OSHA

### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.