

Revised Date: 2023-02-07 00:00

Page 1 of 8

Print Date: 2023-03-15

Product: Crafter's Choice[™] Bamboo Teak Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Bamboo Teak Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:	IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road
	Independence, OH 44131
	(800) 359-0944
	www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924	Domestic USA, Canada, Puerto Rico, and US Virgin Islands
±4 042 240 0E0E	International

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2B	H320 : Causes eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of t	itle 29)
Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2B	H320 : Causes eye irritation
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

Crafter'sChoice®

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Labelling (GHS)

Hazard pictograms





Signal Word: Danger

Hazard statements

H227	Combustible liquid
H302	Harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H320	Causes eye irritation
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response:

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available



Product: Crafter's Choice[™] Bamboo Teak Fragrance Oil Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 2 of 8 Print Date: 2023-03-15



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bamboo Teak Fragrance Oil

Page 3 of 8 Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
120-51-4	204-402-9	50 - 60 %	H302; H313; H400; H411		
Benzyl Be	nzoate				
118-58-1	204-262-9	10 - 20 %	H303; H317; H320; H401; H412		
Benzyl Sa	licylate				
54464-57-2	259-174-3	2 - 5 %	H315; H317; H401; H411		
Tetrameth	yl Acetyloctahyd	ronaphthalenes			
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411		
Hexyl cinn	amal				
91-64-5	202-086-7	1 - 2 %	H301; H317; H402		
Coumarin					
140-11-4	205-399-7	1 - 2 %	H303; H401; H412		
Benzyl ace	etate				
31906-04-4	250-863-4	0.1 - 1.0 %	H317; H402		
Hydroxyiso	ohexyl 3-cyclohe	xene carboxalde	hyde		
127-51-5	204-846-3	0.1 - 1.0 %	H316; H317; H320; H401; H411		
a-Isometh	yl ionone				
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411		
6,7-Dihydr	ro-1,1,2,3,3-penta	amethyl-4(5H)-in	danone (Cashmeran)		
80-54-6 201-289-8 0.1 - 1.0 %		0.1 - 1.0 %	H227; H302; H315; H317; H360; H401;		
Butylphen	yl Methylpropion	al	H412		
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402		
Linalool					
19870-74-7	243-384-7	0.1 - 1.0 %	H317; H400; H410		
Cedrol me	thyl ether				
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401		
Eugenol					
29461-13-0	249-648-8	0.1 - 1.0 %	H316; H317; H401; H411		
2.a.,4a.a.,	8.ß.)-Hexahydro [,]	-1,1,5,5-tetramet	hyl-2H-2,4a-methanonaphthalene-8(5H)-one		
4180-23-8	224-052-0	0.1 - 1.0 %	H303; H316; H317; H401		
Anethole					
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401		
4-tert-Buty	lcyclohexyl acet	ate			
97-54-1	202-590-7	0.1 - 1.0 %	H302; H312; H315; H317; H319; H332;		
lso Eugen	Iso Eugenol H335; H401				
See Section 16 for full text of GHS classification codes					



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Bamboo Teak Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 4 of 8 Print Date: 2023-03-15

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.08

4. **First Aid Measures** Description of first aid measures 4.1 Remove from exposure site to fresh air and keep at rest. Inhalation: Obtain medical advice. Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. Ingestion: Rinse mouth with water and obtain medical advice. 4.2 Most important symptoms and effects, both acute and delayed Symptoms: no data available Refer to Section 2.2 "Hazard Statements" Risks: 4.3 Indication of any immediate medical attention and special treatment needed Treatment: Refer to Section 2.2 "Response" 5. Fire-Fighting measures **Extinguishing media** 5.1 Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material 5.2 Special hazards arising from the substance or mixture During fire fighting: Water may be ineffective 5.3 Advice for firefighters Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bamboo Teak Fragrance Oil

Page 5 of 8 Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

. . .

Exposure Limits:							
Component			CGIH WA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm	
140-11-4	Benzyl acetate		10				

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint to Greenish Yellow (G0-2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	186 F (85.56 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0044
%VOC:	1.79
Specific Gravity @ 25 C:	1.0770

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Bamboo Product: **Teak Fragrance Oil**

Page 6 of 8 Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944	
www.WholesaleSuppliesPlus.com	
Density (g/mL) @ 25 C:	
Refractive Index @ 20 C:	

-	-	-	 -	

Density (g/mL) @ 25 C:	1.0740
Refractive Index @ 20 C:	1.5460
Soluble in:	Oil

Stability and Reactivity 10.

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

Toxicological Information 11.

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 1817.2654) Harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3437.1862) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 172.8941) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Causes eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

Ecological Information 12.

12.1 Toxicity

Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability

no data available



7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bamboo Teak Fragrance Oil

Page 7 of 8 Print Date: 2023-03-15

www.WholesaleSuppliesPlus.com			
no data available			
no data available			
no data available			
	no data available		

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (50 - 60 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					
IATA (Air Cargo)					
Environmentally Hazardous		9	111		UN3082
Substance, Liquid, n.o.s.					
IMDG (Sea)					
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					

15.	Regula	tory Infor	mation	
U.S. Fee	deral Regula	ations		
TSCA (Toxic Substance Control Act)		ntrol Act)	All components of the substance/mixture are listed or exempt	
	FR(EPCRA, ate Regulati		RCLA and CAA)	This product contains NO components of concern.
California Proposition 65 Warning		arning	This product contains the following components:	
94	4-59-7	202-345-4	<= 7 ppm	Safrole (Natural Source)
93	3-15-2	202-223-0	<= 3 ppm	Methyl Eugenol (Natural Source)
Canadia	an Regulatio	ons		
DSL				100.00% of the components are listed or exempt.The following components are NOT on the List:
4	76332-65-7		<= 4 ppm	2H-Indeno[4,5b] furan, decahydro-2,2,6,6,7,8,,8-heptamethyl
8	15580-59-7	453-570-1	<= 2 ppm	3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Bamboo Teak Fragrance Oil

Page 8 of 8 Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- H301 : Toxic if swallowed
- H312 : Harmful in contact with skin
- H317 : May cause an allergic skin reaction
- H332 : Harmful if inhaled
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

- (TFV) Risk
- (29.41) Aquatic Chronic Toxicity, Category 3
- (10.01) Sensitization, Skin, Category 1B
- (4.00) Reproductive Toxicity, Category 1B
- (2.89) Aquatic Chronic Toxicity, Category 2
- (1.45) Acute Toxicity Dermal, Category 5
- (1.14) Skin Corrosion/Irritation, Category 3
- (1.07) Eye Damage/Eye Irritation, Category 2B

- H303 : May be harmful if swallowed H315 : Causes skin irritation H319 : Causes serious eye irritation
- H335 : May cause respiratory irritation
- H402 : Harmful to aquatic life
- H412 : Harmful to aquatic life with long lasting effects
- (TFV) Risk
- (28.92) Acute Toxicity Inhalation, Category 5
- (7.00) Sensitization, Skin, Category 1A
- (3.21) Aquatic Chronic Toxicity, Category 4
- (2.54) Aquatic Acute Toxicity, Category 1
- (1.33) Reproductive Toxicity, Category 1B
- (1.10) Acute Toxicity Oral, Category 4

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.