Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-04-20 00:00

Product: Crafter's ChoiceTM Cashmere Woods

Fragrance Oil

Page 1 of 7 Print Date: 2023-03-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Cashmere Woods Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924	Domestic USA, Ca	anada, Puerto Rico,	and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 4040 4200 of	title 20)

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1A	
Eye Damage/Eye Irritation, Category 2A	

H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-04-20 00:00

Page 2 of 7

Print Date: 2023-03-21

Product: Crafter's Choice[™] Cashmere Woods Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

0) 359-0944 w.WholesaleSuppliesPlus.com	
Hazard statements	
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects
Precautionary Statements	;
Prevention:	
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage
Other Hazards	

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

2.3

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

EC#	Conc. Range	GHS Classification	
202-859-9	10 - 20 %	H302; H313; H319	
ohol			
204-402-9	10 - 20 %	H302; H313; H400; H411	
nzoate			
204-465-2	5 - 10 %	H303; H313; H319; H402	
204-727-6	5 - 10 %	H227; H316; H401	
Isobornyl acetate			
204-464-7	2 - 5 %	H303; H320; H402	
lin			
	202-859-9 ohol 204-402-9 ozoate 204-465-2 204-727-6 cetate 204-464-7	EC# Range 202-859-9 10 - 20 % 204-402-9 10 - 20 % 204-465-2 5 - 10 % 204-727-6 5 - 10 % cetate 204-464-7 204-464-7 2 - 5 %	

Crafter'sChoice®

7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-04-20 00:00

Product: Crafter's Choice[™] Cashmere Woods Fragrance Oil

Page 3 of 7 Print Date: 2023-03-21

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
105-95-3	203-347-8	2 - 5 %	H401	
Ethylene	brassylate			
128-37-0	204-881-4	2 - 5 %	H316; H400; H410	
BHT				
104-55-2	203-213-9	1 - 2 %	H303; H312; H315; H317; H319; H401;	
Cinnama	1		H412	
9000-75-3	232-557-2	1 - 2 %	H226; H303; H304; H313; H315; H400;	
Canariun	n Luzonicum Gu	m Nonvolatiles	H410	
101-39-3	202-938-8	0.1 - 1.0 %	H303; H317; H401	
alpha-Me	ethylcinnamaldel	nyde		
See Section	16 for full text of	GHS classification	on codes	

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.81

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate me	dical attention and special treatment needed

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:

Refer to Section 2.2 "Response"

5. Fire-Fighting measure	es
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the	ne substance or mixture
During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-04-20 00:00

Product: Crafter's Choice[™] Cashmere Woods

Fragrance Oil

Page 4 of 7 Print Date: 2023-03-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

•	
Exposure Limits:	
Component	ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
128-37-0 BHT	2
Engineering Controls 8.2 Exposure controls -	Use local exhaust as needed. rsonal protective equipment
Eve protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shiel

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Golden Brown(G13- G15)

Crafter'sChoice®

7820 E Pleasant Valley Road

Independence, OH 44131 (800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-04-20 00:00

Crafter's Choice[™] Cashmere Woods Product: Fragrance Oil

Page 5 of 7 Print Date: 2023-03-21

www.WholesaleSuppliesPlus.com	
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0091
%VOC:	0.00
Specific Gravity @ 25 C:	1.0000
Density (g/mL) @ 25 C:	0.9970
Refractive Index @ 20 C:	1.4940
Soluble in:	Oil

10. **Stability and Reactivity**

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11.

Toxicological Information 11.1 Toxicological Effects Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula" Acute toxicity - Oral - (Rat) mg/kg (LD50: 3148.7774) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4762.7236) May be harmful in contact with skin Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 53.3087) May be harmful if inhaled Skin corrosion / irritation Not classified - the classification criteria are not met Serious eye damage / irritation Causes serious eye irritation **Respiratory sensitization** Not classified - the classification criteria are not met Skin sensitization May cause an allergic skin reaction Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity Not classified - the classification criteria are not met Reproductive toxicity Not classified - the classification criteria are not met Specific target organ toxicity - single exposure Not classified - the classification criteria are not met



7820 E Pleasant Valley Road

Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-04-20 00:00

Product: Crafter's Choice[™] Cashmere Woods Fragrance Oil

Page 6 of 7 Print Date: 2023-03-21

(800) 359-0944 www.WholesaleSuppliesPlus.com	
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Not classified - the classification criteria are not met	
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects	
Toxicity Data on soil	no data available	
Toxicity on other organisms	no data available	
12.2 Persistence and degradability	no data available	
12.3 Bioaccumulative potential	no data available	
12.4 Mobility in soil	no data available	
12.5 Other adverse effects	no data available	

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient c 128-37-0 : (2 - 5	•	onmental impact	:	
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082

Crafter'sChoice[®]

7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-04-20 00:00

Product: Crafter's Choice[™] Cashmere Woods Fragrance Oil

Page 7 of 7 Print Date: 2023-03-21

(800) 359-0944 www.WholesaleSuppliesPlus.com	
15. Regulatory Information U.S. Federal Regulations	
TSCA (Toxic Substance Control Act) 40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations	All components of the substance/mixture are listed or exempt This product contains NO components of concern.
California Proposition 65 Warning Canadian Regulations	No Warning required
DSL	100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H227 : Combustible liquid
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H312 : Harmful in contact with skin	H315 : Causes skin irritation
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H320 : Causes eye irritation	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(95.10) Acute Toxicity Inhalation, Category 5	(19.44) Aquatic Chronic Toxicity, Category 3
(13.00) Sensitization, Skin, Category 1A	(2.04) Eye Damage/Eye Irritation, Category 2A
(1.94) Aquatic Chronic Toxicity, Category 2	(1.59) Acute Toxicity Oral, Category 5
(1.05) Acute Toxicity Dermal, Category 5	

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.