

Crafter's Choice™ Windsong

**Balsam Pine Fragrance Oil** 

Page 1 of 8 2016-03-10

SDS Type: GHS / OSHA

#### 1. Identification of the substance/mixture and of the company/undertaking

#### **Product identifier** 1.1

7820 E. Pleasant Valley Road Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

Crafter's Choice™ Windsong Balsam Pine Fragrance Oil

#### Relevant identified product use 1.2

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

### 1.4 Emergency telephone number (ChemTel - MIS3548100)

Domestic USA, Canada, Puerto Rico, and US Virgin Islands (800) 255-3924

+1 813 248-0585 International

#### 2. Hazards Identification

#### Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation H333: May be harmful if inhaled Acute Toxicity Inhalation, Category 5

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIA Combustible Liquid

Acute Dermal/Eye 12: Causes moderate

16: Causes

9: Harmful if absorbed through the skin.

Acute Inhalation 24 : Causes respiratory tract irritation.

25: Inhalation at high levels may cause: headache, dizziness, eye irritation,

pulmonary tract, nausea, rapid heart action

Acute Oral 2: Harmful if swallowed

4: Harmful or fatal

Reproductive/Developmental 39 : Causes reproductive/developmental Sensitization/Allergic Response 31: May cause allergic skin reaction.

**Target Organ Effects** 26: Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen,

thymus gland, blood, gastrointestinal tract, bile duct



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Windsong **Balsam Pine Fragrance Oil**

Page 2 of 8 2016-03-10

Carcinogenicity

28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

#### **Hazard pictograms**







## Signal Word: Danger

### **Hazard Statements**

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

#### Prevention:

P235	Keep cool
------	-----------

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

#### Response:

-p	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
D000 - D040	If alia imitation and prochessions Octored disable drive /attention

P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

#### 2.3 Other Hazards

#### No data available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Windsong Balsam Pine Fragrance Oil

Page 3 of 8 2016-03-10

### 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification	
125-12-2	204-727-6	50 - 60 %	H227; H316; H401	11, 15	
Isobornyl	acetate				
8021-29-2	294-351-9	10 - 20 %	H226; H304; H316; H319; H400; H410	12, 16, 3, 31	
Abies sibi	rica oil				
127-91-3	204-872-5	2 - 5 %	H226; H304; H315; H317	11, 15, 24, 25, 31	
ß-Pinene					
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411	28, 3	
Benzyl Be	enzoate				
586-62-9	209-578-0	2 - 5 %	H227; H303; H304; H316; H317; H400;		
Terpinolei	ne		H401; H410		
80-56-8	201-291-9	2 - 5 %	H226; H303; H304; H315; H317	11, 15, 25	
a-Pinene					
91-64-5	202-086-7	1 - 2 %	H302; H317; H402	12, 15, 2, 26, 31, 9	
Coumarin					
8002-09-3	306-895-7	1 - 2 %	H226; H303; H304; H317; H319; H401;		
Pine oil			H411		
68647-72-3	232-433-8	1 - 2 %	H226; H304; H315; H317; H400; H410	12, 3, 31	
Citrus aurantium var. dulcis					
123-35-3	204-622-5	1 - 2 %	H226; H304; H315; H319	12, 26, 39, 4	
beta-Myrcene					
8000-48-4	283-406-2	1 - 2 %	H226; H303; H304; H313; H315; H319;	11, 3, 31	
Eucalyptu	Eucalyptus globulus leaf oil H401; H411				
0 0	01-11-1-16	NIO -1	1		

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 18.13

### 4. First Aid Measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Windsong Balsam Pine Fragrance Oil

Page 4 of 8 2016-03-10

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

### 5. Fire-Fighting measures

### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:**Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

_				
<b>LV</b>	$n \cap c$	PILLE	l ir	nits:
-	UUS	oui <del>c</del>		IIILO.

Component	ACGIH	ACGIH	OSHA	OSHA
Programme and the second secon	mag AWT	STEL ppm	mag AWT	STEL ppm

**127-91-3** *ß-Pinene* 20



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Windsong Balsam Pine Fragrance Oil

Page 5 of 8 2016-03-10

**80-56-8** *a-Pinene* 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Nearly Colorless G0 to Yellow Tint (G1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

142 F (61.11 C)

Auto flammability:

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.2711

 %VOC:
 25.654

 Specific Gravity @ 25 C:
 0.9570

 Density @ 25 C:
 0.9540

 Refractive Index @ 20 C:
 1.4710

 Soluble in:
 Oil

## 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Windsong Balsam Pine Fragrance Oil

Page 6 of 8 2016-03-10

### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4,607.11) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3,546.39) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 63.27) May be harmful if inhaled

Skin corrosion / irritationCauses mild skin irritationSerious eye damage / irritationCauses serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

**Skin sensitization** May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

## 12. Ecological Information

#### 12.1 Toxicity

Acute aquatic toxicity

Not classified - the classification criteria are not met

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Regulator Class Pack Group Sub Risk UN-nr.
U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028

www.crafters-choice.com

# Crafter's Choice™ Windsong Balsam Pine Fragrance Oil

Page 7 of 8 2016-03-10

Cher	nicals	NOI
CHE	HILLAIS	IVOI

ADR/RID (International Road/Rail)						
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082		
IATA (Air Cargo)						
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III	UN3082		
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082		



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

# Crafter's Choice™ Windsong Balsam Pine Fragrance Oil

Page 8 of 8 2016-03-10

### 15. Regulatory Information

**U.S. Federal Regulations:** 

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations:** 

California Proposition 65 Warning

This product contains the following components:

123-35-3 204-622-5 1 - 2 % beta-Myrcene

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (NFS)

Canadian Regulations:

**DSL / NDSL** 99.99% of the components are listed or exempt.

67801-20-1 267-140-4 <= 5 ppm 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

131812-67-4 412-950-7 <= 0 ppm 2,4-Dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthalenyl)-1,3-

dioxolane (Okoumal)

198404-98-7 427-900-1 <= 3 ppm Cyclopropanemethanol,

1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]

54440-17-4 <= 0 ppm 2,3,3-Trimethylindanone

### 16. Other Information

#### GHS H-Statements referred to under section 3

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(2.52) Aspiration Hazard, Category 1 (8.33) Skin Corrosion/Irritation, Category 3

(3.36) Sensitization, Skin, Category 1B (1.60) Eye Damage/Eye Irritation, Category 2A

(6.79) Aquatic Chronic Toxicity, Category 2

#### Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.