Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Cashmere & Cotton Product:

Fragrance Oil

Page 1 of 8 Print Date: 2023-03-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Cashmere & Cotton Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924	Domestic USA, C	Canada, Puerto Ri	co, and US	Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A

H319 : Causes serious eye irritation

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms





Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Cashmere & Cotton

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Signal Word: Warning

Fragrance Oil

Page 2 of 8 Print Date: 2023-03-17

Hazard statements	
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
32210-23-4	250-954-9	20 - 30 %	H303; H317; H401
4-tert-Buty	lcyclohexyl aceta	ate	
118-58-1	204-262-9	20 - 30 %	H303; H317; H320; H401; H412
Benzyl Salicylate			
24851-98-7	246-495-9	5 - 10 %	H402
Methyldihydrojasmonate			
107-75-5	203-518-7	5 - 10 %	H317; H319; H402
Hydroxycitronellal			

7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Cashmere & Cotton

Fragrance Oil

Page 3 of 8 Print Date: 2023-03-17

CAS# ngredient	EC#	Conc. Range	GHS Classification	
222-05-5	214-946-9	2 - 5 %	H316; H400; H410	
Hexamet	hylindanopyran			
15-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402	
Linalyl Ac	cetate			
8479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402	
2,6-dimet	thyloct-7-en-2-ol			
8-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402	
Linalool				
1-64-5	202-086-7	1 - 2 %	H301; H317; H402	
Coumarir	า			
27-51-5	204-846-3	1 - 2 %	H316; H317; H320; H401; H411	
a-Isometi	hyl ionone			
989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412	
Limonene	9			
06-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401	
Citronello	bl			
6803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411	
Methoxy	dicyclopentadier	ne carboxaldehyd	de	
9870-74-7	243-384-7	0.1 - 1.0 %	H317; H400; H410	
Cedrol m	ethyl ether			
7634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411	
Ethyl 2,2-	-dimethylhydroci	innamal		
0-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;	
pinene			H410	
462-06-6	226-749-5	0.1 - 1.0 %	H303; H317; H401	
4-Methox	xy-alpha-methylb	enzenepropanal		
		GHS classification		

Total Hydrocarbon Content (% w/w) = 1.13

4. First Aid Measures4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion: 4.2 Most important symptoms and effect	Rinse mouth with water and obtain medical advice. ts, both acute and delayed

Symptoms:

no data available

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Cashmere & Cotton

Fragrance Oil

Page 4 of 8 Print Date: 2023-03-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:

Refer to Section 2.2 "Response"

5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the substa	ince or mixture
During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Cashmere & Cotton

Fragrance Oil

Page 5 of 8 Print Date: 2023-03-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

8. Exposure Con	trols/Personal Protection
8.1 Control parameters	
Exposure Limits:	
Component	ACGIH ACGIH OSHA OSHA
80-56-8 pinene	TWA ppm STEL ppm TWA ppm STEL ppm 20
bu-su-su-su pinene	20
Engineering Controls:	Use local exhaust as needed.
8.2 Exposure controls - Pers	sonal protective equipment
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless G0 to Pale Yellow (G2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0257
%VOC:	1.19
Specific Gravity @ 25 C:	0.9830
Density (g/mL) @ 25 C:	0.9800
Refractive Index @ 20 C:	1.3330
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Cashmere & Cotton Fragrance Oil

Page 6 of 8 Print Date: 2023-03-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

10.5 Incompatible materials

Strong oxidizing agents, strong acids, and alkalis None known

11. Toxicological Information

10.6 Hazardous decomposition products

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3277.8344) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4561.7281) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 104.5485) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity	
Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Cashmere & Cotton Fragrance Oil

Page 7 of 8 Print Date: 2023-03-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

14. Transport Information

Marine Pollutant		of greatest enviro 5 %) : Hexameth		:	
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerou	s Goods	
Chemicals NOI					
ADR/RID (International Ro	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s		9	111		UN3082

15. Regulatory Information	
U.S. Federal Regulations	
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains the following components:
1222-05-5 214-946-9 2 - 5 %	Hexamethylindanopyran
U.S. State Regulations	
California Proposition 65 Warning	This product contains the following components:
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (Natural Source)
Canadian Regulations	
DSL	99.95% of the components are listed or exempt.The following components are NOT on the List:
67801-20-1 267-140-4 0.01 - 0.1%	3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H227 : Combustible liquid
H301 : Toxic if swallowed	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H315 : Causes skin irritation
H317 : May cause an allergic skin reaction	H320 : Causes eye irritation
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
H412 : Harmful to aquatic life with long lasting effects	
Total Fractional Values	

(TFV) Risk

(TFV) Risk

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Cashmere & Cotton

Fragrance Oil

Page 8 of 8 Print Date: 2023-03-17

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

(47.82) Acute Toxicity Inhalation, Category 5 (21.15) Aquatic Chronic Toxicity, Category 3

(2.02) Aquatic Chronic Toxicity, Category 2

(1.53) Acute Toxicity Oral, Category 5

(1.24) Aquatic Chronic Toxicity, Category 4

(23.00) Sensitization, Skin, Category 1B

(2.53) Eye Damage/Eye Irritation, Category 2B

(1.58) Skin Corrosion/Irritation, Category 3

(1.36) Eye Damage/Eye Irritation, Category 2A

(1.10) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.