

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 9

Crafter's ChoiceTM Barber Shoppe -Product:

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com EO & FO Blend Print Date: 2023-03-15

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Barber Shoppe - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

IndiMade Brands, LLC DBA Wholesale Supplies Plus Manufacturer:

> 7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled Reproductive Toxicity, Category 1B H360: May damage fertility or the unborn child

Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

H411: Toxic to aquatic life with long lasting effects Aquatic Chronic Toxicity, Category 2

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Reproductive Toxicity, Category 1B H360: May damage fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Barber Shoppe - EO & FO Blend

Page 2 of 9 Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com







Signal Word: Danger

Hazard statements

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

• • • • • • • • • • • • • • • • • • • •	
P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response:

;	sponse:	
	P302 + P352	IF ON SKIN: Wash with soap and water
	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
	P308 + P313	IF exposed or concerned: Get medical advice/attention
	P312	Call a POISON CENTER or doctor/physician if you feel unwell
	P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
	P337 + P313	If eye irritation persists: Get medical advice/attention
	P362	Take off contaminated clothing and wash before reuse
	P363	Wash contaminated clothing before reuse
	P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):





Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Barber Shoppe -**EO & FO Blend**

Page 3 of 9 Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411
Benzyl Be	enzoate		
18479-58-8	242-362-4	10 - 20 %	H227; H303; H315; H319; H402
2,6-dimet	hyloct-7-en-2-ol		
101-86-0	202-983-3	10 - 20 %	H303; H316; H317; H400; H411
Hexyl cin	namal		
54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411
Tetramet	hyl Acetyloctahy	dronaphthalenes	3
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402
Linalool			
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H401; H412
Benzyl Sa	alicylate		
28219-61-6	248-908-8	2 - 5 %	H315; H319; H401; H411
Ethyl trim	ethylcyclopente	ne butenol	
2050-08-0	218-080-2	2 - 5 %	H302; H400; H410
Amyl sali	cylate		
19870-74-7	243-384-7	2 - 5 %	H317; H400; H410
Cedrol m	ethyl ether		
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402
Linalyl Ad	etate		
5989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H412
Limonene	9		
80-54-6	201-289-8	1 - 2 %	H227; H302; H315; H317; H360; H401;
Butylpher	nyl Methylpropio	nal	H412
140-11-4	205-399-7	1 - 2 %	H303; H401; H412
Benzyl ad	cetate		
67634-00-8	266-803-5	1 - 2 %	H227; H302; H315; H330; H401
Isoamyl A	Allylglycollate		
32388-55-9	251-020-3	1 - 2 %	H303; H317; H400; H410
Acetyl ce	drene		
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410
Hexamet	hylindanopyran		
29461-13-0	249-648-8	0.1 - 1.0 %	H316; H317; H401; H411
2.a.,4a.a.	,8.ß.)-Hexahydr	o-1,1,5,5-tetrame	ethyl-2H-2,4a-methanonaphthalene-8(5H)-one
93-16-3	202-224-6	0.1 - 1.0 %	H303; H317; H402
Methyl is	peugenol (Isoeu	genyl methyl eth	er)
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401
4-tert-But	ylcyclohexyl ace	etate	
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Eugenol			
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-1	erpinene		



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Barber Shoppe EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 4 of 9 Print Date: 2023-03-15

CAS# ==#		Conc.	
Ingredient	EC#	Range	GHS Classification

470-82-6 207-431-5 0.1 - 1.0 % H226; H303; H317; H320; H402

Eucalyptol

58567-11-6 261-332-1 0.1 - 1.0 % H315; H317; H401; H411

(ethoxymethoxy)cyclododecane

57378-68-4 260-709-8 0.1 - 1.0 % H302; H315; H317; H318; H400; H410

delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)

77-54-3 201-036-1 0.1 - 1.0 % H317; H400; H410

Cedryl acetate

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 2.16

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Refer to Section 2.2 "Response"

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

•

5. Fire-Fighting measures

5.1 Extinguishing media

Treatment:

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Barber Shoppe EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 9 Print Date: 2023-03-15

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

140-11-4 Benzyl acetate 10

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint (G0/1) to Pale Yellow (G3)



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Barber Shoppe EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 6 of 9 Print Date: 2023-03-15

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0524

 %VOC:
 4.57

 Specific Gravity @ 25 C:
 0.9910

 Density (g/mL) @ 25 C:
 0.9880

 Refractive Index @ 20 C:
 1.5120

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2302.7020) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4422.4844) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 45.5292) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Carcinogenicity

Not classified - the classification criteria are not met

Reproductive toxicity May damage fertility or the unborn child

Specific target organ toxicity - single exposure

Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Barber Shoppe EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 7 of 9 Print Date: 2023-03-15

Specific target organ toxicity - repeated exposure

Not classified - the classification criteria are not met

Aspiration hazard

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4 : (30 - 40 %) : Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Barber Shoppe EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 8 of 9 Print Date: 2023-03-15

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 1 - 2 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

140-67-0 205-427-8 0.01 - 0.1% Estragole (Methyl chavicol) (Natural Source)

123-35-3(NF 204-622-5 <= 44 ppm beta-Myrcene (Natural Source) 93-15-2 202-223-0 <= 10 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

DSL 99.60% of the components are listed or exempt. The following

components are NOT on the List:

131812-67-4 412-950-7 0.1 - 1.0 % 2,4-Dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthalenyl)-1,3-

dioxolane (Okoumal)

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H227 : Combustible liquid

H302 : Harmful if swallowed and enters airways

H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction

H318 : Causes serious eye damage H320 : Causes eye irritation

H330 : Fatal if inhaled H361 : Suspected of damaging fertility or the unborn

child

H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(109.82) Acute Toxicity Inhalation, Category 5 (54.01) Aquatic Chronic Toxicity, Category 3

(16.00) Reproductive Toxicity, Category 1B (10.00) Sensitization, Skin, Category 1B

(5.36) Aquatic Chronic Toxicity, Category 2 (5.33) Reproductive Toxicity, Category 1B

(5.17) Skin Corrosion/Irritation, Category 3 (3.89) Skin Corrosion/Irritation, Category 2

(c.e.) First control of minimum and the control

(2.94) Aquatic Chronic Toxicity, Category 4 (2.80) Eye Damage/Eye Irritation, Category 2A

(2.23) Reproductive Toxicity, Category 2 (2.17) Acute Toxicity Oral, Category 5

(2.08) Aquatic Acute Toxicity, Category 1 (1.13) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

(1.00) Sensitization, Skin, Category 1A

Department E-mail address:



Product:

Safety Data Sheet

EO & FO Blend

Crafter's ChoiceTM Barber Shoppe -

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 9 of 9

Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.