

Revised Date: 2023-02-07 00:00

Page 1 of 9

Print Date: 2023-03-15

Product: Crafter's Choice[™] Bay Rum -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholessaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Bay Rum - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:	IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road
	Independence, OH 44131
	(800) 359-0944
	www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924	Domestic USA, Canada, Puerto Rico, and US Virgin Islands
. 4 040 040 0505	

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

	Flammable Liquids, Category 4	H227 : Combustible liquid
	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
	Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Clas	sification OSHA (Provisions 1910.1200 of title 3	29)
	Flammable Liquids, Category 4	H227 : Combustible liquid
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Carcinogenicity, Category 2	H351 : Suspected of causing cancer
	Reproductive Toxicity, Category 2	H361 : Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

Crafter'sChoice[®]

Safety Data Sheet

EO & FO Blend

Crafter's Choice[™] Bay Rum -

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 9 Print Date: 2023-03-15

use

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholessaleSuppliesPlus.com

Labelling (GHS)

Hazard pictograms





Product:

Signal Word: Warning

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P313	Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not a direct water jet on burning material
P391	Collect Spillage



EO & FO Blend

Crafter's Choice[™] Bay Rum -

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 9 Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholessaleSuppliesPlus.com

no data available

3. Composition/Information on Ingredients

Product:

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411		
Benzyl Be	nzoate				
78-70-6	201-134-4	10 - 20 %	H227; H303; H315; H317; H319; H402		
Linalool					
115-95-7	204-116-4	10 - 20 %	H227; H315; H317; H320; H402		
Linalyl Ace	etate				
32388-55-9	251-020-3	5 - 10 %	H303; H317; H400; H410		
Acetyl cea	lrene				
1222-05-5	214-946-9	5 - 10 %	H316; H400; H410		
	ylindanopyran				
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412		
Limonene					
91-64-5	202-086-7	2 - 5 %	H301; H317; H402		
	Coumarin				
8007-35-0	232-357-5	2 - 5 %	H316; H401; H411		
Terpineol	acetate				
8000-41-7		2 - 5 %	H227; H303; H315; H319; H402		
Terpineol					
80-25-1		2 - 5 %	H401		
-	pinyl acetate				
5986-55-0	227-807-2	1 - 2 %	H401; H411		
Patchouli					
123-11-5	204-602-6	1 - 2 %	H303; H402; H412		
Anisaldeh					
31906-04-4		1 - 2 %	H317; H402		
Hydroxyisohexyl 3-cyclohexene carboxaldehyde					
120-57-0	204-409-7	1 - 2 %	H303; H317; H401		
Heliotropine					
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;		
pinene			H410		
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401		
Eugenol					
140-67-0	205-427-8	0.1 - 1.0 %	H227; H302; H315; H317; H341; H351;		
Estragole (Methyl Chavicol) H401; H412					

Crafter'sChoice[®]

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bay Rum -EO & FO Blend

Page 4 of 9 Print Date: 2023-03-15

www.WholessaleSuppliesPlus.com				
CAS# Ingredient	EC#	Conc. Range	GHS Classification	
16510-27-3		0.1 - 1.0 %	H316; H317; H319; H401; H411	
1-Cyclopi	ropyImethyI-4-m	ethoxybenzene		
118-58-1	204-262-9	0.1 - 1.0 %	H303; H317; H320; H401; H412	
Benzyl Sa	alicylate			
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401	
Citronello	Citronellol			
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317	
Beta-Caryophyllene				
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402	
Geraniol				
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361	
gamma-Terpinene				
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402	
Hydroxyc	itronellal			
See Section 1	6 for full text of	GHS classification	on codes	

See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 4.61

4. First Aid Measures			
4.1 Description of first aid measures			
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion: Rinse mouth with water and obtain medical advice.			
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms:	no data available		
Risks: Refer to Section 2.2 "Hazard Statements"			
4.3 Indication of any immediate medical attention and special treatment needed			
Treatment:	Refer to Section 2.2 "Response"		
5. Fire-Fighting measures			
5.1 Extinguishing media			
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam		
Unsuitable	Do not use a direct water jet on burning material		
5.2 Special hazards arising from the substance or mixture			
During fire fighting:	Water may be ineffective		



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Bay Rum -EO & FO Blend

Page 5 of 9 Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholessaleSuppliesPlus.com

5.3 Advice for firefighters

Further information:

Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

 Exposure Limits:
 ACGIH
 ACGIH
 OSHA
 OSHA

 Component
 ACGIH
 ACGIH
 OSHA
 OSHA

 80-56-8
 pinene
 20
 20

 Engineering Controls:
 Use local exhaust as needed.
 20
 20

 8.2 Exposure controls - Personal protective equipment
 20
 20

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Bay Rum -EO & FO Blend

Page 6 of 9 Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholessaleSuppliesPlus.com

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Golden Yellow(G3-5) to Pale Orange (G8-9)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	180 F (82.22 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0707
%VOC:	5.18
Specific Gravity @ 25 C:	0.9910
Density (g/mL) @ 25 C:	0.9880
Refractive Index @ 20 C:	1.5110
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2372.2463) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3040.3715) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 46.0448) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met

Crafter'sChoice®

7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Bay Rum -EO & FO Blend

Page 7 of 9 Print Date: 2023-03-15

ww.WholessaleSuppliesPlus.com	
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Suspected of causing cancer
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12.	Ecological Information	
12.1 Toxic	city	
Acute	acquatic toxicity	Very Toxic to aquatic life
Chroni	c acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicit	y Data on soil	no data available
Toxicit	y on other organisms	no data available
12.2 Pe	ersistence and degradability	no data available
12.3 Bi	oaccumulative potential	no data available
12.4 M	obility in soil	no data available
12.5 Ot	ther adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (30 - 40 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods				
Chemicals NOI					
ADR/RID (International Ro	ad/Rail)				
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IMDG (Sea)					

Crafter's Choice Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

		Product:	Crafter's	Choice [™] Bay Run	۱-
7820 E Pleasant Valley F	Road		EO &	FO Blend	Page 8 of 9
Independence, OH 4413					Print Date: 2023-03-15
(800) 359-0944 www.WholessaleSupplies	Plus com				
Environmentally Ha			9	111	UN3082
Substance, Liqu			Ũ		0110002
· ·					
15. Regula	tory Infor	mation			
U.S. Federal Regul	ations				
TSCA (Toxic Su	bstance Co	ntrol Act)	All c	components of the substa	ance/mixture are listed or exempt
40 CFR(EPCRA,	SARA, CEF	RCLA and C	AA) This	product contains the fol	lowing components:
1222-05-5	i-5 214-946-9 5 - 10 % Hexamethylindanopyran				
U.S. State Regulati	ons				
California Propo	osition 65 W	arning	This	product contains the fol	lowing components:
140-67-0	205-427-8	0.1 - 1.0 %	Estrage	ole (Methyl chavicol) (N	atural Source)
123-35-3(NF	204-622-5	0.01 - 0.19	% beta-M	lyrcene (Natural Source)	
93-15-2	202-223-0	<= 68 ppm	Methyl	Eugenol (Natural Sourc	e)
94-59-7	202-345-4	<= 9 ppm	Safrole	e (Natural Source)	
Canadian Regulation				(, , , , , , , , , , , , , , , , , , ,	
DSL				60% of the components a ponents are NOT on the	re listed or exempt.The following List:
16510-27-3		0.1 - 1.0 %		opropylmethyl-4-methox	
16. Other I	nformatio	n			

GHS H-Statements referred to under section 3 and not listed in section 2

GHS H-Statements referred to under section 5 and not list	led in Section 2
H226 : Flammable liquid and vapour	H301 : Toxic if swallowed
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H318 : Causes serious eye damage	H320 : Causes eye irritation
H341 : Suspected of causing genetic defects	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
H412 : Harmful to aquatic life with long lasting effects	
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(108.59) Acute Toxicity Inhalation, Category 5	(69.61) Aquatic Chronic Toxicity, Category 3
(17.00) Sensitization, Skin, Category 1A	(14.92) Sensitization, Skin, Category 1B
(6.93) Aquatic Chronic Toxicity, Category 2	(4.41) Skin Corrosion/Irritation, Category 3
(4.16) Carcinogenicity, Category 2	(3.45) Skin Corrosion/Irritation, Category 2
(2.25) Aquatic Chronic Toxicity, Category 4	(2.20) Eye Damage/Eye Irritation, Category 2A
(2.11) Acute Toxicity Oral, Category 5	(2.01) Reproductive Toxicity, Category 2
(1.90) Aquatic Acute Toxicity, Category 1	(1.64) Acute Toxicity Dermal, Category 5
(1.13) Eye Damage/Eye Irritation, Category 2B	

Department issuing data sheet:



Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Bay Rum -EO & FO Blend

Page 9 of 9 Print Date: 2023-03-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholessaleSuppliesPlus.com

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC Fragrances[™] holds no responsibility. This document is not intended for quality assurance purposes.