

Safety Data Sheet

Crafter's Choice™ Sensual Amber* Fragrance Oil

Page 1 of 8 2016-03-10

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ Sensual Amber* Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands +1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Target Organ Systemic Toxicity - Single	H371: May cause damage to organs
Exposure, Category 2	
Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	12 : Causes
	16 : Causes
	19 : May cause photo-induced skin irritation.
Acute Inhalation	25 : Inhalation at high levels may cause: tremors, labored breathing, hypothermia, lethargy, ataxia
Acute Oral	2 : Harmful if swallowed
Reproductive/Developmental	39 : Causes reproductive/developmental
Sensitization/Allergic Response	31 : May cause allergic skin reaction.



Safety Data Sheet

Crafter's Choice™ Sensual Amber* Fragrance Oil

Page 2 of 8 2016-03-10

26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen, bone marrow, stomach, brain, thyroid, tongue, mucous membranes, musculo-skeletal system
28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, liver, bone marrow, skin
This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

Carcinogenicity

Target Organ Effects

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Hazard Statements

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H371	May cause damage to organs
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P309	IF exposed or you feel unwell:
P311	Call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention



Safety Data Sheet

Page 3 of 8 2016-03-10

P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification		
120-51-4	204-402-9	40 - 50 %	H302; H313; H400; H411	28, 3		
Benzyl Be	nzoate					
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	11, 15		
Hexyl cinn	amaldehyde					
24851-98-7	246-495-9	5 - 10 %	H402			
Methyldihy	/drojasmonate					
8008-57-9	232-433-8	5 - 10 %	H226; H304; H315; H400; H410	12, 3, 31		
Citrus aura	antium dulcis (Or	range) oil				
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H319; H402	12, 26		
Linalool						
10339-55-6	233-732-6	2 - 5 %	H227; H315; H319; H402	11, 15		
3,7-Dimeti	hyl-1,6-nonadien	-3-01				
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H371; H401; H412	31		
Benzyl Sa	licylate					
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410	11, 15		
Hexameth	ylindanopyran					
708008-31-9	284-521-0	1 - 2 %	H226; H304; H315; H317; H400; H410	12, 3, 31		
Citrus nob	ilis (Mandarin Or	range) peel oil				
68917-33-9	284-515-8	1 - 2 %	H226; H304; H315; H400; H410	12, 3, 31		
Lemon oil	terpenes					
32388-55-9	251-020-3	1 - 2 %	H316; H317; H400; H410	16, 19		
Acetyl cedrene						
127-51-5	204-846-3	1 - 2 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31		
a-Isometh	yl ionone					
4940-11-8	225-582-5	1 - 2 %	H302	2		
Ethyl malte	Ethyl maltol					
14901-07-6	238-969-9	1 - 2 %	H316; H401; H411	11, 39		
beta-lonor	ne					

Crafter'sChoice[®]

7820 E. Pleasant Valley Road Iddependence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Page 4 of 8 2016-03-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification	
121-33-5 Vanillin	204-465-2	1 - 2 %	H303; H319	31	
140-11-4	205-399-7	1 - 2 %	H303; H316; H401; H412	15, 25, 26, 31, 39	
Benzyl ac	cetate				
19870-74-7	243-384-7	1 - 2 %	H316	15	
Cedrol methyl ether					
See Section 16 for full text of GHS classification codes					

Total Hydrocarbon Content (% w/w) = 10.14

4. **First Aid Measures** 4.1 Description of first aid measures Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice. Flush immediately with water for at least 15 minutes. Eye Exposure: Contact physician if symptoms persist. Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. Ingestion: Rinse mouth with water and obtain medical advice. 4.2 Most important symptoms and effects, both acute and delayed no data available Symptoms: Refer to Section 2.2 "Hazard Statements" **Risks:** 4.3 Indication of any immediate medical attention and special treatment needed Treatment: Refer to Section 2.2 "Response" 5. **Fire-Fighting measures** 5.1 **Extinguishing media** Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material 5.2 Special hazards arising from the substance or mixture **During fire fighting:** Water may be ineffective 5.3 Advice for firefighters Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.



Safety Data Sheet

Crafter's Choice™ Sensual Amber* Fragrance Oil

Page 5 of 8 2016-03-10

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Component			ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl aceta	ate	10			
Engineering C	Controls:	Use local exhaust as needed.				
8.2 Exposure cor	ntrols - Perso	nal protective equipment				
Eye protection	n:	Tightly sealed goggles, face shield, or s as may be appropriate for the exposure		es with bro	w guards	and side shields, etc.
Respiratory p	rotection:	Avoid excessive inhalation of concentra	ted vapors.	Apply loca	al ventilati	on where appropriate.
Skin protectio	on:	Avoid Skin contact. Use chemically resi	stant gloves	as neede	d.	

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Conforms to Standard
Odor:	Conforms to Standard
Color:	Yellow Tint (G1) to Yellow (G5)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	168 F (75.56 C)
Auto flammability:	Not determined



Safety Data Sheet

Crafter's Choice™ Sensual Amber* Fragrance Oil

SDS Type: GHS / OSHA

Page 6 of 8 2016-03-10

Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.1112
%VOC:	11.7701
Specific Gravity @ 25 C:	1.0190
Density @ 25 C:	1.0160
Refractive Index @ 20 C:	1.5300
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2,118.64) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4,032.26) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 44.47) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	May cause damage to organs
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Chronic aquatic toxicity Very Toxic to aquatic life Toxic to aquatic life with long lasting effects **Crafter's**Choice[®]

7820 E. Pleasant Valley Road Iddependence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Sensual Amber* Fragrance Oil

SDS Type: GHS / OSHA

Page 7 of 8 2016-03-10

Toxicity Data on soil	no data available	
Toxicity on other organisms	no data available	
12.2 Persistence and degradability	no data available	
12.3 Bioaccumulative potential	no data available	
12.4 Mobility in soil	no data available	
12.5 Other adverse effects	no data available	

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI		Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.		
ADR/RID (International Road/Rail)							
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	111		UN3082		
IATA (Air Cargo)		_					
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082		
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082		
15. Regulatory Information							
U.S. Federal Regulations:							
TSCA (Toxic Substance (Control Act):	All compor	nents of the subs	tance/mixture are listed or e	exempt		
40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern. U.S. State Regulations:							
California Proposition 65 WarningThis product contains the following components:123-35-3(NF 204-622-5 0.1 - 1.0 %beta-Myrcene (NFS)Canadian Regulations:East of the second seco							

DSL / NDSL 100.00% of the components are listed or exempt.



Safety Data Sheet

Page 8 of 8 2016-03-10

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk
(1.04) Aspiration Hazard, Category 1
(9.60) Sensitization, Skin, Category 1B
(3.50) Target Organ Systemic Toxicity - Single Exposure, Category 2
(7.95) Aquatic Chronic Toxicity, Category 2 (TFV) Risk

(2.10) Skin Corrosion/Irritation, Category 2

(1.75) Eye Damage/Eye Irritation, Category 2A

(2.84) Aquatic Acute Toxicity, Category 1

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice[™] holds no responsibility. This document is not intended for quality assurance purposes.