

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Black Tie Product: Fragrance Oil

Page 1 of 7 Print Date: 2023-03-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Black Tie Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:	IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 250 0014
	(800) 359-0944
	www.WholesaleSuppliesPlus.com

Emergency telephone number 1.4

(800) 255-3924	Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed	
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin	
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation	
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction	
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled	
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life	
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects	
Classification OSHA (Provisions 1910.1200 of title 29)		

Sensitization, Skin, Category 1B

H317 : May cause an allergic skin reaction

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Tie Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Page 2 of 7 Print Date: 2023-03-16

Hazard statements	
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

Fievenuon.	
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage
3 Other Hazards	

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411
Benzyl Ber	nzoate		
54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411
Tetramethy	yl Acetyloctahydi	ronaphthalenes	
100-51-6	202-859-9	5 - 10 %	H302; H313; H319
Benzyl Alcohol			
105-95-3	203-347-8	5 - 10 %	H401
Ethylene brassylate			
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
Hexyl cinnamal			
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexamethylindanopyran			

Crafter'sChoice®

7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Tie Fragrance Oil

Page 3 of 7 Print Date: 2023-03-16

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
19870-74-7	243-384-7	2 - 5 %	H317; H400; H410	
Cedrol me	ethyl ether			
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402	
Linalyl Ac	etate			
127-51-5	204-846-3	0.1 - 1.0 %	H316; H317; H320; H401; H411	
a-Isometh	iyl ionone			
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412	
Limonene)			
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411	
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (Cashmeran)				
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402	
Linalool				
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402	
Eucalypto)/			
See Section 16 for full text of GHS classification codes				

See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 0.84

4. First Aid Measures		
4.1 Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion: Rinse mouth with water and obtain medical advice.		
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms:	no data available	
Risks: Refer to Section 2.2 "Hazard Statements"		
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment: Refer to Section 2.2 "Response"		
5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substance or mixture		
During fire fighting:	Water may be ineffective	



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Tie Fragrance Oil

Page 4 of 7 Print Date: 2023-03-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

5.3 Advice for firefighters

Further information:

Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

-		
Exposure Limits:	Contains no substances with occupational exposure limit values.	
Engineering Controls:	Use local exhaust as needed.	
8.2 Exposure controls - Personal protective equipment		
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure	
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.	
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.	

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:LiquidOdor:Conforms to Standard

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Tie Fragrance Oil

Page 5 of 7 Print Date: 2023-03-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Color:	Pale Yellow to Golden Yellow (G3-7)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0163
%VOC:	0.95
Specific Gravity @ 25 C:	0.9800
Density (g/mL) @ 25 C:	0.9770
Refractive Index @ 20 C:	1.5000
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"			
Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2956.5370) May be harmful if swallowed		
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4540.2922) May be harmful in contact with skin		
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 34.6466) May be harmful if inhaled		
Skin corrosion / irritation	Causes mild skin irritation		
Serious eye damage / irritation	Not classified - the classification criteria are not met		
Respiratory sensitization	Not classified - the classification criteria are not met		
Skin sensitization	May cause an allergic skin reaction		
Germ cell mutagenicity	Not classified - the classification criteria are not met		
Carcinogenicity	Not classified - the classification criteria are not met		
Reproductive toxicity	Not classified - the classification criteria are not met		



7820 E Pleasant Valley Road

Independence, OH 44131 (800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Black Tie Fragrance Oil

Page 6 of 7 Print Date: 2023-03-16

www.WholesaleSuppliesPlus.com Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Aspiration hazard

Not classified - the classification criteria are not met Not classified - the classification criteria are not met Not classified - the classification criteria are not met

12. Ecological Information

ry Toxic to aquatic life
xic to aquatic life with long lasting effects
data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (20 - 30 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerou	s Goods	
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:	Crafter's Choice [™]	Black Tie
	Fragrance Oil	

Page 7 of 7 Print Date: 2023-03-16

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

15. Regulatory Information	
U.S. Federal Regulations	
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains the following components:
1222-05-5 214-946-9 2 - 5 %	Hexamethylindanopyran
U.S. State Regulations	
California Proposition 65 Warning	This product contains the following components:
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (Natural Source)
Canadian Regulations	
DSL	100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H302 : Harmful if swallowed
- H315 : Causes skin irritation
- H319 : Causes serious eye irritation
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk

- (144.31) Acute Toxicity Inhalation, Category 5
- (7.00) Sensitization, Skin, Category 1B
- (2.00) Skin Corrosion/Irritation, Category 3
- (1.69) Acute Toxicity Oral, Category 5
- (1.10) Acute Toxicity Dermal, Category 5
- Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.

H317 : May cause an allergic skin reaction H320 : Causes eye irritation

H227 : Combustible liquid

- H402 : Harmful to aquatic life
- H412 : Harmful to aquatic life with long lasting effects

H304 : May be fatal if swallowed and enters airways

(TFV) Risk
(39.52) Aquatic Chronic Toxicity, Category 3
(3.95) Aquatic Chronic Toxicity, Category 2
(1.77) Aquatic Chronic Toxicity, Category 4
(1.37) Aquatic Acute Toxicity, Category 1