

## Safety Data Sheet

7820 E. Pleasant Valley Road  
Independence, OH 44131  
(800) 908-7028  
www.crafters-choice.com

Crafter's Choice™ Santa's Workshop  
Fragrance Oil

Page 1 of 9  
2018-11-19

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product Name:** Crafter's Choice™ Santa's Workshop Fragrance Oil

### 1.2 Relevant identified product use

**Intended use:** Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC  
7820 E. Pleasant Valley Road  
Independence, Ohio 44131  
Phone: 1-800-908-7028  
www.Crafters-Choice.com

### 1.4 Emergency telephone number

**(800) 255-3924** Domestic USA, Canada, Puerto Rico, and US Virgin Islands

**+1 813 248-0585** International

## 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS and (EC) No 1272/2008 (CLP)

Flammable Liquids, Category 4	H227: Combustible liquid
Acute Toxicity Oral, Category 5	H303: May be harmful if swallowed
Aspiration Hazard, Category 1	H304: May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1A	H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319: Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability	Class IIIA Combustible Liquid
Acute Dermal/Eye	10 : May be harmful if absorbed through the skin. 12 : Causes moderate skin irritation. 14 : Causes severe eye burns. 19 : May cause photo-induced skin irritation.
Acute Inhalation	24 : Causes respiratory tract irritation. 25 : Inhalation at high levels may cause: headache.
Acute Oral	3 : May be harmful if swallowed or if aspirated into the lungs 4 : Harmful or fatal if swallowed, can enter lungs and cause damage
Genotoxicity	36 : Suspected of causing genetic defects
Reproductive/Developmental	39 : Causes reproductive/developmental toxicity in animals.

## Safety Data Sheet

7820 E. Pleasant Valley Road  
Independence, OH 44131  
(800) 908-7028  
www.crafters-choice.com

Crafter's Choice™ Santa's Workshop  
Fragrance Oil

Page 2 of 9  
2018-11-19

Sensitization/Allergic Response	31 : May cause allergic skin reaction.
Target Organ Effects	26 : Prolonged or repeated ingestion may cause damage to: kidneys, adrenal glands, liver, spleen, bone marrow, stomach, thyroid, nasal cavity, male reproductive system. 28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, liver, bone marrow, skin, testes
Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [ ] IARC [ ] NTP [ ] OSHA [ ]

## 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

## Hazard pictograms



Signal Word: Danger

## Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

## Precautionary Statements

## Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

## Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse

## Safety Data Sheet

7820 E. Pleasant Valley Road  
Independence, OH 44131  
(800) 908-7028  
www.crafters-choice.com

Crafter's Choice™ Santa's Workshop  
Fragrance Oil

Page 3 of 9  
2018-11-19

P370 + P378

In case of fire: Use Carbon dioxide (CO<sub>2</sub>), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material

P391

Collect Spillage

### 2.3 Other Hazards

no data available

## 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	10 - 20 %	H302; H313; H400; H411	28, 3
87-44-5 <i>beta-Caryophyllene</i>	201-746-1	10 - 20 %	H304; H316; H317	31, 4
101-86-0 <i>Hexyl cinnamaldehyde</i>	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	11, 15
54464-57-2 <i>Tetramethyl Acetyloctahydronaphthalenes</i>	259-174-3	5 - 10 %	H315; H317; H400; H410	11, 31
8000-34-8 <i>Eugenia caryophyllus (Clove) leaf oil</i>	284-638-7	2 - 5 %	H303; H304; H313; H316; H319; H401	12, 31, 36, 4
125-12-2 <i>Isobornyl acetate</i>	204-727-6	1 - 2 %	H227; H316; H401	11, 15
68647-72-3 <i>Limonene</i>	232-433-8	1 - 2 %	H226; H304; H315; H317; H400; H410	12, 3, 31
83926-73-2 <i>4-Cyclohexyl-2-methyl-2-butanol</i>	420-630-3	1 - 2 %	H316; H318; H401; H411	11, 14, 26
18479-58-8 <i>2,6-dimethyloct-7-en-2-ol</i>	242-362-4	1 - 2 %	H227; H303; H315; H319; H402	11, 15
68917-33-9 <i>Lemon oil terpenes</i>	284-515-8	1 - 2 %	H226; H304; H315; H400; H410	12, 3, 31
121-33-5 <i>Vanillin</i>	204-465-2	1 - 2 %	H303; H319	31
127-51-5 <i>a-Isomethyl ionone</i>	204-846-3	1 - 2 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31
104-55-2 <i>Cinnamal</i>	203-213-9	1 - 2 %	H303; H312; H315; H317; H319; H401	10, 12, 16, 26, 31, 36
68990-83-0 <i>Juniperus mexicana</i>	294-461-7	1 - 2 %	H304; H316; H400; H410	3
139504-68-0 <i>1-(2-Butyl cyclohexyloxy)-2-butanol</i>	412-300-2	1 - 2 %	H320; H401; H411	

## Safety Data Sheet

7820 E. Pleasant Valley Road  
Independence, OH 44131  
(800) 908-7028  
www.crafters-choice.com

Crafter's Choice™ Santa's Workshop  
Fragrance Oil

Page 4 of 9  
2018-11-19

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
<b>78-70-6</b> <i>Linalool</i>	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402	12, 26
<b>32388-55-9</b> <i>Acetyl cedrene</i>	251-020-3	1 - 2 %	H316; H317; H400; H410	16, 19
<b>127-91-3</b> <i>β-Pinene</i>	204-872-5	1 - 2 %	H226; H304; H315; H317; H400; H410	11, 15, 24, 25, 31
<b>8014-09-3</b> <i>Pogostemon cablin oil</i>	282-493-4	1 - 2 %	H304; H316; H401; H411	
<b>80-54-6</b> <i>Butylphenyl Methylpropional</i>	201-289-8	1 - 2 %	H227; H302; H315; H317; H361; H401; H412	11, 15, 26, 28, 3, 31, 39
<b>91-64-5</b> <i>Coumarin</i>	202-086-7	0.1 - 1.0 %	H302; H317; H402	12, 15, 2, 26, 31, 9
<b>31906-04-4</b> <i>Hydroxyisohexyl 3-cyclohexene carboxaldehyde</i>	250-863-4	0.1 - 1.0 %	H317; H402	
<b>101-39-3</b> <i>alpha-Methylcinnamaldehyde</i>	202-938-8	0.1 - 1.0 %	H303; H317; H401	31
<b>104-54-1</b> <i>Cinnamyl Alcohol</i>	203-212-3	0.1 - 1.0 %	H303; H317	11, 15, 31
<b>33704-61-9</b> <i>6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (Cashmeran)</i>	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411	11, 15, 26
<b>127-43-5</b> <i>Methyl-β-ionone</i>	204-843-7	0.1 - 1.0 %	H316; H317; H401; H411	11, 15, 19, 26, 28, 31
<b>115-95-7</b> <i>Linalyl acetate</i>	204-116-4	0.1 - 1.0 %	H227; H315; H317; H319; H402	
<b>8001-26-1</b> <i>Linum usitatissimum (Linseed) seed oil</i>	232-278-6	0.1 - 1.0 %	H302; H312; H315; H317; H319; H332; H335	11, 15
<b>4180-23-8</b> <i>trans-Anethole [(E)-Anethole]</i>	224-052-0	0.1 - 1.0 %	H303; H316; H317; H401	11, 15

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 18.44

## 4. First Aid Measures

### 4.1 Description of first aid measures

<b>Inhalation:</b>	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
<b>Eye Exposure:</b>	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
<b>Skin Exposure:</b>	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
<b>Ingestion:</b>	Rinse mouth with water and obtain medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms:</b>	no data available
------------------	-------------------

7820 E. Pleasant Valley Road  
Independence, OH 44131  
(800) 908-7028  
www.crafters-choice.com

**Crafter's Choice™ Santa's Workshop  
Fragrance Oil**

Page 5 of 9  
2018-11-19

**Risks:** Refer to Section 2.2 "Hazard Statements"

**4.3 Indication of any immediate medical attention and special treatment needed**

**Treatment:** Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

### 5.1 Extinguishing media

**Suitable:** Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam

**Unsuitable:** Do not use a direct water jet on burning material

### 5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

### 5.3 Advice for firefighters

**Further information:** Standard procedure for chemical fires

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:**

**Component**

ACGIH	ACGIH	OSHA	OSHA
TWA ppm	STEL ppm	TWA ppm	STEL ppm

## Safety Data Sheet

7820 E. Pleasant Valley Road  
Independence, OH 44131  
(800) 908-7028  
www.crafters-choice.com

Crafter's Choice™ Santa's Workshop  
Fragrance Oil

Page 6 of 9  
2018-11-19

127-91-3 *β-Pinene* 20

**Engineering Controls:** Use local exhaust as needed.

### 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Liquid
<b>Odor:</b>	Conforms to Standard
<b>Color:</b>	Greenish Yellow (G2/3)
<b>Viscosity:</b>	Liquid
<b>Freezing Point:</b>	Not determined
<b>Boiling Point:</b>	Not determined
<b>Melting Point:</b>	Not determined
<b>Flashpoint (CCCFP):</b>	182 F (83.33 C)
<b>Auto flammability:</b>	Not determined
<b>Explosive Properties:</b>	None Expected
<b>Oxidizing properties:</b>	None Expected
<b>Vapor Pressure (mmHg@20 C):</b>	0.0778
<b>%VOC:</b>	5.7964
<b>Specific Gravity @ 25 C:</b>	0.9640
<b>Density @ 25 C:</b>	0.9610
<b>Refractive Index @ 20 C:</b>	1.5080
<b>Soluble in:</b>	Oil

## 10. Stability and Reactivity

<b>10.1 Reactivity</b>	None
<b>10.2 Chemical stability</b>	Stable
<b>10.3 Possibility of hazardous reactions</b>	None known
<b>10.4 Conditions to avoid</b>	None known
<b>10.5 Incompatible materials</b>	Strong oxidizing agents, strong acids, and alkalis
<b>10.6 Hazardous decomposition products</b>	None known

## Safety Data Sheet

7820 E. Pleasant Valley Road  
Independence, OH 44131  
(800) 908-7028  
www.crafters-choice.com

Crafter's Choice™ Santa's Workshop  
Fragrance Oil

Page 7 of 9  
2018-11-19

## 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

<b>Acute toxicity - Oral - (Rat) mg/kg</b>	(LD50: 2,777.94) May be harmful if swallowed
<b>Acute toxicity - Dermal - (Rabbit) mg/kg</b>	(LD50: 3,711.94) May be harmful in contact with skin
<b>Acute toxicity - Inhalation - (Rat) mg/L/4hr</b>	(LC50: 31.09) May be harmful if inhaled
<b>Skin corrosion / irritation</b>	Causes skin irritation
<b>Serious eye damage / irritation</b>	Causes serious eye irritation
<b>Respiratory sensitization</b>	Not classified - the classification criteria are not met
<b>Skin sensitization</b>	May cause an allergic skin reaction
<b>Germ cell mutagenicity</b>	Not classified - the classification criteria are not met
<b>Carcinogenicity</b>	Not classified - the classification criteria are not met
<b>Reproductive toxicity</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - single exposure</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - repeated exposure</b>	Not classified - the classification criteria are not met
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways

## 12. Ecological Information

### 12.1 Toxicity

<b>Acute aquatic toxicity</b>	Very Toxic to aquatic life
<b>Chronic aquatic toxicity</b>	Toxic to aquatic life with long lasting effects
<b>Toxicity Data on soil</b>	no data available
<b>Toxicity on other organisms</b>	no data available

**12.2 Persistence and degradability** no data available

**12.3 Bioaccumulative potential** no data available

**12.4 Mobility in soil** no data available

**12.5 Other adverse effects** no data available

## 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			

7820 E. Pleasant Valley Road  
 Independence, OH 44131  
 (800) 908-7028  
 www.crafters-choice.com

**Crafter's Choice™ Santa's Workshop  
 Fragrance Oil**

Page 8 of 9  
 2018-11-19

Chemicals NOI

**ADR/RID (International Road/Rail)**

Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
---	------------	---	-----	--------

**IATA (Air Cargo)**

Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
---	------------	---	-----	--------

**IMDG (Sea)**

Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082
---	------------	---	-----	--------

**15. Regulatory Information**

**U.S. Federal Regulations:**

**TSCA (Toxic Substance Control Act):** All components of the substance/mixture are listed or exempt  
**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations:**

**California Proposition 65 Warning** This product contains the following components:  
 93-15-2 202-223-0 <= 29 ppm Methyl Eugenol (NFS)  
 123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (NFS)

**Canadian Regulations:**

**DSL / NDSL** 99.85% of the components are listed or exempt. The following components are NOT on the List:  
 131812-67-4 412-950-7 0.1 - 1.0 % 2,4-Dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthalenyl)-1,3-dioxolane (Okoumal)

**16. Other Information**

**GHS H-Statements referred to under section 3**

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H312 : Harmful in contact with skin	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H318 : Causes serious eye damage
H320 : Causes eye irritation	H332 : Harmful if inhaled
H335 : May cause respiratory irritation	H361 : Suspected of damaging fertility or the unborn child
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects

**Total Fractional Values**

(TFV) Risk	(TFV) Risk
(2.29) Aspiration Hazard, Category 1	(2.01) Skin Corrosion/Irritation, Category 2
(115.00) Sensitization, Skin, Category 1A	(3.30) Eye Damage/Eye Irritation, Category 2A
(1.58) Aquatic Acute Toxicity, Category 1	(6.44) Aquatic Chronic Toxicity, Category 2



# Safety Data Sheet

7820 E. Pleasant Valley Road  
Independence, OH 44131  
(800) 908-7028  
www.crafters-choice.com

**Crafter's Choice™ Santa's Workshop  
Fragrance Oil**

Page 9 of 9  
2018-11-19

---

## Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.