

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Fairy Dust -EO & FO Blend

Page 1 of 9 Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Fairy Dust - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:	IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road
	Independence, OH 44131
	(800) 359-0944
	www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924	Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227	: Combustible liquid
Acute Toxicity Oral, Category 5	H303	: May be harmful if swallowed
Acute Toxicity Dermal, Category	5 H313	: May be harmful in contact with skin
Skin Corrosion/Irritation, Catego	ry 2 H315	: Causes skin irritation
Sensitization, Skin, Category 1A	H317	: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Cate	gory 2A H319	: Causes serious eye irritation
Acute Toxicity Inhalation, Catego	ory 5 H333	: May be harmful if inhaled
Reproductive Toxicity, Category	1B H360	: May damage fertility or the unborn child
Aquatic Chronic Toxicity, Catego	ory 2 H411	: Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 19	910.1200 of title 29)	
Flammable Liquids, Category 4	H227	: Combustible liquid
Skin Corrosion/Irritation, Catego	ry 2 H315	: Causes skin irritation
Sensitization, Skin, Category 1A	H317	: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Cate	gory 2A H319	: Causes serious eye irritation
Reproductive Toxicity, Category	1B H360	: May damage fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Hazard pictograms





Signal Word: Danger Hazard statements

ard statements	
H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

Product: Crafter's Choice[™] Fairy Dust -EO & FO Blend

Page 2 of 9 Print Date: 2023-03-27



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Fairy Dust -EO & FO Blend

Page 3 of 9 Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
107-41-5	203-489-0	20 - 30 %	H315; H319
Hexylene	Glycol		
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411
Hexyl cinn	amal		
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411
Benzyl Be	nzoate		
105-95-3	203-347-8	5 - 10 %	H401
Ethylene k	orassylate		
54464-57-2	259-174-3	2 - 5 %	H315; H317; H401; H411
Tetrameth	yl Acetyloctahyd	ronaphthalenes	
10339-55-6	233-732-6	2 - 5 %	H227; H303; H316; H317; H319; H402
Ethyl Linal	lool		
28219-61-6	248-908-8	2 - 5 %	H315; H319; H401; H411
Ethyl trime	ethylcyclopentene	e butenol	
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexameth	ylindanopyran		
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene			
63500-71-0	405-040-6	2 - 5 %	H319
Isobutyl M	ethyl Tetrahydro	pyranol	
32388-55-9	251-020-3	2 - 5 %	H303; H317; H400; H410
Acetyl cea	lrene		
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H360; H401;
Butylphen	yl Methylpropiona	al	H412
110-41-8	203-765-0	1 - 2 %	H227; H315; H317; H402; H410
2-Methylu	ndecanal		
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ace	etate		
31906-04-4	250-863-4	1 - 2 %	H317; H402
	ohexyl 3-cyclohe	xene carboxalde	hyde
88-41-5	201-828-7	1 - 2 %	H227; H303; H316; H401; H411
2-t-Butylcy	clohexyl acetate		
112-54-9	203-983-6	1 - 2 %	H315; H317; H319
Lauraldeh			
127-51-5	204-846-3	1 - 2 %	H316; H317; H320; H401; H411
a-Isometh	yl ionone		

7820 E Pleasant Valley Road

Independence, OH 44131 (800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Fairy Dust -EO & FO Blend

Page 4 of 9 Print Date: 2023-03-27

www.WholesaleS	uppliesPlus.com		
CAS# Ingredient	EC#	Conc. Range	GHS Classification
10094-34-5	233-221-8	1 - 2 %	H401; H411
Dimethyl F	Phenethyl Butyr	ate	
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			
105-53-3	203-305-9	1 - 2 %	H227; H319; H402
Diethyl ma	alonate		
118-58-1	204-262-9	1 - 2 %	H303; H317; H320; H401; H412
Benzyl Sa	licylate		
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411
Pentamethylcyclopent-3-ene-butanol			
104-21-2	203-185-8	0.1 - 1.0 %	H317; H402
p-Anisyl a	cetate		
24720-09-0	246-430-4	0.1 - 1.0 %	H302; H313; H317; H401; H411
alpha-dan	nascone		
57378-68-4	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410
delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)			
104-54-1	203-212-3	0.1 - 1.0 %	H302; H316; H317; H401
Cinnamyl	Alcohol		
See Section 1	6 for full text of	GHS classificatio	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 3.13

4. First Aid Measures 4.1 Description of first aid measures Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice. Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate me	dical attention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Fairy Dust -EO & FO Blend

Page 5 of 9 Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

5. Fire-Fighting measure	es
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the	ne substance or mixture
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective
Further information:	Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 9

Print Date: 2023-03-27

Product: Crafter's Choice[™] Fairy Dust -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Skin protection:

Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow to Greenish Yellow (G4-5)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	182 F (83.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.3944
%VOC:	8.05
Specific Gravity @ 25 C:	0.9520
Density (g/mL) @ 25 C:	0.9490
Refractive Index @ 20 C:	1.4740
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg Acute toxicity - Dermal - (Rabbit) mg/kg Acute toxicity - Inhalation - (Rat) mg/L/4hr Skin corrosion / irritation (LD50: 3327.8300) May be harmful if swallowed (LD50: 4954.4726) May be harmful in contact with skin (LD50: 29.0655) May be harmful if inhaled Causes skin irritation

Pro

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

duct:	Crafter's Choice [™] Fairy Dust -
	EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 7 of 9 Print Date: 2023-03-27

www.wholesaleSuppliesPlus.com	
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information 12.1 Toxicity

Acute acquatic toxicity	Not classified - the classification criteria are not met				
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects				
Toxicity Data on soil	no data available				
Toxicity on other organisms	no data available				
12.2 Persistence and degradability	no data available				
12.3 Bioaccumulative potential	no data available				
12.4 Mobility in soil	no data available				
12.5 Other adverse effects	no data available				

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 1222-05-5 : (2 - 5 %) : Hexamethylindanopyran				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082
IATA (Air Cargo)					

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

			Neviseu Dale. 2023-02-07 00.00		
F	Product: Crafte	r's Choice [™] Fairy D	ıst -		
7820 E Pleasant Valley Road	EO	& FO Blend	Page 8 of 9		
Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com			Print Date: 2023-03-2		
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082		
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082		
15. Regulatory Informa U.S. Federal Regulations		Il components of the subs	anco/mixturo are listed or exempt		
TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt					
40 CFR(EPCRA, SARA, CERCL	•				
1222-05-5 214-946-9 2 U.S. State Regulations	-5% Hex	Hexamethylindanopyran			
California Proposition 65 Warn	This product contains the following components:		llowing components:		
123-35-3(NF 204-622-5 0.	01 - 0.1% beta	a-Myrcene (Natural Source)		
Canadian Regulations					
DSL		00.00% of the component omponents are NOT on the	are listed or exempt.The following		
94201-73-7 303-662-1 <=	= 3 ppm Teti	ahydro-4-methyl-2-pheny	2H-pyran		

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapourH302H304 : May be fatal if swallowed and enters airwaysH314H317 : May cause an allergic skin reactionH317H320 : Causes eye irritationH400H401 : Toxic to aquatic lifeH400H410 : Very toxic to aquatic life with long lasting effectsH412Total Fractional Values(TFV)(TFV) Risk(TFV)(172.03) Acute Toxicity Inhalation, Category 5(43.8)(26.00) Reproductive Toxicity, Category 1B(16.8)(8.67) Reproductive Toxicity, Category 3(4.82)(4.74) Eye Damage/Eye Irritation, Category 2A(4.32)(1.79) Aquatic Chronic Toxicity, Category 4(1.50)(1.01) Acute Toxicity Dermal, Category 5(1.50)

Department issuing data sheet:

Department E-mail address:

H302 : Harmful if swallowed H316 : Causes mild skin irritation H318 : Causes serious eye damage H400 : Very Toxic to aquatic life H402 : Harmful to aquatic life H412 : Harmful to aquatic life with long lasting effects

(TFV) Risk

- (43.52) Aquatic Chronic Toxicity, Category 3
- (16.50) Sensitization, Skin, Category 1A
- (8.20) Sensitization, Skin, Category 1B
- (4.81) Skin Corrosion/Irritation, Category 2
- (4.32) Aquatic Chronic Toxicity, Category 2
- (1.50) Acute Toxicity Oral, Category 5



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Fairy Dust -EO & FO Blend

Page 9 of 9 Print Date: 2023-03-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.