

Revised Date: 2023-02-06 00:00

Crafter's Choice[™] Fireside* -Product: EO & FO Blend

Page 1 of 7 Print Date: 2023-03-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Fireside* - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

IndiMade Brands, LLC DBA Wholesale Supplies Plus Manufacturer: 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	e 29)
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Classification Other	

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning Hazard statements

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice[™] Fireside* -EO & FO Blend

Page 2 of 7 Print Date: 2023-03-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects
Precautionary Statements	
Prevention:	
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage
2.3 Other Hazards	

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411
Benzyl Bei	nzoate		
54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411
Tetramethy	yl Acetyloctahydı	ronaphthalenes	
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexamethy	ylindanopyran		
33704-61-9	251-649-3	1 - 2 %	H303; H315; H317; H319; H401; H411
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (Cashmeran)			
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411
Pentamethylcyclopent-3-ene-butanol			
28219-61-6	248-908-8	1 - 2 %	H315; H319; H401; H411
Ethyl trimethylcyclopentene butenol			
469-61-4	207-418-4	1 - 2 %	H304; H315; H400; H410
alpha-Ced	rene		



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice[™] Fireside* -EO & FO Blend

Page 3 of 7 Print Date: 2023-03-28

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

CAS# Ingredient

EC#

GHS Classification

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 1.04

Conc.

Range

4. First Aid Measure	es
4.1 Description of first aid me	asures
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms	s and effects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immedia	te medical attention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"
ireatment.	
5. Fire-Fighting mea	·
5. Fire-Fighting mea	·
5. Fire-Fighting mea	·
5. Fire-Fighting mea 5.1 Extinguishing media	asures
 5. Fire-Fighting mea 5.1 Extinguishing media Suitable: Unsuitable 	asures Carbon dioxide (CO2), Dry chemical, Foam
 5. Fire-Fighting mea 5.1 Extinguishing media Suitable: Unsuitable 	asures Carbon dioxide (CO2), Dry chemical, Foam Do not use a direct water jet on burning material

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.



Revised Date: 2023-02-06 00:00

Product:

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

Precautions for safe handling 7.1

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. **Exposure Controls/Personal Protection**

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. **Physical and Chemical Properties**

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Golden Brown (G1-6)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0011
%VOC:	0.00
Specific Gravity @ 25 C:	0.9450

Crafter's Choice[™] Fireside* -EO & FO Blend

Page 4 of 7 Print Date: 2023-03-28

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice[™] Fireside* -EO & FO Blend

Page 5 of 7 Print Date: 2023-03-28

7820 E Pleasant Valley Road		
Independence, OH 44131		
(800) 359-0944		
www.WholesaleSuppliesPlus.com		
Density (g/mL) @ 25 C:		

Density (g/mL) @ 25 C:	0.9420
Refractive Index @ 20 C:	1.4660
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4318.5267) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 259.7426) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability

no data available



7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice[™] Fireside* -EO & FO Blend

Page 6 of 7 Print Date: 2023-03-28

www.WholesaleSuppliesPlus.com		
12.3 Bioaccumulative potential	no data available	
12.4 Mobility in soil	no data available	
12.5 Other adverse effects	no data available	

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient o 1222-05-5 : (2 - 5	•			
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	Goods	
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					
IATA (Air Cargo)					
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					
IMDG (Sea)					
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					

15. Regulatory Information					
U.S. Federal Regulations					
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt				
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains the following components:				
1222-05-5 214-946-9 2 - 5 %	Hexamethylindanopyran				
U.S. State Regulations					
California Proposition 65 Warning Canadian Regulations	No Warning required				
DSL	99.80% of the components are listed or exempt.The following components are NOT on the List:				
198404-98-7 427-900-1 0.1 - 1.0 %	Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]				



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice[™] Fireside* -EO & FO Blend

Page 7 of 7 Print Date: 2023-03-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- H302 : Harmful if swallowed
- H313 : May be harmful in contact with skin
- H317 : May cause an allergic skin reaction
- H400 : Very Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk

(21.73) Aquatic Chronic Toxicity, Category 3

(7.00) Sensitization, Skin, Category 1B

(1.75) Skin Corrosion/Irritation, Category 3

(1.16) Acute Toxicity Oral, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

H316 : Causes mild skin irritation H319 : Causes serious eye irritation H401 : Toxic to aquatic life

H304 : May be fatal if swallowed and enters airways

(TFV) Risk

- (19.25) Acute Toxicity Inhalation, Category 5
- (2.17) Aquatic Chronic Toxicity, Category 2
- (1.33) Skin Corrosion/Irritation, Category 2
- (1.00) Aquatic Chronic Toxicity, Category 4

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.