

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Fresh Picked Watermelon\* Fragrance Oil

Page 1 of 9 Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade Name: Crafter's Choice™ Fresh Picked Watermelon\* Fragrance Oil

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer:	IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road
	Independence, OH 44131
	(800) 359-0944
	www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924	Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 o	f title 29)
Elemental Limite October 1	

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Reproductive Toxicity, Category 2	H361 : Suspected of damaging fertility or the unborn child

#### Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)

Hazard pictograms

# **Safety Data Sheet**

Watermelon\* Fragrance Oil

Crafter's Choice<sup>™</sup> Fresh Picked

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 9

Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com





Product:

#### Signal Word: Warning

#### Hazard statements

H227	Combustible liquid
H302	Harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### **Prevention:**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Keep cool
Wash hands thoroughly after handling
Do not eat, drink or smoke when using this product
Contaminated work clothing should not be allowed out of the workplace
Avoid release to the environment
Use personal protective equipment as required
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
IF ON SKIN: Wash with soap and water
IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
IF exposed or concerned: Get medical advice/attention
If skin irritation or a rash occurs: Get medical advice/attention

- P362
  - Take off contaminated clothing and wash before reuse
- P363 Wash contaminated clothing before reuse In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use P370 + P378 a direct water jet on burning material

**Collect Spillage** 

P391

#### 2.3 Other Hazards

no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Fresh Picked Watermelon\* Fragrance Oil

Page 3 of 9 Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	60 - 70 %	H302; H313; H400; H411
Benzyl Be	nzoate		
88-41-5	201-828-7	5 - 10 %	H227; H303; H316; H401; H411
2-t-Butylcy	clohexyl acetate		
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
Hexyl cinn	amal		
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene			
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402
Linalyl Ace			
123-92-2	204-662-3	2 - 5 %	H226; H402
lsoamyl ad			
103-60-6	203-127-1	1 - 2 %	H316
-	ethyl isobutyrate/		
142-19-8	205-527-1	1 - 2 %	H227; H301; H311; H400; H412
Allyl hepta			
66068-84-6	266-100-3		H316; H400; H411
	enyl cyclohexano	•	
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			
141-12-8	205-459-2	1 - 2 %	H317; H401
Neryl acet		04 40 %	
105-87-3		0.1 - 1.0 %	H315; H317; H401; H412
Geranyl A		01 109/	
6259-76-3 Hexyl salid	228-408-6	0.1 - 1.0 %	H316; H317; H400; H410
6485-40-1	229-352-5	0.1 - 1.0 %	H227; H303; H313; H317; H401
l-Carvone	229-352-5	0.1 - 1.0 %	HZZ7, H303, H313, H317, H401
68039-49-6	268-264-1	0.1 - 1.0 %	H227; H303; H315; H317; H319; H401;
	hyl-3-cyclohexen		
1205-17-0	214-881-6	0.1 - 1.0 %	H303; H317; H361; H401; H411
	,3-benzodioxole		
127-43-5	204-843-7	0.1 - 1.0 %	H315; H317; H401; H411
Methyl-ß-i			
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402
Hydroxycii			
,,			

7820 E Pleasant Valley Road Independence, OH 44131

# Safety Data Sheet

## Product: Crafter's Choice<sup>™</sup> Fresh Picked Watermelon\* Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 4 of 9 Print Date: 2023-03-29

(800) 359-0944 www.Wholesale	SuppliesPlus.com		Tint Date.	2023-0
CAS# Ingredient	EC#	Conc. Range	GHS Classification	
77-83-8	201-061-8	0.1 - 1.0 %	H317; H401; H411	
Ethyl Mei	thylphenylglycida	ate		
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402	
Geraniol				
127-51-5	204-846-3	0.1 - 1.0 %	H316; H317; H320; H401; H411	
a-Isometi	hyl ionone			
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	
beta Pine	ene			
2705-87-5	220-292-5	0.1 - 1.0 %	H302; H312; H317; H400; H411	
Allyl cyclo	ohexylpropionate	9		
1335-66-6	215-638-7	0.1 - 1.0 %	H227; H303; H317; H319; H401; H412	
IsoCyclo	Citral			
104-21-2	203-185-8	0.1 - 1.0 %	H317; H402	
p-Anisyl a	acetate			
See Section ?	16 for full text of	GHS classification	on codes	

See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 3.26

4. First Aid Measures		
4.1 Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms:	no data available	
Risks: Refer to Section 2.2 "Hazard Statements"		
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substance or mixture		
During fire fighting:	Water may be ineffective	



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Fresh Picked Watermelon\* Fragrance Oil

Page 5 of 9 Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 5.3 Advice for firefighters

#### Further information:

Standard procedure for chemical fires

### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Limits: ACGIH ACGIH OSHA OSHA Component TWA ppm STEL ppm TWA ppm STEL ppm 127-91-3 beta Pinene 20 123-92-2 Isoamyl acetate 50 100 100

Engineering Controls: Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

Eye protection:Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.<br/>as may be appropriate for the exposureRespiratory protection:Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.Skin protection:Avoid Skin contact. Use chemically resistant gloves as needed.

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Fresh Picked Watermelon\* Fragrance Oil

Page 6 of 9 Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless G0 to Yellow (G5)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	176 F (80.00 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.2520
%VOC:	12.47
Specific Gravity @ 25 C:	1.0370
Density (g/mL) @ 25 C:	1.0340
Refractive Index @ 20 C:	1.5260
Soluble in:	Oil

## 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

# 11. Toxicological Information 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 1777.2382) Harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3909.1600) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 62.9947) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met

7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Fresh Picked Watermelon\* Fragrance Oil

Page 7 of 9 Print Date: 2023-03-29

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not me
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not me
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information	
12.1 Toxicity	
Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (60 - 70 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Ro	ad/Rail)				
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	Ш		UN3082
IMDG (Sea)					

# **Crafter's**Choice<sup>®</sup>

# **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

## Product: Crafter's Choice<sup>™</sup> Fresh Picked Watermelon\* Fragrance Oil

Page 8 of 9

7820 E Pleasant Valley Road Wa	atermelon* Fragrance Oil	Page 8 of 9
Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com		Print Date: 2023-03-29
Environmentally Hazardous Substance, Liquid, n.o.s.	9	UN3082
15. Regulatory Information		
U.S. Federal Regulations		
TSCA (Toxic Substance Control Act)	All components of the substance/mixture	are listed or exempt
<b>40 CFR(EPCRA, SARA, CERCLA and CAA</b> 123-92-2 204-662-3 2 - 5 % <b>U.S. State Regulations</b>	<ul> <li>This product contains the following comp Isoamyl acetate</li> </ul>	onents:
California Proposition 65 Warning 123-35-3(NF 204-622-5 0.01 - 0.1% Canadian Regulations	This product contains the following comp beta-Myrcene (Natural Source)	oonents:
DSL	100.00% of the components are listed or components are NOT on the List:	exempt. The following
815580-59-7 453-570-1 <= 20 ppm	3-Cyclohexene-1-carboxylic acid, 2,6,6-trim	ethyl-, methyl ester

#### 16. **Other Information**

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H301 : Toxic if swallowed
H303 : May be harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H311 : Toxic in contact with skin	H312 : Harmful in contact with skin
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H318 : Causes serious eye damage	H319 : Causes serious eye irritation
H320 : Causes eye irritation	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
H412 : Harmful to aquatic life with long lasting effects	
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(79.37) Acute Toxicity Inhalation, Category 5	(32.76) Aquatic Chronic Toxicity, Category 3
(5.25) Sensitization, Skin, Category 1	(5.25) Sensitization, Skin, Category 1A
(4.00) Reproductive Toxicity, Category 2	(4.00) Sensitization, Skin, Category 1B
(3.30) Aquatic Chronic Toxicity, Category 4	(3.25) Aquatic Chronic Toxicity, Category 2

- (2.91) Aquatic Acute Toxicity, Category 1
- (1.28) Acute Toxicity Dermal, Category 5
- (1.06) Skin Corrosion/Irritation, Category 2

#### Department issuing data sheet:

Department E-mail address:

- (2.55) Skin Corrosion/Irritation, Category 3
- (1.13) Acute Toxicity Oral, Category 4



Product: Crafter's Choice<sup>™</sup> Fresh Picked Watermelon\* Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 9 of 9 Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.