

Safety Data Sheet

Crafter's Choice™ Twilight Woods for Men* Fragrance Oil

Page 1 of 7 2016-03-10

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ Twilight Woods for Men* Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands +1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

Acute Toxicity Oral, Category 4	H302: Harmful if swallowed
Acute Toxicity Dermal, Category 5	H313: May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315: Causes skin irritation
Sensitization, Skin, Category 1B	H317: May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333: May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400: Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Class IIIB Combustible Liquid
12 : Causes
16 : Causes
19 : May cause photo-induced skin irritation.
3 : May be harmful if swallowed or if aspirated into the lungs
31 : May cause allergic skin reaction.
26 : Prolonged or repeated ingestion may cause damage to: kidneys, liver
28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin
This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Crafter'sChoice[®]

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Twilight Woods for Men* Fragrance Oil

Page 2 of 7 2016-03-10



Signal Word: Warning

Hazard Statements

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
120-51-4	204-402-9	70 - 80 %	H302; H313; H400; H411	28, 3
Benzyl Benzoate				
54464-57-2	259-174-3	10 - 20 %	H315; H317; H400; H410	11, 31
Tetramethyl Acetyloctahydronaphthalenes				
105-95-3	203-347-8	2 - 5 %	H401	11, 15
Ethylene brassylate				

Crafter'sChoice[®]

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Twilight Woods for Men* Fragrance Oil

Page 3 of 7 2016-03-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411	11, 15
Hexyl cinr	namaldehyde			
32388-55-9	251-020-3	1 - 2 %	H316; H317; H400; H410	16, 19
Acetyl ced	lrene			
115-95-7	204-116-4	1 - 2 %	H227; H315; H319; H401; H402	
Linalyl ace	etate			
24851-98-7	246-495-9	1 - 2 %	H402	
Methyldih	ydrojasmonate			
8008-57-9	232-433-8	1 - 2 %	H226; H304; H315; H400; H410	12, 3, 31
Citrus aur	antium dulcis (O	range) oil		
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H319; H402	12, 26
Linalool				

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 2.67

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion: 4.2 Most important symptoms a	Rinse mouth with water and obtain medical advice. nd effects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate	medical attention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"

5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substance or mixture		
During fire fighting:	Water may be ineffective	
5.3 Advice for firefighters		
Further information:	Standard procedure for chemical fires	



Safety Data Sheet

Crafter's Choice™ Twilight Woods for Men* Fragrance Oil

Page 4 of 7 2016-03-10

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:	Contains no substances with occupational exposure limit values
------------------	--

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Conforms to Standard
Odor:	Conforms to Standard
Color:	Pale Yellow (G2-3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined

fter'sChoice®

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Safety Data Sheet

Crafter's Choice™ Twilight Woods for Men* Fragrance Oil

C)

Page 5 of 7 2016-03-10

Not determined
>200 F (93.33 C)
Not determined
None Expected
None Expected
0.0302
2.7423
1.0640
1.0610
1.5450
Oil

10. **Stability and Reactivity**

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

Toxicological Information 11.

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 1,818.93) Harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4,145.48) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LC50: 152.27) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met



Safety Data Sheet

Crafter's Choice™ Twilight Woods for Men* Fragrance Oil

Page 6 of 7 2016-03-10

12. Ecological Information			
12.1 Toxicity			
Acute aquatic toxicity	Very Toxic to aquatic life		
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects		
Toxicity Data on soil	no data available		
Toxicity on other organisms	no data available		
12.2 Persistence and degradability	no data available		
12.3 Bioaccumulative potential	no data available		
12.4 Mobility in soil	no data available		
12.5 Other adverse effects	no data available		

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Regulator U.S. DOT (Non-Bulk) Chemicals NOI ADR/RID (International Road	d/Rail)	Class Not Regulated	Pack Group - Not Dangerous	Sub Risk s Goods	UN-nr.
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	111		UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	111		UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	Ш		UN3082

15.	Regula	tory Infori	nation	
U.S. Fede	ral Regula	ations:		
TSCA (Toxic Sub	ostance Con	trol Act):	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)		CLA and CAA)	This product contains NO components of concern.	
U.S. State	Regulation	ons:		
Califor	nia Propo	sition 65 W	arning	This product contains the following components:
94-5	59-7	202-345-4	<= 19 ppm	Safrole (NFS)
93-1	5-2	202-223-0	<= 7 ppm	Methyl Eugenol (NFS)
123	-35-3(NF	204-622-5	0.01 - 0.1%	beta-Myrcene (NFS)



Safety Data Sheet

Crafter's Choice™ Twilight Woods for Men* Fragrance Oil

Page 7 of 7 2016-03-10

Canadian Regulations:

DSL / NDSL

100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk(1.72) Skin Corrosion/Irritation, Category 2(3.56) Aquatic Acute Toxicity, Category 1

(TFV) Risk(10.00) Sensitization, Skin, Category 1B(9.01) Aquatic Chronic Toxicity, Category 2

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice[™] at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice[™] holds no responsibility. This document is not intended for quality assurance purposes.