

Crafter's Choice™ Dreams Unlimited\* Fragrance Oil SDS Type: GHS / OSHA

Page 1 of 8 2016-03-10

# (800) 908-7028 Unlimited\* Fragrance Oil www.crafters-choice.com

## 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Independence, OH 44131

Crafter's Choice™ Dreams Unlimited\* Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

#### 1.4 Emergency telephone number (ChemTel - MIS3548100)

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

**+1 813 248-0585** International

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS Regulation (EC) No 1272/2008

Acute Toxicity Oral, Category 4 H302: Harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 1 H318: Causes serious eye damage

Target Organ Systemic Toxicity - Repeated, H372: Causes damage to organs through prolonged or repeated

Category 1 exposure

Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid

Acute Dermal/Eye 12 : Causes

15: May cause

Acute Inhalation 25: Inhalation at high levels may cause: tremors, labored breathing, hypothermia,

lethargy, ataxia

Acute Oral 3: May be harmful if swallowed.

Reproductive/Developmental 39 : Causes reproductive/developmental Sensitization/Allergic Response 31 : May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, liver, spleen,

stomach, gastrointestinal tract, brain, hematopoietic system, tongue, mucous

membranes, musculo-sk

28: Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Dreams Unlimited\* Fragrance Oil

Page 2 of 8 2016-03-10

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

### **Hazard pictograms**









## Signal Word: Danger

#### **Hazard Statements**

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very Toxic to aquatic life

#### **Precautionary Statements**

#### Prevention:

H411

P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Toxic to aquatic life with long lasting effects

#### Response:

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P310	Immediately call a POISON CENTER or doctor/physician
P314	Get Medical advice/attention if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

#### 2.3 Other Hazards

#### no data available

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Dreams Unlimited\* Fragrance Oil

Page 3 of 8 2016-03-10

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification			
120-51-4	204-402-9	50 - 60 %	H302; H313; H400; H411	28, 3			
Benzyl Be	Benzyl Benzoate						
122-99-6	204-589-7	10 - 20 %	H302; H319	26, 39			
Phenoxye	ethanol						
63500-71-0	405-040-6	5 - 10 %	H319				
TETRAH'	YDRO-METHYL-	METHYLPROPY	YL)-PYRAN-4-OL				
60-12-8	200-456-2	2 - 5 %	H302; H313; H316; H319	11, 15, 3			
phenethy	l alcohol						
107-75-5	203-518-7	2 - 5 %	H317; H319	11, 15, 31			
Hydroxyc	itronellal						
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411	11, 15			
Hexyl cini	namaldehyde						
10339-55-6	233-732-6	2 - 5 %	H227; H315; H319; H402	11, 15			
3,7-Dime	thyl-1,6-nonadier	n-3-ol					
65-85-0	200-618-2	2 - 5 %	H303; H315; H318; H372; H402	11, 15			
Benzoic a	ncid						
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H319; H402	12, 26			
Linalool							
140-11-4	205-399-7	1 - 2 %	H303; H316; H401; H412	15, 25, 26, 31, 39			
Benzyl ad	etate						
24851-98-7	246-495-9	1 - 2 %	H402				
Methyldih	Methyldihydrojasmonate						
18479-58-8	242-362-4	1 - 2 %	H227; H303; H316; H319; H402	11, 15			
2,6-dimet	2,6-dimethyloct-7-en-2-ol						
81782-77-6	279-815-0	1 - 2 %	H227; H400	15			
4-Methyl-3-decen-5-ol							
55066-48-3	259-461-3	1 - 2 %	H302; H313; H318; H373				
3-Methyl-5-phenylpentanol							

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.48

### 4. First Aid Measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Dreams Unlimited\* Fragrance Oil

Page 4 of 8 2016-03-10

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

### 5. Fire-Fighting measures

#### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Dreams Unlimited\* Fragrance Oil

Page 5 of 8 2016-03-10

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:** 

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm TWA ppm STEL ppm

**140-11-4** Benzyl acetate 10

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance: Conforms to Standard

Odor: Conforms to Standard

Color: Nearly Colorless G0 to Pale Yellow (G2)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

Oxidizing properties:

Not determined

Not determined

Not determined

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0242

 %VOC:
 2.967

 Specific Gravity @ 25 C:
 1.0510

 Density @ 25 C:
 1.0480

 Refractive Index @ 20 C:
 1.5280

 Soluble in:
 Oil

## 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis



Independence, OH 44131

www.crafters-choice.com

(800) 908-7028

## **Safety Data Sheet**

Crafter's Choice™ Dreams Unlimited\* Fragrance Oil SDS Type: GHS / OSHA

Page 6 of 8 2016-03-10

10.6 Hazardous decomposition products

None known

### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1,463.10) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3,102.48) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: Undetermined) Not classified - the classification criteria

are not met

Skin corrosion / irritationCauses mild skin irritationSerious eye damage / irritationCauses serious eye damage

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure Causes damage to organs through prolonged or repeated

exposure

Aspiration hazard Not classified - the classification criteria are not met

### 12. Ecological Information

#### 12.1 Toxicity

Acute aquatic toxicity Very Toxic to aquatic life

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

## Crafter's Choice™ Dreams Unlimited\* Fragrance Oil

Page 7 of 8 2016-03-10

## 14. Transport Information

Regulator U.S. DOT (Non-Bulk)		Class	Pack Group - Not Dangerous	Sub Risk	UN-nr.	
Chemicals NOI	Not Regulated	Not Dangerous	3 00003			
ADR/RID (International Road/Rail)						
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III		UN3082	
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III		UN3082	
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III		UN3082	

### 15. Regulatory Information

**U.S. Federal Regulations:** 

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains the following components:

65-85-0 200-618-2 2 - 5 % Benzoic acid 122-99-6 204-589-7 10 - 20 % Phenoxyethanol

U.S. State Regulations:

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 <= 88 ppm beta-Myrcene (NFS)

**Canadian Regulations:** 

DSL / NDSL 99.86% of the components are listed or exempt.

10461-98-0 423-740-1 0.1 - 1.0 % alpha-Cyclohexylidene benzeneacetonitrile (Peonile)

144020-22-4 482-330-9 0.01 - 0.1% Acetic acid, anhydride, reaction products with 1,5,10-trimethyl-1,5,9-cyclododec

1,3,10-11111611191-1,3,3-6961040466

#### 16. Other Information

#### GHS H-Statements referred to under section 3

### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(2.14) Skin Corrosion/Irritation, Category 3 (2.80) Sensitization, Skin, Category 1B

(1.23) Eye Damage/Eye Irritation, Category 1 (2.00) Target Organ Systemic Toxicity - Repeated,

Category 1

(2.34) Aquatic Acute Toxicity, Category 1 (3.02) Aquatic Chronic Toxicity, Category 2

**Department issuing data sheet:** Regulatory Affairs Group



Crafter's Choice™ Dreams Unlimited\* Fragrance Oil SDS Type: GHS / OSHA

Page 8 of 8 2016-03-10

#### Remarks

(800) 908-7028

Independence, OH 44131

www.crafters-choice.com

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.