

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 8

Print Date: 2023-03-14

Product: Crafter's ChoiceTM Autumn Breeze Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Autumn Breeze Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms





Signal Word: Warning



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Autumn
Breeze Fragrance Oil

Print Date: 2023-03-14

Page 2 of 8

(800) 359-0944 www.WholesaleSuppliesPlus.com

Н	azar	d sta	tem	ents

7820 E Pleasant Valley Road

Independence, OH 44131

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
-------------	--------------------------------------

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411
Benzyl Ber	nzoate		
100-51-6	202-859-9	10 - 20 %	H302; H313; H319
Benzyl Alco	ohol		
140-11-4	205-399-7	5 - 10 %	H303; H401; H412
Benzyl ace	tate		
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H401; H412
Benzyl Salı	icylate		
121-32-4	204-464-7	1 - 2 %	H303; H320; H402
Ethyl Vanili	lin		



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Autumn
Breeze Fragrance Oil

Page 3 of 8 Print Date: 2023-03-14

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

CAS# Ingredient	EC#	Conc. Range	GHS Classification
91-64-5	202-086-7	1 - 2 %	H301; H317; H402
Coumarin			
8007-35-0	232-357-5	1 - 2 %	H316; H401; H411
Terpineol	acetate		
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410
Hexameth	nylindanopyran		
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			
29461-13-0	249-648-8	1 - 2 %	H316; H317; H401; H411
2.a.,4a.a.,	,8.ß.)-Hexahydr	o-1,1,5,5-tetrame	ethyl-2H-2,4a-methanonaphthalene-8(5H)-one
28219-61-6	248-908-8	1 - 2 %	H315; H319; H401; H411
Ethyl trime	ethylcyclopente	ne butenol	
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
Limonene)		
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Eugenol			
97-54-1	202-590-7	0.1 - 1.0 %	H302; H312; H315; H317; H319; H332;
Iso Euger	nol		H335; H401
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402
Hydroxyc	itronellal		
104-55-2	203-213-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H401;
Cinnamal			H412
77-83-8	201-061-8	0.1 - 1.0 %	H317; H401; H411
Ethyl Met	hylphenylglycida	ate	
103-26-4	203-093-8	0.1 - 1.0 %	H303; H317
Methyl cir	nnamate		
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.95

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Autumn **Breeze Fragrance Oil**

Page 4 of 8 Print Date: 2023-03-14

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

> Refer to Section 2.2 "Hazard Statements" Risks:

4.3 Indication of any immediate medical attention and special treatment needed

Refer to Section 2.2 "Response" Treatment:

5. Fire-Fighting measures

5.1 **Extinguishing media**

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Autumn
Breeze Fragrance Oil

Page 5 of 8 Print Date: 2023-03-14

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

140-11-4 Benzyl acetate 10

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Pale Yellow(G2) - Yellow(G4)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

Flashpoint (CCCFP):

>200 F (93.33 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.0242

 %VOC:
 7.98

 Specific Gravity @ 25 C:
 0.9990

 Density (g/mL) @ 25 C:
 0.9960

 Refractive Index @ 20 C:
 1.4990

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known
10.4 Conditions to avoid None known



Crafter's ChoiceTM Autumn

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 8

Print Date: 2023-03-14

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com **Breeze Fragrance Oil**

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

Product:

10.6 Hazardous decomposition products None known

11. **Toxicological Information**

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2617.7532) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3762.8000) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 34.2203) May be harmful if inhaled

Skin corrosion / irritation Not classified - the classification criteria are not met

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met

Not classified - the classification criteria are not met Carcinogenicity

Not classified - the classification criteria are not met Reproductive toxicity

Specific target organ toxicity - single exposure Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. **Ecological Information**

12.1 Toxicity

Acute acquatic toxicity Not classified - the classification criteria are not met

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available Toxicity on other organisms no data available

12.2 Persistence and degradability no data available no data available 12.3 Bioaccumulative potential 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Autumn
Breeze Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 7 of 8 Print Date: 2023-03-14

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (10 - 20 %): Benzyl Benzoate

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)

Environmentally Hazardous 9 III UN3082

Substance, Liquid, n.o.s. **IATA (Air Cargo)**

Environmentally Hazardous 9 III UN3082

Substance, Liquid, n.o.s.

IMDG (Sea)

Environmentally Hazardous 9 III UN3082

Substance, Liquid, n.o.s.

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 1 - 2 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

94-59-7 202-345-4 <= 31 ppm Safrole (Natural Source)

93-15-2 202-223-0 <= 10 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

DSL 99.95% of the components are listed or exempt. The following

components are NOT on the List:

67801-20-1 267-140-4 0.01 - 0.1% 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

94201-73-7 303-662-1 <= 20 ppm Tetrahydro-4-methyl-2-phenyl-2H-pyran

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H227 : Combustible liquid H301 : Toxic if swallowed H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways H312 : Harmful in contact with skin

H315 : Causes skin irritation

H316 : Causes mild skin irritation

H317 : May cause an allergic skin reaction H320 : Causes eye irritation

H332 : Harmful if inhaled H335 : May cause respiratory irritation

H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Autumn
Breeze Fragrance Oil

Page 8 of 8 Print Date: 2023-03-14

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(146.11) Acute Toxicity Inhalation, Category 5
(4.90) Sensitization, Skin, Category 1B
(1.91) Acute Toxicity Oral, Category 5
(1.45) Aquatic Chronic Toxicity, Category 4
(TFV) Risk
(15.41) Aquatic Chronic Toxicity, Category 3
(3.01) Sensitization, Skin, Category 1A
(1.49) Aquatic Chronic Toxicity, Category 2
(1.45) Aquatic Chronic Toxicity, Category 4

Department issuing data sheet:

(1.33) Acute Toxicity Dermal, Category 5

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.