

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's ChoiceTM Gain*
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 1 of 8 Print Date: 2023-03-29

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Gain* Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Reproductive Toxicity, Category 1B H360 : May damage fertility or the unborn child

Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction
Reproductive Toxicity, Category 1B H360: May damage fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 2 of 8

Print Date: 2023-03-29

Crafter's Choice[™] Gain* Product: Fragrance Oil







Signal Word: Danger

Hazard statements

7820 E Pleasant Valley Road

Independence, OH 44131 (800) 359-0944

> H302 Harmful if swallowed

H313 May be harmful in contact with skin

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H333 May be harmful if inhaled

H360 May damage fertility or the unborn child

H400 Very Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse

mouth

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P308 + P313 IF exposed or concerned: Get medical advice/attention

P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient

EC#

Conc. Range

GHS Classification



Product: Crafter's ChoiceTM Gain*
Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 3 of 8

Revised Date: 2023-02-00 00:00

Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification				
120-51-4	204-402-9	50 - 60 %	H302; H313; H400; H411				
Benzyl Be	enzoate						
54464-57-2	259-174-3	10 - 20 %	H315; H317; H401; H411				
Tetrameti	hyl Acetyloctahy	rdronaphthalenes	3				
80-54-6	201-289-8	10 - 20 %	H227; H302; H315; H317; H360; H401;				
Butylpher	nyl Methylpropio	nal	H412				
21145-77-7	244-240-6	5 - 10 %	H302; H400; H410				
Acetyl he	xamethyl tetraliı	1					
54830-99-8	259-367-2	2 - 5 %	H303; H316; H402				
Acetoxyd	ihydrodicyclope	ntadiene					
32388-55-9	251-020-3	2 - 5 %	H303; H317; H400; H410				
Acetyl ce	drene						
31906-04-4	250-863-4	1 - 2 %	H317; H402				
Hydroxyisohexyl 3-cyclohexene carboxaldehyde							
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411				
Hexyl cini	namal						
127-51-5	204-846-3	1 - 2 %	H316; H317; H320; H401; H411				
a-Isometh	nyl ionone						
28219-61-6	248-908-8	1 - 2 %	H315; H319; H401; H411				
Ethyl trimethylcyclopentene butenol							
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401				
Nerol							
78-69-3	201-133-9	0.1 - 1.0 %	H227; H315; H317; H319; H401				
Tetrahydı	rolinalool						
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402				
Geraniol							
110-41-8	203-765-0	0.1 - 1.0 %	H227; H315; H317; H402; H410				
2-Methylu	ındecanal						
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411				
Ethyl 2,2-	dimethylhydroci	innamal					
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402				
Coumarin)						
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401				
Eugenol							
See Section 1	6 for full text of	GHS classification	on codes				

See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 0.02



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's ChoiceTM Gain*
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Print Date: 2023-03-29

Page 4 of 8

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's ChoiceTM Gain*
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 8 Print Date: 2023-03-29

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint to Pale Yellow (G0-2)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

>200 F (93.33 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0062

 %VOC:
 0.57

 Specific Gravity @ 25 C:
 1.0380

 Density (g/mL) @ 25 C:
 1.0350

 Refractive Index @ 20 C:
 1.5350

 Soluble in:
 Oil



Crafter's Choice[™] Gain*

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 6 of 8 Print Date: 2023-03-29

Stability and Reactivity 10.

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. **Toxicological Information**

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1908.3473) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4295.0044) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 83.4949) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Not classified - the classification criteria are not met Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity Not classified - the classification criteria are not met

Reproductive toxicity May damage fertility or the unborn child

Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Aspiration hazard Not classified - the classification criteria are not met

12. **Ecological Information**

12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Toxic to aquatic life with long lasting effects Chronic acquatic toxicity

no data available **Toxicity Data on soil** Toxicity on other organisms no data available

12.2 Persistence and degradability no data available no data available 12.3 Bioaccumulative potential 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Print Date: 2023-03-29

Page 7 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com duct: Crafter's Choice[™] Gain* Fragrance Oil

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (50 - 60%): Benzyl Benzoate

120 01 1. (00 00 70). Bonzy: Bonzoato								
Regulator	Class	Pack Group	Sub Risk	UN-nr.				
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods							
Chemicals NOI								
ADR/RID (International Road/Rail)								
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082				
IATA (Air Cargo)								
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082				
IMDG (Sea)								
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082				

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

94-59-7 202-345-4 <= 5 ppm Safrole (Natural Source)

93-15-2 202-223-0 <= 2 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid H301 : Toxic if swallowed

H303 : May be harmful if swallowed
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H318 : Causes serious eye damage

H319 : Causes serious eye irritation H320 : Causes eye irritation



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product:

Crafter's Choice[™] Gain* Fragrance Oil

Page 8 of 8

Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(110.00) Reproductive Toxicity, Category 1B (63.21) Aquatic Chronic Toxicity, Category 3 (59.88) Acute Toxicity Inhalation, Category 5 (36.67) Reproductive Toxicity, Category 1B

(17.00) Sensitization, Skin, Category 1A (13.80) Sensitization, Skin, Category 1B

(6.28) Aquatic Chronic Toxicity, Category 2 (3.60) Skin Corrosion/Irritation, Category 3

(3.58) Aquatic Chronic Toxicity, Category 4 (2.89) Skin Corrosion/Irritation, Category 2

(2.44) Aquatic Acute Toxicity, Category 1 (1.16) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

(1.05) Acute Toxicity Oral, Category 4

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.