

SDS v1 GHS / OSHA

Revised Date: 2022-02-10 00:00

Product: Crafter's Choice<sup>TM</sup> Fresh Picked
Pears Fragrance Oil

Print Date: 2023-03-29

Page 1 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade Name:** Crafter's Choice™ Fresh Picked Pears Fragrance Oil

## 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

### 2. Hazards Identification

## 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

## Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227: Combustible liquid

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

### Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

## 2.2 Label elements

Labelling (GHS)

Hazard pictograms







SDS v1 GHS / OSHA

Revised Date: 2022-02-10 00:00

Product:

Crafter's Choice<sup>™</sup> Fresh Picked **Pears Fragrance Oil** 

Page 2 of 8 Print Date: 2023-03-29

(800) 359-0944 www.WholesaleSuppliesPlus.com

Hazard statements

7820 E Pleasant Valley Road

Independence, OH 44131

Signal Word: Warning

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

## **Precautionary Statements**

### Prevention:

P235	Keep cool

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

## Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

## 2.3 Other Hazards

no data available

#### 3. **Composition/Information on Ingredients**

## 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
88-41-5	201-828-7	10 - 20 %	H227; H303; H316; H401; H411	
2-t-Butylcyclohexyl acetate				
142-92-7	205-572-7	10 - 20 %	H226; H316; H401; H411	
Hexyl acetate				
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411	
Benzyl Be				
6413-10-1	229-114-0	10 - 20 %	H227; H316	
Ethyl 2-methyl-1,3-dioxolane-2-acetate				



SDS v1 GHS / OSHA

Revised Date: 2022-02-10 00:00

Product:

Crafter's Choice<sup>™</sup> Fresh Picked Pears Fragrance Oil

Page 3 of 8

Print Date: 2023-03-29

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

CAS# Ingredient	EC#	Conc. Range	GHS Classification
105-95-3	203-347-8	5 - 10 %	H401
Ethylene	brassylate		
104-67-6	203-225-4	5 - 10 %	H316; H402; H412
gamma-L	Indecalactone		
706-14-9	211-892-8	5 - 10 %	H316
gamma-D	Decalactone		
2345-26-8	219-062-7	2 - 5 %	H400; H410
Geranyl is	sobutyrate		
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
Hexyl cini	namal		
105-87-3	203-341-5	2 - 5 %	H315; H317; H401; H412
Geranyl A	Acetate		
103-60-6	203-127-1	2 - 5 %	H316
2-Phenox	yethyl isobutyra	ate	
1191-16-8	214-730-4	2 - 5 %	H226; H303; H402
3-Methyl-	2-butenyl aceta	te (Prenyl aceta	te)
141-12-8	205-459-2	2 - 5 %	H317; H401
Neryl ace	tate		
67634-00-8	266-803-5	2 - 5 %	H227; H302; H315; H330; H401
Isoamyl A	Myglycollate		
7452-79-1	231-225-4	2 - 5 %	H226
Ethyl 2-m	ethylbutyrate		
123-92-2	204-662-3	1 - 2 %	H226; H402
Isoamyl a	cetate		
See Section 1	6 for full text of	GHS classificat	ion codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.03

## 4. First Aid Measures

## 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

#### 4.3 Indication of any immediate medical attention and special treatment needed



SDS v1 GHS / OSHA

Revised Date: 2022-02-10 00:00

Product:

Crafter's Choice<sup>™</sup> Fresh Picked Pears Fragrance Oil

Page 4 of 8

Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Treatment: Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

## 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

## 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

## 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

**Exposure Limits:** 

ComponentACGIHACGIHOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

**123-92-2** Isoamyl acetate 50 100 100



SDS v1 GHS / OSHA

Revised Date: 2022-02-10 00:00

Product: Crafter's Choice<sup>™</sup> Fresh Picked
Pears Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 8 Print Date: 2023-03-29

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Colorless to Yellow Tint (G1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

156 F (68.89 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.5507

 %VOC:
 20.63

 Specific Gravity @ 25 C:
 0.9640

 Density (g/mL) @ 25 C:
 0.9610

 Refractive Index @ 20 C:
 1.4580

 Soluble in:
 Oil

## 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

**10.3 Possibility of hazardous reactions**None known **10.4 Conditions to avoid**None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known



SDS v1 GHS / OSHA

Revised Date: 2022-02-10 00:00

Product: Crafter's Choice<sup>TM</sup> Fresh Picked

Pears Fragrance Oil

Page 6 of 8 Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 11. Toxicological Information

## 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3705.2164) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4291.9478) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 34.6327) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

## 12. Ecological Information

## 12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

## 13. Disposal Conditions

## 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2022-02-10 00:00

Product:

Crafter's Choice<sup>™</sup> Fresh Picked Pears Fragrance Oil

Page 7 of 8

Print Date: 2023-03-29

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 14. Transport Information

**Marine Pollutant** Yes. Ingredient of greatest environmental impact :

2345-26-8: (2 - 5%): Geranyl isobutyrate

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

IATA (Air Cargo)

ADR/RID (International Road/Rail)

Environmentally Hazardous 9 III UN3082

Substance, Liquid, n.o.s.

Environmentally Hazardous 9 III UN3082

Substance, Liquid, n.o.s.

IMDG (Sea)

Environmentally Hazardous 9 III UN3082

Substance, Liquid, n.o.s.

## 15. Regulatory Information

**U.S. Federal Regulations** 

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains the following components:

123-92-2 204-662-3 1 - 2 % Isoamyl acetate

**U.S. State Regulations** 

California Proposition 65 Warning No Warning required

**Canadian Regulations** 

**DSL** 100.00% of the components are listed or exempt. The following

components are NOT on the List:

815580-59-7 453-570-1 <= 18 ppm 3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester

## 16. Other Information

## GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H302 : Harmful if swallowed

H315 : Causes skin irritation H317 : May cause an allergic skin reaction

H330 : Fatal if inhaled H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

**Total Fractional Values** 

(TFV) Risk (TFV) Risk

(144.91) Acute Toxicity Inhalation, Category 5 (39.38) Sensitization, Skin, Category 1

(39.38) Sensitization, Skin, Category 1A (36.51) Aquatic Chronic Toxicity, Category 3

(6.34) Skin Corrosion/Irritation, Category 3 (4.10) Sensitization, Skin, Category 1B

(3.62) Aquatic Chronic Toxicity, Category 2 (2.29) Aquatic Chronic Toxicity, Category 4



SDS v1 GHS / OSHA

Revised Date: 2022-02-10 00:00

Product: Crafter's Choice<sup>™</sup> Fresh Picked Pears Fragrance Oil

Page 8 of 8 Print Date: 2023-03-29

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

(1.33) Acute Toxicity Oral, Category 5

(1.14) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.