

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice Double Bubble Gum Sweetened Flavor Oil

Print Date: 2023-03-24

Page 1 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Crafter's Choice™ Double Bubble Gum - Sweetened Flavor Oil

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Flammable Liquids, Category 3 H226 : Flammable liquid and vapour Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 2 H401 : Toxic to aquatic life

Aquatic Chronic Toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 3 H226 : Flammable liquid and vapour

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

#### Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)

Hazard pictograms





Revised Date: 2023-02-07 00:00

Product: Crafter's Choice Double Bubble Gum -**Sweetened Flavor Oil** 

Print Date: 2023-03-24

Page 2 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com







## Signal Word: Danger

#### **Hazard statements**

H226	Flammable liquid and vapour
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

### **Precautionary Statements**

#### Prevention:

Fieveiilioii.			
P233	Keep container tightly closed		
P235	Keep cool		
P240	Ground/bond container and receiving equipment		
P241	Use explosion-proof electrical/ventilating/light//equipment		
P242	Use only non-sparking tools		
P243	Take precautionary measures against static discharge		
P264	Wash hands thoroughly after handling		
P272	Contaminated work clothing should not be allowed out of the workplace		
P273	Avoid release to the environment		
Response:			
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting		
P302 + P352	IF ON SKIN: Wash with soap and water		
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower		
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell		
P312	Call a POISON CENTER or doctor/physician if you feel unwell		
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention		
P352	Wash with soap and water		
P362	Take off contaminated clothing and wash before reuse		
P363	Wash contaminated clothing before reuse		

a direct water jet on burning material

In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

#### 2.3 Other Hazards

#### no data available

P370 + P378



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice Double Bubble Gum Sweetened Flavor Oil

Print Date: 2023-03-24

Page 3 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
5989-27-5	227-813-5	10 - 20 %	H226; H304; H315; H317; H400; H412		
Limonene					
123-92-2	204-662-3	5 - 10 %	H226; H402		
Isoamyl acetate					
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411		
Benzyl Benzoate					
121-33-5	204-465-2	2 - 5 %	H303; H313; H319; H402		
vanillin					
105-54-4	203-306-4	2 - 5 %	H226; H319		
Ethyl butyrate					
142-92-7	205-572-7	1 - 2 %	H226; H316; H401; H411		
Hexyl acetate					
110-19-0	203-745-1	1 - 2 %	H225; H336; H402		
Isobutyl acetate (iso-Butyl acetate)					
5392-40-5	226-394-6	1 - 2 %	H313; H315; H317; H319; H401		
Citral					
106-32-1	203-385-5	1 - 2 %	H227; H401; H411		
Ethyl octanoate					
6485-40-1	229-352-5	0.1 - 1.0 %	H227; H303; H313; H317; H401		
I-Carvone					
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402		
Linalool					
See Section 16 for full text of GHS classification codes					

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 15.94

#### 4. First Aid Measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice Double Bubble Gum -

Sweetened Flavor Oil

Print Date: 2023-03-24

Page 4 of 8

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable**Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

#### 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

### 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice Double Bubble Gum Sweetened Flavor Oil

**Oil** Page 5 of 8 Print Date: 2023-03-24

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:** 

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

 110-19-0
 Isobutyl acetate (iso-Butyl acetate)
 150
 150

 123-92-2
 Isoamyl acetate
 50
 100
 100

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow (G4-6)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

111 F (43.89 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

None Expected

 Vapor Pressure (mmHg@20 C):
 1.8020

 %VOC:
 29.70

 Specific Gravity @ 25 C:
 1.0140

 Density (g/mL) @ 25 C:
 1.0110

 Refractive Index @ 20 C:
 1.4670

 Soluble in:
 Oil

## 10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice Double Bubble Gum Sweetened Flavor Oil

Page 6 of 8 Print Date: 2023-03-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

**10.4 Conditions to avoid**None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4776.8851) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3462.8286) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 134.3319) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

### 12. Ecological Information

#### 12.1 Toxicity

Acute acquatic toxicity Toxic to aquatic life

Chronic acquatic toxicity Harmful to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice Double Bubble Gum -Sweetened Flavor Oil

Print Date: 2023-03-24

Page 7 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 14. Transport Information

**Marine Pollutant** No

Regulator Class **Pack Group** Sub Risk UN-nr.

Not Regulated - Not Dangerous Goods U.S. DOT (Non-Bulk)

Chemicals NOI

ADR/RID (International Road/Rail) Not Regulated - Not Dangerous Goods

Chemicals NOI IATA (Air Cargo)

Perfumery Products 3 Ш Flammable Liquid UN1266

IMDG (Sea)

Ш **Perfumery Products** 3 UN1266 Flammable Liquid

#### 15. **Regulatory Information**

U.S. Federal Regulations

**TSCA (Toxic Substance Control Act)** All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

123-92-2 204-662-3 5 - 10 % Isoamyl acetate

110-19-0 203-745-1 1 - 2 % Isobutyl acetate (iso-Butyl acetate)

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source)

**Canadian Regulations** 

**DSL** 100.00% of the components are listed or exempt.

#### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H225: Highly flammable liquid and vapor H227: Combustible liquid

H302: Harmful if swallowed H316: Causes mild skin irritation H317: May cause an allergic skin reaction H319: Causes serious eye irritation H400: Very Toxic to aquatic life H336: May cause drowsiness or dizziness

H402: Harmful to aquatic life H411: Toxic to aquatic life with long lasting effects

**Total Fractional Values** 

(1.05) Acute Toxicity Oral, Category 5

(TFV) Risk (TFV) Risk

(37.22) Acute Toxicity Inhalation, Category 5 (15.48) Sensitization, Skin, Category 1B

(10.81) Sensitization, Skin, Category 1 (10.81) Sensitization, Skin, Category 1A

(7.78) Aquatic Acute Toxicity, Category 2 (3.40) Aquatic Chronic Toxicity, Category 3

(1.96) Skin Corrosion/Irritation, Category 3 (1.78) Skin Corrosion/Irritation, Category 2

(1.44) Acute Toxicity Dermal, Category 5 (1.59) Aspiration Hazard, Category 1



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice Double Bubble Gum Sweetened Flavor Oil

Print Date: 2023-03-24

Page 8 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Department issuing data sheet:

Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.