

SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Make a Wish Fragrance Oil

Page 1 of 9 2018-11-19

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Crafter's Choice™ Make a Wish Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Crafter's Choice Brands, LLC 7820 E. Pleasant Valley Road Independence, Ohio 44131 Phone: 1-800-908-7028 www.Crafters-Choice.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammability Class IIIB Combustible Liquid

Acute Dermal/Eye 12 : Causes moderate skin irritation.

16: Causes eye irritation.

19: May cause photo-induced skin irritation.

Acute Oral 2 : Harmful if swallowed

Reproductive/Developmental 39: Causes reproductive/developmental toxicity in animals.

Sensitization/Allergic Response 31: May cause allergic skin reaction.

Target Organ Effects 26: Prolonged or repeated ingestion may cause damage to: kidneys, liver, central


nervous system.

28: Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements





7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Make a Wish Fragrance Oil

Page 2 of 9 2018-11-19

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal Word: Danger

Hazard statments

H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H410	Very toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace

Avoid release to the environment

Response:

P273

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage


2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):





7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Make a Wish Fragrance Oil

Page 3 of 9 2018-11-19

CAS# Ingredient	EC#	Conc. Range	GHS Classification	OSHA Classification
nigrealent		Range	GITO GIASSITICACION	COLIA CIASSIIICALIUII
8008-57-9	232-433-8	10 - 20 %	H226; H304; H315; H400; H410	12, 3, 31
Citrus Au	antium Dulcis (Orange) Peel Oil		
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	11, 15
Hexyl cinr	namaldehyde			
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411	28, 3
Benzyl Be	enzoate			
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402	12, 26
Linalool				
88-41-5	201-828-7	2 - 5 %	H227; H303; H316; H401; H411	12, 2
2-t-Butylo	yclohexyl aceta	te		
32388-55-9	251-020-3	2 - 5 %	H316; H317; H400; H410	16, 19
Acetyl ced	drene			
54464-57-2	259-174-3	2 - 5 %	H315; H317; H400; H410	11, 31
Tetrameth	yl Acetyloctahy	dronaphthalenes	3	
54830-99-8	259-367-2	2 - 5 %	H303; H316; H402	
Acetoxydi	hydrodicyclope	ntadiene		
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H401; H412	31
Benzyl Sa	licylate			
24851-98-7	246-495-9	2 - 5 %	H402	
Methyldih	ydrojasmonate			
15356-70-4	239-388-3	2 - 5 %	H227; H303; H315; H320; H402	
Menthol				
31906-04-4	250-863-4	2 - 5 %	H317; H402	
Hydroxyis	ohexyl 3-cyclol	exene carboxalo	•	
106-24-1	203-377-1	1 - 2 %	H303; H315; H317; H318; H402	11, 15, 31
Geraniol			,,, -	, -, -
151-05-3	205-781-3	1 - 2 %	H303; H402	11, 15
	hyl-2-phenyleth			, -
128-37-0	204-881-4	1 - 2 %	H316; H400; H410	
	hydroxytoluene		,,	
68912-13-0	272-805-7	1 - 2 %	H316; H401; H411	11, 15
	o-methanoinde		, ,	, -
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410	11, 15
	nylindanopyran		· -,, -	, -
8006-90-4	282-015-4	1 - 2 %	H227; H303; H315; H401; H411	11, 15, 26, 31
	perita (Pepperr		,,,	, , 20, 01
14901-07-6	238-969-9	1 - 2 %	H316; H401; H411	11, 39
beta-lono		. 2 /0	,	. 1, 00
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	11, 15, 23
Limonene		0.1 1.0 /0	1,220, 1,007, 1,010, 1,017, 1,1700, 1,1710	11, 10, 20
LIIIIOIIEIIE				
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H316; H317	26, 27, 3



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Make a Wish Fragrance Oil

Page 4 of 9 2018-11-19

EC#	Conc. Range	GHS Classification	OSHA Classification
203-378-7	0.1 - 1.0 %	H303; H315; H317; H318; H401	15
250-954-9	0.1 - 1.0 %	H303; H317; H401	11, 15
ylcyclohexyl ace	etate		
203-341-5	0.1 - 1.0 %	H315; H317; H401; H412	11, 15
cetate			
204-843-7	0.1 - 1.0 %	H316; H317; H401; H411	11, 15, 19, 26, 28, 31
ionone			
203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401	11, 15
1			
204-846-3	0.1 - 1.0 %	H315; H317; H320; H401; H411	11, 15, 19, 26, 28, 31
yl ionone			
201-289-8	0.1 - 1.0 %		11, 15, 26, 28, 3, 31, 39
yl Methylpropio	nal	H412	
205-459-2	0.1 - 1.0 %	H315; H317; H401	
tate			
204-116-4	0.1 - 1.0 %	H227; H315; H317; H319; H402	
etate			
272-113-5	0.1 - 1.0 %		12, 15, 31
etrahydro Benza	aldehyde	H411	
232-433-8	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	12, 3, 31
203-376-6	0.1 - 1.0 %	H227; H303; H313; H315; H317; H319;	11, 15
1		H401	
260-709-8	0.01 - 0.1%	H302; H315; H317; H318; H400; H410	11, 15, 31
•	3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)	
245-833-2			31
	• ,		
6 for full text of	GHS classification	on codes	
	203-378-7 250-954-9 //cyclohexyl ace 203-341-5 cetate 204-843-7 fonone 203-375-0 204-846-3 yl ionone 201-289-8 yl Methylpropio 205-459-2 fate 204-116-4 etate 272-113-5 etrahydro Benze 232-433-8 203-376-6 260-709-8 6,6-Trimethyl-3 245-833-2 rimethylcyclohe	Range 203-378-7 0.1 - 1.0 % 250-954-9 0.1 - 1.0 % vlcyclohexyl acetate 203-341-5 0.1 - 1.0 % cetate 204-843-7 0.1 - 1.0 % conone 203-375-0 0.1 - 1.0 % yl ionone 201-289-8 0.1 - 1.0 % yl Methylpropional 205-459-2 0.1 - 1.0 % cate 204-116-4 0.1 - 1.0 % etrahydro Benzaldehyde 232-433-8 0.1 - 1.0 % 203-376-6 0.1 - 1.0 % 260-709-8 0.01 - 0.1% 6,6-Trimethyl-3-cyclohexen-1-yl, 245-833-2 0.01 - 0.1% rimethylcyclohexa-1,3-dienyl)-2-crimethylcyclohexa-1,3-dienyl)-2-crimethyl-2-dieneyli-2-dieneyli-2-crimethyl-2-dieneyli-2-	## Range GHS Classification 203-378-7

Total Hydrocarbon Content (% w/w) = 17.55

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Make a Wish Fragrance Oil

Page 5 of 9 2018-11-19

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

UnsuitableDo not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Make a Wish Fragrance Oil

Page 6 of 9 2018-11-19

128-37-0 Butylated hydroxytoluene

2

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow (G5)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

Flashpoint (CCCFP):

>200 F (93.33 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.2004

 %VOC:
 20.0082

 Specific Gravity @ 25 C:
 0.9410

 Density @ 25 C:
 0.9380

 Refractive Index @ 20 C:
 1.4760

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Make a Wish Fragrance Oil

Page 7 of 9 2018-11-19

11. **Toxicological Information**

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3,752.27) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4,465.55) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LC50: 23.86) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Not classified - the classification criteria are not met Carcinogenicity Reproductive toxicity Not classified - the classification criteria are not met Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12. **Ecological Information**

12.1 Toxicity

Acute aquatic toxicity Not classified - the classification criteria are not met Chronic aquatic toxicity Very toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available Toxicity on other organisms no data available

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. **Transport Information**

Regulator Class **Pack Group** Sub Risk UN-nr. U.S. DOT (Non-Bulk)

Not Regulated - Not Dangerous Goods



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Make a Wish Fragrance Oil

Page 8 of 9 2018-11-19

Chemicals NOI				
ADR/RID (International Roa	d/Rail)			
Environmentally Hazardous Liquid, n.o.s. IATA (Air Cargo)	Substance,	9	III	UN3082
Environmentally Hazardous Liquid, n.o.s. IMDG (Sea)	Substance,	9	III	UN3082
Environmentally Hazardous Liquid, n.o.s.	Substance,	9	III	UN3082

15. Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning

This product contains the following components:

89-82-7 201-943-2 0.01 - 0.1% Pulegone (NFS) 123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (NFS)

Canadian Regulations:

DSL / NDSL 100.15% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour H227 : Combustible liquid H302 : Harmful if swallowed H316 : Causes mild skin irri

H302 : Harmful if swallowed
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H318 : Causes serious eye damage

H320 : Causes eye irritation H361 : Suspected of damaging fertility or the unborn child

H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H402: Harmful to aquatic life H411: Toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

(1.08) Aquatic Chronic Toxicity, Category 1

Total Fractional Values

(TFV) Risk (TFV) Risk

(1.79) Aspiration Hazard, Category 1
 (200.00) Sensitization, Skin, Category 1A
 (3.69) Skin Corrosion/Irritation, Category 2
 (3.96) Eye Damage/Eye Irritation, Category 2A



SDS Type: GHS / OSHA

7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com

Crafter's Choice™ Make a Wish Fragrance Oil

Page 9 of 9 2018-11-19

Remarks

This safety data sheet is based on the properties of the material known to Crafter's Choice™ at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Crafter's Choice™ holds no responsibility. This document is not intended for quality assurance purposes.