

Fragrance Oil

Crafter's Choice[™] Harvest Ale

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Print Date: 2023-03-30

Page 1 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice™ Harvest Ale Fragrance Oil Trade Name:

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Whoelsale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

H411: Toxic to aquatic life with long lasting effects Aquatic Chronic Toxicity, Category 2

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227: Combustible liquid Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [] ACGIH [] IARC [X] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms




SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 8

Print Date: 2023-03-30

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com







Signal Word: Warning

Hazard statements

H227 Combustible liquid

H303 May be harmful if swallowed

H315 Causes skin irritation

H317 May cause an allergic skin reaction

Causes serious eye irritation H319 H333 May be harmful if inhaled

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235 Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Conc. EC#

GHS Classification Range Ingredient





roduct: Crafter's Choice[™] Harvest Ale Fragrance Oil Revised Date: 2023-02-07 00:00

Page 3 of 8 Print Date: 2023-03-30

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
88-41-5	201-828-7	10 - 20 %	H227; H303; H316; H401; H411
2-t-Butylo	cyclohexyl aceta	te	
97-53-0	202-589-1	5 - 10 %	H303; H316; H317; H319; H401
Eugenol			
101-39-3	202-938-8	5 - 10 %	H303; H317; H401
alpha-Me	thylcinnamaldel	hyde	
142-92-7	205-572-7	5 - 10 %	H226; H316; H401; H411
Hexyl ace	etate		
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412
Limonene	9		
105-87-3	203-341-5	2 - 5 %	H315; H317; H401; H412
Geranyl A	Acetate		
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411
Benzyl Be	enzoate		
54830-99-8	259-367-2	2 - 5 %	H303; H316; H402
Acetoxyd	ihydrodicyclope	ntadiene	
141-12-8	205-459-2	2 - 5 %	H317; H401
Neryl ace	etate		
6413-10-1	229-114-0	1 - 2 %	H227; H316
Ethyl 2-m	ethyl-1,3-dioxol	ane-2-acetate	
706-14-9	211-892-8	1 - 2 %	H316
gamma-D	Decalactone		
105-95-3	203-347-8	1 - 2 %	H401
Ethylene	brassylate		
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411
Hexyl cin			
104-55-2	203-213-9	1 - 2 %	H303; H312; H315; H317; H319; H401;
Cinnama	1		H412
150-84-5	205-775-0	1 - 2 %	H315; H401; H411
Citronelly	l Acetate		
120-57-0	204-409-7	1 - 2 %	H303; H317; H401
Heliotropi			
121-32-4	204-464-7	1 - 2 %	H303; H320; H402
Ethyl Van			
4940-11-8	225-582-5	1 - 2 %	H302; H401
Ethyl Mal			
128-37-0	204-881-4	1 - 2 %	H316; H400; H410
BHT			
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
			H411
			H304; H317
	yophyllene		•
20.0 001	,		



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Harvest Ale Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Print Date: 2023-03-30

Page 4 of 8

CAS# Conc.
Ingredient EC# Range

Range GHS Classification

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 6.91

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Craf

Crafter's Choice[™] Harvest Ale Fragrance Oil

Page 5 of 8

Print Date: 2023-03-30

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

128-37-0 BHT

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow/Greenish Yellow (G3-6)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

159 F (70.56 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

Vapor Pressure (mmHg@20 C): 0.3328



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice[™] Harvest Ale Fragrance Oil

Page 6 of 8 Print Date: 2023-03-30

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

 %VOC:
 15.63

 Specific Gravity @ 25 C:
 0.9870

 Density (g/mL) @ 25 C:
 0.9840

 Refractive Index @ 20 C:
 1.4800

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4031.6008) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 51.6966) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Carcinogenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available

Toxicity on other organisms no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice[™] Harvest Ale Fragrance Oil

Page 7 of 8 Print Date: 2023-03-30

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

> 12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available no data available 12.4 Mobility in soil 12.5 Other adverse effects no data available

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact : 88-41-5: (10 - 20 %): 2-t-Butylcyclohexyl acetate

Regulator Class **Pack Group** Sub Risk UN-nr. U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods Chemicals NOI ADR/RID (International Road/Rail) Ш **Environmentally Hazardous** 9 UN3082 Substance, Liquid, n.o.s. IATA (Air Cargo) **Environmentally Hazardous** 9 Ш UN3082 Substance, Liquid, n.o.s. IMDG (Sea) **Environmentally Hazardous** Ш 9 UN3082

15. **Regulatory Information**

U.S. Federal Regulations

Substance, Liquid, n.o.s.

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components: 123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source)

93-15-2 202-223-0 <= 16 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.



(800) 359-0944

Safety Data Sheet

Fragrance Oil

Crafter's Choice[™] Harvest Ale

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 8

Print Date: 2023-03-30

7820 E Pleasant Valley Road

Independence, OH 44131

16. Other Information

www.WholesaleSuppliesPlus.com

GHS H-Statements referred to under section 3 and not listed in section 2

H226: Flammable liquid and vapour H302: Harmful if swallowed H312: Harmful in contact with skin H304: May be fatal if swallowed and enters airways H313: May be harmful in contact with skin H316: Causes mild skin irritation H317: May cause an allergic skin reaction H320: Causes eye irritation H400: Very Toxic to aquatic life H401: Toxic to aquatic life

H402: Harmful to aquatic life H410: Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk (96.72) Acute Toxicity Inhalation, Category 5 (38.33) Sensitization, Skin, Category 1 (38.33) Sensitization, Skin, Category 1A (14.19) Aquatic Chronic Toxicity, Category 3 (9.34) Sensitization, Skin, Category 1B (4.94) Skin Corrosion/Irritation, Category 3 (1.93) Eye Damage/Eye Irritation, Category 2A (1.49) Aquatic Chronic Toxicity, Category 4 (1.39) Skin Corrosion/Irritation, Category 2 (1.37) Aquatic Chronic Toxicity, Category 2 (1.24) Acute Toxicity Oral, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.