

Crafter's Choice™ Abalone &

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 9

Print Date: 2023-05-03

7820 E Pleasant Valley Road

Sea Fragrance Oil Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade Name: Crafter's Choice™ Abalone & Sea Fragrance Oil

Product:

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

> 7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Reproductive Toxicity, Category 1B H360: May damage fertility or the unborn child

Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

H411: Toxic to aquatic life with long lasting effects Aquatic Chronic Toxicity, Category 2

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227: Combustible liquid

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Reproductive Toxicity, Category 1B H360: May damage fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 9

use

Print Date: 2023-05-03

Product: Crafter's ChoiceTM Abalone & Sea Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

2.2 Label elements

Labelling (GHS)

Hazard pictograms







Signal Word: Danger

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

a direct water jet on burning material

Response:

!	sponse:	
	P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
	P302 + P352	IF ON SKIN: Wash with soap and water
	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
	P308 + P313	IF exposed or concerned: Get medical advice/attention
	P312	Call a POISON CENTER or doctor/physician if you feel unwell
	P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
	P337 + P313	If eye irritation persists: Get medical advice/attention
	P362	Take off contaminated clothing and wash before reuse
	P363	Wash contaminated clothing before reuse
	P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice™ Abalone & Product: Sea Fragrance Oil

Page 3 of 9

Print Date: 2023-05-03

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

P391

Collect Spillage

2.3 Other Hazards

no data available

EC#

3. **Composition/Information on Ingredients**

Conc.

3.1 Mixtures

CAS#

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Ingredient	EC#	Range	GHS Classification
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411
Benzyl Bei	nzoate		
64742-47-8	265-149-8	10 - 20 %	H227; H304; H336; H401; H411
Distillates,	petroleum, hydro	otreated light	
125-12-2	204-727-6	10 - 20 %	H227; H316; H401
Isobornyl a	acetate		
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411
Hexyl cinn	amal		
32388-55-9	251-020-3	2 - 5 %	H303; H317; H400; H410
Acetyl ced	rene		
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402
2,6-dimeth	yloct-7-en-2-ol		
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H360; H401;
	/l Methylpropiona		H412
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ace	etate		
66068-84-6	266-100-3	1 - 2 %	H316; H400; H411
	enyl cyclohexano		
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410
	ylindanopyran		
10094-34-5	233-221-8	1 - 2 %	H401; H411
•	Phenethyl Butyrat		
140-11-4	205-399-7	1 - 2 %	H303; H401; H412
Benzyl ace			
1205-17-0	214-881-6	1 - 2 %	H303; H317; H361; H401; H411
•	,3-benzodioxole-		
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
31906-04-4	250-863-4	0.1 - 1.0 %	H317; H402
	hexyl 3-cyclohe		-
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
Limonene			



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice™ Abalone & Sea Fragrance Oil

Page 4 of 9 Print Date: 2023-05-03

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411
Ethyl 2,2-	dimethylhydroci	innamal	
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronello	<i>)</i>		
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411
Methoxy (dicyclopentadie	ne carboxaldehy	de
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
Dimethylt	etrahydro Benza	aldehyde	H411
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
Geraniol			
19870-74-7	243-384-7	0.1 - 1.0 %	H317; H400; H410
Cedrol m	ethyl ether		
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Eugenol			
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-T	erpinene		
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
Nerol			
58567-11-6	261-332-1	0.1 - 1.0 %	H315; H317; H401; H411
(ethoxym	ethoxy)cyclodod	decane	
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 17.81

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice™ Abalone & Product: Sea Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Page 5 of 9 Print Date: 2023-05-03

Fire-Fighting measures

5.1 **Extinguishing media**

Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

Reference to other sections

Not Applicable

7. **Handling and Storage**

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

ACGIH **OSHA** OSHA Component TWA ppm STEL ppm TWA ppm STEL ppm

Use local exhaust as needed.

140-11-4 Benzyl acetate 10

Engineering Controls: 8.2 Exposure controls - Personal protective equipment



SDS v1 GHS / OSHA

Crafter's Choice™ Abalone & Product: Sea Fragrance Oil

Revised Date: 2023-02-07 00:00

Page 6 of 9

Print Date: 2023-05-03

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

> Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. Eye protection:

> > as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint to Pale Yellow (G1-3)

Viscosity: Liquid

Freezing Point: Not determined **Boiling Point:** Not determined **Melting Point:** Not determined Flashpoint (CCCFP): 198 F (92.22 C) Not determined Auto flammability: **Explosive Properties:** None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.0345 %VOC: 2.24 Specific Gravity @ 25 C: 0.9590 Density (g/mL) @ 25 C: 0.9560 Refractive Index @ 20 C: 1.4960 Soluble in: Oil

10. Stability and Reactivity

None 10.1 Reactivity 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg

(LD50: 2782.2284) May be harmful if swallowed



Product: Crafter's Choice™ Abalone &

Sea Fragrance Oil

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 7 of 9

Print Date: 2023-05-03

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3618.8623) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 38.8468) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Carcinogenicity

Not classified - the classification criteria are not met

Reproductive toxicity May damage fertility or the unborn child

Specific target organ toxicity - single exposure Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (30 - 40 %): Benzyl Benzoate

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice™ Abalone & Product:

Sea Fragrance Oil

Page 8 of 9 Print Date: 2023-05-03

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Environmentally Hazardous 9 Ш UN3082 Substance, Liquid, n.o.s.

IATA (Air Cargo)

Environmentally Hazardous 9 Ш UN3082

Substance, Liquid, n.o.s. IMDG (Sea)

Environmentally Hazardous

Ш UN3082 9 Substance, Liquid, n.o.s.

15. **Regulatory Information**

U.S. Federal Regulations

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 1 - 2 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 <= 80 ppm beta-Myrcene (Natural Source)

94-59-7 202-345-4 <= 5 ppm Safrole (Natural Source)

93-15-2 202-223-0 <= 2 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt. The following

components are NOT on the List:

94201-73-7 Tetrahydro-4-methyl-2-phenyl-2H-pyran 303-662-1 <= 1 ppm

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226: Flammable liquid and vapour H302: Harmful if swallowed

H316: Causes mild skin irritation H317: May cause an allergic skin reaction

H318: Causes serious eye damage H320: Causes eye irritation

H361: Suspected of damaging fertility or the unborn H336: May cause drowsiness or dizziness

child

H401: Toxic to aquatic life H402: Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(128.71) Acute Toxicity Inhalation, Category 5 (49.51) Aquatic Chronic Toxicity, Category 3

(23.03) Reproductive Toxicity, Category 1B (10.00) Reproductive Toxicity, Category 2

(7.68) Reproductive Toxicity, Category 1B (5.40) Sensitization, Skin, Category 1B

(5.00) Sensitization, Skin, Category 1A (4.94) Aquatic Chronic Toxicity, Category 2

(3.02) Skin Corrosion/Irritation, Category 3 (2.74) Aquatic Chronic Toxicity, Category 4

(1.80) Acute Toxicity Oral, Category 5 (1.78) Aspiration Hazard, Category 1

(1.78) Aquatic Acute Toxicity, Category 1 (1.38) Acute Toxicity Dermal, Category 5



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944 www.WholesaleSuppliesPlus.com Crafter's Choice™ Abalone & Sea Fragrance Oil

Page 9 of 9

Print Date: 2023-05-03

(1.12) Skin Corrosion/Irritation, Category 2

Product:

(1.09) Eye Damage/Eye Irritation, Category 2A

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.