

asant Valley Road

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: Rustic Escentuals[™] Alpine Frost Fragrance Oil

Page 1 of 9 Print Date: 2023-08-23

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Rustic Escentuals[™] Alpine Frost Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

-		
Flammable Liquids, Category 4	H227 : Combustible liquid	
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed	
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin	
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation	
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction	
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled	
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life	
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects	
Classification OSHA (Provisions 1910.1200 of title 29)		

Flammable Liquids, Category 4	H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Reproductive Toxicity, Category 2	H361 : Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS) Hazard pictograms





Signal Word: Warning

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

r revenuori.	
P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Safety Data Sheet

Product: **Rustic Escentuals[™] Alpine Frost Fragrance Oil**

Revised Date: 2023-04-19 00:00

SDS v1 GHS / OSHA

Page 2 of 9 Print Date: 2023-08-23









Safety Data Sheet

Product: Rustic Escentuals[™] Alpine Frost Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Page 3 of 9 Print Date: 2023-08-23

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	40 - 50 %	H302; H313; H400; H411
Benzyl Be	enzoate		
125-12-2	204-727-6	10 - 20 %	H227; H316; H401
Isobornyl	acetate		
68737-61-1	272-113-5	2 - 5 %	H227; H303; H313; H315; H317; H401;
Dimethylt	etrahydro Benza	aldehyde	H411
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402
2,6-dimet	hyloct-7-en-2-ol		
5989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H412
Limonene	9		
2050-08-0	218-080-2	1 - 2 %	H302; H400; H410
Amyl salid	cylate		
140-11-4	205-399-7	1 - 2 %	H303; H401; H412
Benzyl ac	etate		
31906-04-4	250-863-4	1 - 2 %	H317; H402
Hydroxyis	ohexyl 3-cycloh	exene carboxalo	lehyde
68912-13-0	272-805-7	1 - 2 %	H401; H411
Hexahydı	ro-methanoinder	nyl Propionate	
24851-98-7	246-495-9	1 - 2 %	H402
Methyldih	ydrojasmonate		
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
Eucalypto	bl		
32388-55-9	251-020-3	0.1 - 1.0 %	H303; H317; H400; H410
Acetyl ce	drene		
127-51-5	204-846-3	0.1 - 1.0 %	H316; H317; H320; H401; H411
a-lsometh	nyl ionone		
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Ac	etate		
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402
Coumarin	n		
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401
Citral			
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronello	1		
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Eugenol			
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317
	<i>ophyllene</i>		



Safety Data Sheet

Product: Rustic Escentuals[™] Alpine Frost Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Page 4 of 9 Print Date: 2023-08-23

CAS# Ingredient	EC#	Conc. Range	GHS Classification
13466-78-9	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H332; H401; H411
delta-3-C		04 4 0 %	
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-T	erpinene		
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411
Methoxy	dicyclopentadie	ne carboxaldehyd	de
110-41-8	203-765-0	0.1 - 1.0 %	H227; H315; H317; H402; H410
2-Methylu	Indecanal		
103-26-4	203-093-8	0.1 - 1.0 %	H303; H317
Methyl cir	nnamate		
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pine	ne		
77-83-8	201-061-8	0.1 - 1.0 %	H317; H401; H411
Ethyl Met	hylphenylglycida	ate	
112-54-9	203-983-6	0.1 - 1.0 %	H315; H317; H319
Lauraldel	nyde		
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 4.38

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and ef	fects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate medi	cal attention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"
5. Fire-Fighting measures	

5.1 Extinguishing media

Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material



7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: **Rustic Escentuals[™] Alpine Frost Fragrance Oil**

Water may be ineffective

Page 5 of 9 Print Date: 2023-08-23

www.WholesaleSuppliesPlus.com

5.2 Special hazards arising from the substance or mixture

During fire fighting:

5.3 Advice for firefighters

Further information:

Standard procedure for chemical fires

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures 6.1

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

Methods and materials for containment and cleaning up 6.3

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

Precautions for safe handling 7.1

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

Specific end uses 7.3

No information available

Exposure Controls/Personal Protection 8.

8.1 Control parameters

Exposure Lin	nits:	
Component		ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
140-11-4	Benzyl acetate	10
80-56-8	pinene	20
127-91-3	beta Pinene	20
13466-78-9	delta-3-Carene	20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: Rustic Escentuals[™] Alpine Frost Fragrance Oil

Page 6 of 9 Print Date: 2023-08-23

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Respiratory protection:Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.**Skin protection:**Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Pale Yellow to Pale Orange (G3-9)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	190 F (87.78 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0726
%VOC:	11.34
Specific Gravity @ 25 C:	1.0330
Density (g/mL) @ 25 C:	1.0300
Refractive Index @ 20 C:	1.5180
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg Acute toxicity - Dermal - (Rabbit) mg/kg Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 2163.2869) May be harmful if swallowed (LD50: 4030.2642) May be harmful in contact with skin (LD50: 97.6754) May be harmful if inhaled



Safety Data Sheet

Product: Rustic Escentuals[™] Alpine Frost Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Page 7 of 9 Print Date: 2023-08-23

11	
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity			
Acute acquatic toxicity	Very Toxic to aquatic life		
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects		
Toxicity Data on soil	no data available		
Toxicity on other organisms	no data available		
12.2 Persistence and degradability	no data available		
12.3 Bioaccumulative potential	no data available		
12.4 Mobility in soil	no data available		
12.5 Other adverse effects	no data available		

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (40 - 50 %) : Benzyl Benzoate			
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Roa	ad/Rail)			
Environmentally Hazardous Substance, Liquid, n.o.s. IATA (Air Cargo)		Ш		UN3082



Safety Data Sheet

SDS v1 GHS / OSHA

			alory Data Official	Revised Date: 2023-04-19 00:0
Rustic Escentuals		Product:	Rustic Escentuals [™] Alpine	
7820 E Pleasant Valley			Frost Fragrance Oil	Page 8 of
Independence, OH 441: (800) 359-0944	31			Print Date: 2023-08-2
www.WholesaleSupplie	sPlus.com			
Environmentally H	lazardous		9 III	UN3082
Substance, Liq	uid, n.o.s.			
IMDG (Sea)				
Environmentally H			9 III	UN3082
Substance, Liq	uid, n.o.s.			
15. Regul	atory Infor	mation		
U.S. Federal Regu	lations			
TSCA (Toxic S	ubstance Co	ntrol Act)	All components of the substance/n	nixture are listed or exempt
40 CFR(EPCR	A, SARA, CER	RCLA and CAA)	This product contains NO compon	ents of concern.
U.S. State Regula		,		
California Prop	osition 65 W	arning	This product contains the following	components:
123-35-3(NF	204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)	
140-67-0	205-427-8	0.01 - 0.1%	Estragole (Methyl chavicol) (Natural	Source)
93-15-2	202-223-0	<= 11 ppm	Methyl Eugenol (Natural Source)	
89-82-7	201-943-2	<= 3 ppm	Pulegone (Natural Source)	
Canadian Regulat	ions			
			100.00% of the components are lis	sted or exempt.
DSL				
	Informatio	n		

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H301 : Toxic if swallowed
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation	H320 : Causes eye irritation
H332 : Harmful if inhaled	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
H412 : Harmful to aquatic life with long lasting effects	
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(49.38) Acute Toxicity Inhalation, Category 5	(40.88) Aquatic Chronic Toxicity, Category 3
(15.00) Sensitization, Skin, Category 1A	(4.23) Sensitization, Skin, Category 1
(4.07) Aquatic Chronic Toxicity, Category 2	(3.03) Skin Corrosion/Irritation, Category 3
(3.00) Sensitization, Skin, Category 1B	(2.59) Aquatic Chronic Toxicity, Category 4
 (TFV) Risk (49.38) Acute Toxicity Inhalation, Category 5 (15.00) Sensitization, Skin, Category 1A (4.07) Aquatic Chronic Toxicity, Category 2 	 (40.88) Aquatic Chronic Toxicity, Category 3 (4.23) Sensitization, Skin, Category 1 (3.03) Skin Corrosion/Irritation, Category 3

(2.23) Aquatic Acute Toxicity, Category 1

(1.24) Acute Toxicity Dermal, Category 5

- (2.30) Acute Toxicity Oral, Category 5
- (1.56) Reproductive Toxicity, Category 2
- (1.24) Skin Corrosion/Irritation, Category 2

Department issuing data sheet:

Department E-mail address:



Safety Data Sheet

Product: Rustic Escentuals[™] Alpine Frost Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Page 9 of 9 Print Date: 2023-08-23

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.