



# Rustic Escentuals™ Amaretto (KY) Fragrance Oil

## Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules & Regulations  
Issue Date: 8/22/2019 | Revision Date: 8/29/2023 | Supersedes: 10/25/2023

Version: 1.2

### SECTION 1: IDENTIFICATION

#### 1.1 PRODUCT IDENTIFIER

Product Name Rustic Escentuals™ Amaretto (KY) Fragrance Oil  
Product Form Mixture

#### 1.2 RECOMMENDED USE AND RESTRICTIONS ON USE

No additional information available

#### 1.3 NAME, ADDRESS, AND TELEPHONE OF THE RESPONSIBLE PARTY

Supplier Details IndiMade Brands, LLC DBA Wholesale Supplies Plus  
7820 E Pleasant Valley Road  
Independence, OH 44131  
(800) 359-0944  
www.WholesaleSuppliesPlus.com

#### 1.4 EMERGENCY TELEPHONE NUMBER

Emergency Telephone **(800) 255-3924** Domestic USA, Canada, Puerto Rico, and US Virgin Islands  
**+1 813 248-0585** International

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

##### Classification (GHS-US)

Flammable liquids Category 4	H227	Combustible liquid
Acute toxicity (oral) Category 4	H302	Harmful if swallowed
Acute toxicity (dermal) Category 4	H312	Harmful in contact with skin
Acute toxicity (inhalation:dust,mist) Category 4	H332	Harmful if inhaled
Serious eye damage/eye irritation	H319	Causes serious eye irritation
Specific target organ toxicity - single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation

#### 2.2 GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

Hazard pictograms (GHS US)



Signal word (GHS US)

Warning

Hazard statements (GHS US)

H227 - Combustible liquid  
H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled  
H319 - Causes serious eye irritation  
H335 - May cause respiratory irritation

Precautionary statements (GHS US)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.

# Rustic Escentuals™ Amaretto (KY) Fragrance Oil

## Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

P302+P352 - If on skin: Wash with plenty of water.  
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 - Call a poison center or doctor if you feel unwell.  
P322 - Specific treatment (see supplemental first aid instruction on this label)  
P330 - Rinse mouth.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P370+P378 - In case of fire: Use media other than water to extinguish.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3 OTHER HAZARDS WHICH DO NOT RESULT IN CLASSIFICATION

No additional information available

### 2.4 UNKNOWN ACUTE TOXICITY (GHS US)

Not applicable

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 SUBSTANCE

Not applicable

### 3.2 MIXTURE

Name	CAS No.	%	GHS US classification
Benzaldehyde	100-52-7	≥ 70	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2, H319 STOT SE 3, H335
Benzyl Benzoate	120-51-4	10 - 30	Acute Tox. 4 (Oral), H302

## SECTION 4: FIRST AID MEASURES

### 4.1 DESCRIPTION OF FIRST AID MEASURES

General	Call a poison center/doctor/physician if you feel unwell.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
Skin contact	Wash skin with plenty of water. Take off contaminated clothing.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECT (ACUTE AND DELAYED)

Symptoms/effects after inhalation	May cause respiratory irritation.
Symptoms/effects after eye contact	Eye irritation.

### 4.3 IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT, IF NECESSARY

# Rustic Escentuals™ Amaretto (KY) Fragrance Oil

## Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

Treat symptomatically.

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA

Suitable Extinguishing Media                      Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

Fire hazard    Combustible liquid.

#### 5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

Protection during firefighting                      Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

##### 6.1.1 FOR NON-EMERGENCY PERSONNEL

Emergency procedures                              Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

##### 6.1.2 FOR EMERGENCY RESPONDERS

Protective equipment                              Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2 ENVIRONMENTAL PRECAUTIONS

Avoid release to the environment.

#### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Methods for cleaning up                              Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information                                      Dispose of materials or solid residues at an authorized site.

#### 6.4 REFERENCE TO OTHER SECTIONS

For further information refer to section 13.

### SECTION 7: HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Precautions for safe handling                      Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures                                      Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage conditions                                      Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# Rustic Escentuals™ Amaretto (KY) Fragrance Oil

## Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

### 8.1 CONTROL PARAMETERS<sup>1</sup>

#### Benzaldehyde (100-52-7)

Not applicable

#### Benzyl Benzoate (120-51-4)

Not applicable

### 8.2 APPROPRIATE ENGINEERING CONTROLS

Appropriate engineering controls  
Environmental exposure controls

Ensure good ventilation of the work station.  
Avoid release to the environment.

### 8.3 INDIVIDUAL PROTECTION MEASURES/PERSONAL PROTECTIVE EQUIPMENT

Hand protection  
Eye protection  
Skin and body protection  
Respiratory protection  
Personal protective equipment equipment symbol(s)

Protective gloves  
Safety glasses  
Wear suitable protective clothing  
In case of insufficient ventilation, wear suitable respiratory equipment



## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid
Color	Mixture contains one or more component(s) which have the following colour(s): Light yellow to colourless On exposure to air: yellow-brown White Colourless White to off-white Colourless to light yellow
Odor	There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Floral odour Almond odour Mild odour Pleasant odour Aromatic odour Fruity odour Characteristic odour
Odor threshold	No data available
pH	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	No data available
Flash point	≈ 60.6 °C
Relative evaporation rate (butyl acetate=1)	No data available
Flammability	Not applicable
Vapor pressure	No data available
Relative vapor density at 20°C	No data available
Relative density	No data available
Solubility	No data available
Partition coefficient n-octanol/water (Log Pow)	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	No data available
Explosion limits	No data available
Explosive properties	No data available
Oxidizing properties	No data available

### 9.2 OTHER INFORMATION

No additional information available

## SECTION 10: STABILITY AND REACTIVITY

# Rustic Escentuals™ Amaretto (KY) Fragrance Oil

## Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

### 10.1 REACTIVITY

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2 CHEMICAL STABILITY

Stable under normal conditions.

### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reactions known under normal conditions of use.

### 10.4 CONDITIONS TO AVOID

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5 INCOMPATIBLE MATERIALS

No additional information available

### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 INFORMATION ON LIKELY ROUTES OF EXPOSURE

Acute toxicity (oral) Harmful if swallowed.  
Acute toxicity (dermal) Harmful in contact with skin.  
Acute toxicity (inhalation) Not classified

ATE US (oral)	1341.922 mg/kg body weight
ATE US (dermal)	1309.688 mg/kg body weight
ATE US (dust, mist)	1.923 mg/l/4h
<b>Benzaldehyde (100-52-7)</b>	
LD50 oral rat	1300 mg/kg (Rat, Oral)
LD50 dermal rat	> 1250 mg/kg (Rat, Dermal)
LD50 dermal rabbit	5000 mg/kg (Rabbit, Dermal)
ATE US (oral)	1300 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
<b>Benzyl Benzoate (120-51-4)</b>	
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)
ATE US (oral)	1500 mg/kg body weight
ATE US (dermal)	4000 mg/kg body weight

Skin corrosion/irritation Not classified  
Serious eye damage/irritation Causes serious eye irritation.  
Respiratory or skin sensitization Not classified  
Germ cell mutagenicity Not classified  
Carcinogenicity Not classified  
Reproductive toxicity Not classified

# Rustic Escentuals™ Amaretto (KY) Fragrance Oil

## Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

STOT-single exposure May cause respiratory irritation.

### Benzaldehyde (100-52-7)

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure Not classified  
Aspiration hazard Not classified  
Viscosity, kinematic No data available  
Symptoms/effects after inhalation May cause respiratory irritation.  
Symptoms/effects after eye contact Eye irritation.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 TOXICITY

Ecology - general The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

### Benzaldehyde (100-52-7)

LC50 - Fish [1] 11.2 mg/l (96 h, Salmo gairdneri, Flow-through system)

EC50 - Crustacea [1] 50 mg/l (24 h, Daphnia magna)

### Benzyl Benzoate (120-51-4)

LC50 - Fish [1] 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)

EC50 - Crustacea [1] 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

### 12.2 PERSISTENCE AND DEGRADABILITY

### Benzaldehyde (100-52-7)

Persistence and degradability Biodegradable in the soil. Readily biodegradable in water.

Biochemical oxygen demand (BOD) 1.62 g O<sub>2</sub>/g substance

Chemical oxygen demand (COD) 1.98 g O<sub>2</sub>/g substance

ThOD 2.42 g O<sub>2</sub>/g substance

BOD (% of ThOD) 0.67

### Benzyl Benzoate (120-51-4)

Persistence and degradability Readily biodegradable in water.

### 12.3 BIOACCUMULATIVE POTENTIAL

### Benzaldehyde (100-52-7)

BCF - Other aquatic organisms [1] 2.286 (BCFBAF v3.00, Pisces, QSAR)

Partition coefficient n-octanol/water (Log Pow) 3.97 (Experimental value, 25 °C)

Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).

### Benzyl Benzoate (120-51-4)

BCF - Fish [1] 2.286 (BCFBAF v3.00, Pisces, QSAR)

Partition coefficient n-octanol/water (Log Pow) 3.97 (Experimental value, 25 °C)

Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).

### 12.4 MOBILITY IN SOIL

### Benzaldehyde (100-52-7)

Surface tension 0.04 N/m (20 °C)

### Benzyl Benzoate (120-51-4)

Surface tension 0.027 N/m (210 °C)

# Rustic Escentuals™ Amaretto (KY) Fragrance Oil

## Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

### Benzyl Benzoate (120-51-4)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.

### 12.5 OTHER ADVERSE EFFECTS

No additional information available.


## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 WASTE TREATMENT METHODS

Waste treatment methods Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: TRANSPORT INFORMATION

### 14.1 DEPARTMENT OF TRANSPORTATION (DOT)

Transport document description (DOT)	UN3082 Environmentally hazardous substances, liquid, n.o.s. (BENZYL BENZOATE), 9, III
UN-No.(DOT)	UN3082
Proper Shipping Name (DOT)	Environmentally hazardous substances, liquid, n.o.s. BENZYL BENZOATE
Class (DOT)	9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140
Packing group (DOT)	III - Minor Danger
Hazard labels (DOT)	9 - Class 9 (Miscellaneous dangerous materials)
	
DOT Packaging Non Bulk (49 CFR 173.xxx)	203
DOT Packaging Bulk (49 CFR 173.xxx)	241
DOT Symbols	G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies. 146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination. 173 - An appropriate generic entry may be used for this material. 335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s.," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a (tr - tf)$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx)	155
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	No limit
DOT Quantity Limitations Cargo aircraft only (49	No limit

# Rustic Escentuals™ Amaretto (KY) Fragrance Oil

## Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

CFR 175.75)

DOT Vessel Stowage Location	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	171
Other information	No supplementary information available.

### 14.2 TRANSPORTATION OF DANGEROUS GOODS

Not applicable

### 14.3 TRANSPORT BY SEA

Transport document description (IMDG)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE), 9, III, MARINE POLLUTANT
UN-No. (IMDG)	3082
Proper Shipping Name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class (IMDG)	9 - Miscellaneous dangerous substances and articles
Packing group (IMDG)	III - substances presenting low danger
Limited quantities (IMDG)	5 L

### 14.4 AIR TRANSPORT

Transport document description (IATA)	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (BENZYL BENZOATE), 9, III
UN-No. (IATA)	3082
Proper Shipping Name (IATA)	Environmentally hazardous substance, liquid, n.o.s.
Class (IATA)	9 - Miscellaneous Dangerous Substances and Articles
Packing group (IATA)	III - Low danger

## SECTION 15: REGULATORY INFORMATION

### 15.1 US FEDERAL REGULATIONS

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Name	CAS No.	%
Benzaldehyde	100-52-7	≥ 70
Benzyl Benzoate	120-51-4	10 - 30

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2 INTERNATIONAL REGULATIONS

#### 15.2.1 CANADA

##### Benzaldehyde (100-52-7)

Listed on the Canadian DSL (Domestic Substances List)

##### Benzyl Benzoate (120-51-4)

Listed on the Canadian DSL (Domestic Substances List)

#### 15.2.2 EU REGULATIONS

No additional information available

#### 15.2.3 NATIONAL REGULATIONS



# Rustic Escentuals™ Amaretto (KY) Fragrance Oil

## Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

### Benzaldehyde (100-52-7)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on the Japanese ENCS (Existing New Chemical Substances) inventory  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the EC Inventory  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on the Australian HSIS Consolidated List  
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)  
Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
Listed on KECI (Korean Existing Chemicals Inventory)

### Benzyl Benzoate (120-51-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on KECI (Korean Existing Chemicals Inventory)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on the Japanese ENCS (Existing New Chemical Substances) inventory  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the EC Inventory  
Listed on the Australian HSIS Consolidated List  
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

## SECTION 16: OTHER INFORMATION

Revision Date 8/29/2023

### Full text of H-phrases:

H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.