

Fragrance Oil

Crafter's Choice[™] Amber

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 1 of 9

Print Date: 2023-05-04

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Identification of the substance/mixture and of the company/undertaking

Product:

Product identifier

Trade Name: Crafter's Choice™ Amber Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

> 7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Carcinogenicity, Category 2 H351: Suspected of causing cancer

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Fragrance Oil

Crafter's Choice™ Amber

Revised Date: 2023-04-18 00:00

Page 2 of 9

Print Date: 2023-05-04

SDS v1 GHS / OSHA

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com







Product:

Signal Word: Warning

Hazard statements

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H351	Suspected of causing cancer
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtai	in specia	ıl instructions be	efore use		

P202 Do not handle until all safety precautions have been read and understood

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
I JUZ T I JJZ	II ON SIXIN. Wasii Wilii Soab and Walei

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P308 + P313 IF exposed or concerned: Get medical advice/attention

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.3 Other Hazards

no data available

Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):





Product: Crafter's ChoiceTM Amber Fragrance Oil

Page 3 of 9

Print Date: 2023-05-04

Revised Date: 2023-04-18 00:00

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
107-41-5 Hexylene	203-489-0	20 - 30 %	H315; H319
54464-57-2	-	10 - 20 %	H315; H317; H401; H411
		dronaphthalenes	
1222-05-5	214-946-9	5 - 10 %	H316; H400; H410
		5 - 10 %	П316, П400, П410
101-86-0	nylindanopyran 202-983-3	5 - 10 %	U202: U216: U217: U400: U411
		5 - 10 %	H303; H316; H317; H400; H411
Hexyl cinr 121-32-4	204-464-7	5 - 10 %	U202: U220: U402
		5 - 10 %	H303; H320; H402
Ethyl Van. 105-95-3		F 10.0/	LI404
	203-347-8	5 - 10 %	H401
Ethylene l	•	0 50/	11004-11047-11400
91-64-5	202-086-7	2 - 5 %	H301; H317; H402
Coumarin		0 50/	11000-11047-11400-11440
32388-55-9	251-020-3	2 - 5 %	H303; H317; H400; H410
Acetyl ced		0 50/	11047 11400
31906-04-4	250-863-4	2 - 5 %	H317; H402
		exene carboxald	•
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411
Benzyl Be			
107-75-5	203-518-7	1 - 2 %	H317; H319; H402
Hydroxyci			
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411
	hylcyclopent-3-		
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Ac			
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
Geraniol			
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
Limonene			
140-67-0	205-427-8	0.1 - 1.0 %	H227; H302; H315; H317; H341; H351;
Estragole	(Methyl Chavic	oI)	H401; H412
80-56-8 pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
, 106-25-2 Nerol	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronelloi 470-82-6	<i>1</i> 207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
Eucalypto	I		



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Amber Fragrance Oil

Page 4 of 9 Print Date: 2023-05-04

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Conc.
Ingredient EC# Range GHS Classification

16510-27-3 0.1 - 1.0 % H316; H317; H319; H401; H411

1-Cyclopropylmethyl-4-methoxybenzene

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.50

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Amber Fragrance Oil

Page 5 of 9 Print Date: 2023-05-04

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

80-56-8 pinene 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Pale Yellow to Yellow (G2-4)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Not determined



Product: Crafter's ChoiceTM Amber
Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Print Date: 2023-05-04

Page 6 of 9

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Explosive Properties: None Expected

Oxidizing properties: None Expected

 Vapor Pressure (mmHg@20 C):
 0.1638

 %VOC:
 0.97

 Specific Gravity @ 25 C:
 0.9800

 Density (g/mL) @ 25 C:
 0.9770

 Refractive Index @ 20 C:
 1.4830

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None

10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3144.1582) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 2887.5988) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 37.3320) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met

Carcinogenicity Suspected of causing cancer

Reproductive toxicity

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

Aspiration hazard

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met



7820 E Pleasant Valley Road Independence, OH 44131

www.WholesaleSuppliesPlus.com

Safety Data Sheet

Fragrance Oil

Product: Crafter's Choice™ Amber

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Print Date: 2023-05-04

Page 7 of 9

12. Ecological Information

12.1 Toxicity

(800) 359-0944

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant

Yes. Ingredient of greatest environmental impact: 1222-05-5: (5 - 10 %): Hexamethylindanopyran

1222 00 0 . (0	10 /0) . Hoxamo	in y in radiropy rain		
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 5 - 10 % Hexamethylindanopyran

1222-00-0 214-940-9 0 - 10 /6 Hexamethyllin

U.S. State Regulations



Product: Crafter's Choice™ Amber Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Print Date: 2023-05-04

Page 8 of 9

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

California Proposition 65 Warning		arning	This product contains the following components:
140-67-0	205-427-8	0.1 - 1.0 %	Estragole (Methyl chavicol) (Natural Source)
123-35-3(NF	204-622-5	<= 70 ppm	beta-Myrcene (Natural Source)
94-59-7	202-345-4	<= 19 ppm	Safrole (Natural Source)
93-15-2	202-223-0	<= 15 ppm	Methyl Eugenol (Natural Source)

Canadian Regulations

DSL 99.69% of the components are listed or exempt. The following

components are NOT on the List:

67801-20-1 267-140-4 0.1 - 1.0 % 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol 16510-27-3 0.1 - 1.0 % 1-Cyclopropylmethyl-4-methoxybenzene 94201-73-7 303-662-1 <= 60 ppm Tetrahydro-4-methyl-2-phenyl-2H-pyran

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H227 : Combustible liquid
H301 : Toxic if swallowed	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H316: Causes mild skin irritation
H317: May cause an allergic skin reaction	H318 : Causes serious eye damage
H320 : Causes eye irritation	H341 : Suspected of causing genetic defects
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410: Very toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk	(TFV) Risk
(133.93) Acute Toxicity Inhalation, Category 5	(62.82) Aquatic Chronic Toxicity, Category 3
(27.00) Sensitization, Skin, Category 1A	(12.00) Sensitization, Skin, Category 1B
(6.28) Aquatic Chronic Toxicity, Category 2	(6.26) Skin Corrosion/Irritation, Category 3
(4.47) Skin Corrosion/Irritation, Category 2	(3.70) Eye Damage/Eye Irritation, Category 2A
(2.33) Carcinogenicity, Category 2	(1.73) Acute Toxicity Dermal, Category 5
(1.59) Acute Toxicity Oral, Category 5	(1.45) Aquatic Chronic Toxicity, Category 4

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.



Product: Crafter's ChoiceTM Amber Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 9 of 9 Print Date: 2023-05-04

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com