

acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Ambre Lumiere* Fragrance Oil

Date of compilation: 2021-10-15

SECTION 1: Identification

1.1 Product identifier Trade name:

Rustic Escentuals[™] Ambre Lumiere* Fragrance Oil

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

General use

1.3 Details of the supplier of the safety data sheet IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

Emergency information service

(800) 255–3924 | Domestic USA, Canada, Puerto Rico, and US Virgin Islands +1 813–248–0585 | International

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

| Section | n Hazard class | | Hazard class and cat- egory | Hazard state- ment | |
|---------|--------------------|---|--------------------------------|-----------------------|--|
| A.4S | skin sensitization | 1 | Skin Sens. 1 | H317 | |
| B.6 | 6 flammable liquid | | Flam. Liq. 3 | H226 | |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Ambre Lumiere* Fragrance Oil

Date of compilation: 2021-10-15

| - Pictograms | |
|---------------------|--|
| GHS02, GHS07 | |
| - Hazard statemer | its |
| H226 | Flammable liquid and vapor. |
| H317 | May cause an allergic skin reaction. |
| - Precautionary sta | atements |
| P210 | Keep away from heat/sparks/open flames/hot surfaces. No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ventilating/lighting equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P261 | Avoid breathing dust/fume/gas/mist/vapors/spray. |

| P272 | Contaminated work clothing must not be allowed out of the workplace. |
|------|--|
|------|--|

| P280 | Wear protective gloves/eye protection/face protection. |
|----------------|--|
| P302+P352 | If on skin: Wash with plenty of water. |
| P303+P361+P353 | If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. |
| P321 | Specific treatment (see on this label). |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P363 | Wash contaminated clothing before reuse. |
| P370+P378 | In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish. |
| P403+P235 | Store in a well-ventilated place. Keep cool |

Dispose of contents/container to industrial combustion plant.

2.3 **Other hazards**

P501

of no significance

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

| IUPAC name | Identifier | Wt% | Classification acc. to GHS |
|--|----------------------|----------|---|
| 3,7-dimethylocta-1,6-dien-3-yl acetate | CAS No 115-95-7 | 5 - < 10 | Flam. Liq. 4 / H227 |
| 3,7-dimethylocta-1,6-dien-3-ol | CAS No 78-70-6 | 5-<10 | Skin Sens. 1B / H317 Flam. Liq. 4 / H227 |
| | CAS No 51414-25-6 | 1-<5 | Skin Sens. 1A / H317 |



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Ambre Lumiere* Fragrance Oil

Date of compilation: 2021-10-15

| IUPAC name | Identifier | Wt% | Classification acc. to GHS |
|--|----------------------------------|---------|--|
| Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics | CAS No 64-17-5 64742-48-9 | 1-<5 | Flam. Liq. 3 / H226 |
| 2,6-dimethyloct-7-en-2-ol | CAS No 18479-58-8 | 1 - < 5 | Flam. Liq. 4 / H227 |
| 2-ethyl-3-hydroxy-4H-pyran-4-one | CAS No 4940-11-8 | 1 - < 5 | Acute Tox. 4 / H302 |
| 2H-chromen-2-one | CAS No 91-64-5 | 1 - < 5 | Acute Tox. 3 / H301 Acute Tox. 3 / H311 |
| (2E,6E)-2,6-dimethyl-10-methylidenedodeca- 2,6,11-trienal; (2E,6E,9E)-2,6,10-trimethyldo- deca-2,6,9,11-tetraenal; (4R)-1-methyl-4-(prop- 1-en-2-yl)cyclohex-1-ene; 3,7-dimethylocta-1,6- dien-3-ol; 7-methyl-3-methylideneocta-1,6- diene; octanal | CAS No 8008-57-9 8028-48-6 | 1-<5 | Flam. Liq. 3 / H226 |
| prop-2-en-1-yl 2-(3-methylbutoxy)acetate | CAS No 67634-00-8 | < 1 | Acute Tox. 2 / H330 Flam. Liq. 4 / H227 |

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Ambre Lumiere* Fragrance Oil

Date of compilation: 2021-10-15

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Ambre Lumiere* Fragrance Oil

Date of compilation: 2021-10-15

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Ambre Lumiere* Fragrance Oil

Date of compilation: 2021-10-15

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

| Coun- try | Name of sub- stance | CAS No | Identi- fier | TWA [ppm] | TWA [mg/m³] | STEL [ppm] | STEL [mg/m³] | Ceiling-C [ppm] | Ceiling-C [mg/m³] | Nota- tion | Source |
|--------------|---|------------|-----------------|-----------------|-----------------|---------------|-----------------|--------------------|----------------------|---------------|-------------------------|
| US | Ethanol | 64-17-5 | TLV® | | | 1,000 | | | | | ACGIH® 2021 |
| US | Ethanol | 64-17-5 | REL | 1,000 (10 h) | 1,900 (10 h) | | | | | | NIOSH REL |
| US | Ethanol | 64-17-5 | PEL (CA) | 1,000 | 1,900 | | | | | | Cal/ OSHA PEL |
| US | Ethanol | 64-17-5 | PEL | 1,000 | 1,900 | | | | | | 29 CFR 1910.100 0 |
| US | Ethanol | 64742-48-9 | PEL | 500 | 2,000 | | | | | | 29 CFR 1910.100 0 |
| US | 1,2-diethyl ben- zene-1,2-di- carboxylate | 84-66-2 | PEL (CA) | | 5 | | | | | | Cal/ OSHA PEL |
| US | 1,2-diethyl ben- zene-1,2-di- carboxylate | 84-66-2 | REL | | 5 (10 h) | | | | | | NIOSH REL |
| US | 1,2-diethyl ben- zene-1,2-di- carboxylate | 84-66-2 | TLV® | | 5 | | | | | | ACGIH® 2021 |

Notation

STEL

TWA

Ceiling-C ceiling value is a limit value above which exposure should not occur

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours timeweighted average (unless otherwise specified

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Ambre Lumiere* Fragrance Oil

Date of compilation: 2021-10-15

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| Physical state | liquid |
|----------------|------------------------|
| Color | PALE YELLOW |
| Particle | not relevant (liquid) |
| Odor | Comparable to standard |

Other safety parameters

| pH (value) | not determined |
|---|-----------------------|
| Melting point/freezing point | not determined |
| Initial boiling point and boiling range | 311 °F at 1 atm |
| Flash point | 110 °F |
| Evaporation rate | Not determined |
| Flammability (solid, gas) | not relevant, (fluid) |

Explosive limits





acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Ambre Lumiere* Fragrance Oil

Date of compilation: 2021-10-15

| - Lower explosion limit (LEL) | 2.5 vol% |
|-------------------------------|---|
| - Upper explosion limit (UEL) | 13.5 vol% |
| Vapor pressure | 169.3 hPa at 25 °C |
| Density | 0.9968 ^g / _{ml} at 25 °C |
| Vapor density | this information is not available |
| Solubility(ies) | not determined |
| Partition coefficient | |
| - n-octanol/water (log KOW) | this information is not available |
| Auto-ignition temperature | >392 °F (auto-ignition temperature (liquids and gases)) |
| Viscosity | not determined |
| Explosive properties | none |
| Oxidizing properties | none |

9.2 Other information

| Solvent content | 92.62 % | | |
|--|--|--|--|
| Solid content | 7.377 % | | |
| Temperature class (USA, acc. to NEC 500) | T3 (maximum permissible surface temperature on the equipment: 200°C) | | |

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Ambre Lumiere* Fragrance Oil

Date of compilation: 2021-10-15

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Ambre Lumiere* Fragrance Oil

Date of compilation: 2021-10-15

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

- **12.2 Persistence and degradability** Data are not available.
- **12.3 Bioaccumulative potential** Data are not available.
- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** Information on this property is not available.
- 12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Ambre Lumiere* Fragrance Oil

Date of compilation: 2021-10-15

| SECT | ION 14: Transport information | | | | |
|------|--|--|--|--|--|
| 14.1 | UN number | | | | |
| | DOT | UN 1993 | | | |
| | IMDG-Code | UN 1993 | | | |
| | ICAO-TI | UN 1993 | | | |
| 14.2 | UN proper shipping name | | | | |
| | DOT | Flammable liquid, n.o.s. | | | |
| | IMDG-Code | FLAMMABLE LIQUID, N.O.S. | | | |
| | ICAO-TI | Flammable liquid, n.o.s. | | | |
| | Technical name (hazardous ingredients) | ALCOHOL 40B, COUMARIN | | | |
| 14.3 | Transport hazard class(es) | | | | |
| | DOT | 3 | | | |
| | IMDG-Code | 3 | | | |
| | ICAO-TI | 3 | | | |
| 14.4 | Packing group | | | | |
| | DOT | III | | | |
| | IMDG-Code | III | | | |
| | ICAO-TI | III | | | |
| 14.5 | Environmental hazards | hazardous to the aquatic environment | | | |
| | Environmentally hazardous substance (aquatic environment) | ISO E SUPER | | | |
| 14.6 | Special precautions for user | | | | |
| | There is no additional information. | | | | |
| 14.7 | Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk. | | | | |
| | Information for each of the UN Model Regulation | ons | | | |
| | Transport of dangerous goods by road or rail (4 | 9 CFR US DOT) - Additional information | | | |
| | Particulars in the shipper's declaration | UN1993, Flammable liquid, n.o.s., (contains: ALCO- HOL 40B, COUMARIN), 3, III, environmentally haz- ardous | | | |

Danger label(s)



3, fish and tree



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals™ Ambre Lumiere* Fragrance Oil

Date of compilation: 2021-10-15

| | Environmental hazards | Yes (hazardous to the aquatic environment) |
|------|---|---|
| | Special provisions (SP) | B1, B52, IB3, T4, TP1, TP29 |
| | ERG No | 128 |
| | International Maritime Dangerous Goods Code (Il | MDG) - Additional information |
| | Marine pollutant | Yes (hazardous to the aquatic environment) (ISO E SUPER) |
| | Danger label(s) | 3, fish and tree |
| | | |
| | Special provisions (SP) | 223, 274, 955 |
| | Excepted quantities (EQ) | E1 |
| | Limited quantities (LQ) | 5 L |
| | EmS | F-E, <u>S-E</u> |
| | Stowage category | A |
| | International Civil Aviation Organization (ICAO-IA | ATA/DGR) - Additional information |
| | Environmental hazards | Yes (hazardous to the aquatic environment) |
| | Danger label(s) | 3 |
| | | |
| | Special provisions (SP) | A3 |
| | Excepted quantities (EQ) | E1 |
| | Limited quantities (LQ) | 10 L |
| SECT | TON 15: Regulatory information | |
| 15.1 | Safety, health and environmental regulations spe | ecific for the product in question |
| | National regulations (United States) | |
| | Toxic Substance Control Act (TSCA) | all ingredients are listed |
| | Superfund Amendment and Reauthorization Act (| (SARA TITLE III) |
| | - The List of Extremely Hazardous Substances and Th 302, 304) | neir Threshold Planning Quantities (EPCRA Section |
| | none of the ingredients are listed | |
| | Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed |) |
| | Clean Air Act | |
| | none of the ingredients are listed | |



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Ambre Lumiere* Fragrance Oil

Date of compilation: 2021-10-15

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

| Name of substance | CAS No | Functionality | Authoritative Lists |
|--------------------------------|------------|---------------|--|
| 3,7-dimethylocta-1,6-dien-3-ol | 78-70-6 | | EU Fragrance Allergens |
| Ethanol | 64742-48-9 | | Canada PBiTs EC Annex VI CMRs - Cat. 1B |
| 2H-chromen-2-one | 91-64-5 | | EU Fragrance Allergens |

- Hazardous Substances List (MN-ERTK)

| Name of substance | CAS No | References | Remarks |
|-------------------|---------|------------|---------|
| ALCOHOL 40B | 64-17-5 | A, O | |
| ETHYL MALTOL | | А | dust |

Legend

American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physic-al Agents and Biological Exposure Indices for 1992-93", available from ACGIH А

dust If the substance poses an airborne particulate exposure hazard, the substance is followed by the word "dust."

Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Oc-cupational Safety and Health Division 0

- Hazardous Substance List (NJ-RTK)

| Name of substance | CAS No | Remarks | Classifications |
|-------------------|---------|---------|----------------------|
| Ethanol | 64-17-5 | | CA MU TE F3 |

Legend

Carcinogenic Flammable - Third Degree CA

F3

MU Mutagenic TE Teratogenic

- Hazardous Substance List (Chapter 323) (PA-RTK)

| Name acc. to inventory | CAS No | Classification |
|------------------------|---------|----------------|
| ETHANOL | 64-17-5 | |

- Hazardous Substance List (RI-RTK)

| Name of substance | CAS No | References |
|-------------------|---------|------------|
| ALCOHOL 40B | 64-17-5 | T, F |

Legend

Flammability (NFPA®)

Toxicity (ACGIH®)

т



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Ambre Lumiere* Fragrance Oil

Date of compilation: 2021-10-15

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals

| Name acc. to inventory | CAS No | Remarks | Type of the toxicity | |
|-------------------------|---------|------------------------|----------------------|--|
| ethanol (ethyl alcohol) | 64-17-5 | in alcoholic beverages | developmental | |

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| Category | Rating | Description |
|---------------------|--------|--|
| Chronic | * | chronic (long-term) health effects may result from repeated overexposure |
| Health | 2 | temporary or minor injury may occur |
| Flammability | 2 | material that must be moderately heated or exposed to relatively high ambient temper- atures before ignition can occur |
| Physical hazard | 0 | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | - | |

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

| Category | Degree of hazard | Description |
|----------------|---------------------|---|
| Flammability | 2 | material that must be moderately heated or exposed to relatively high ambient temper- atures before ignition can occur |
| Health | 2 | material that, under emergency conditions, can cause temporary incapacitation or resid- ual injury |
| Instability | 0 | material that is normally stable, even under fire conditions |
| Special hazard | | |

National inventories

| Country | Inventory | Status |
|---------|-----------|----------------------------|
| US | TSCA | all ingredients are listed |
| Legend | | |

TSCA

Toxic Substance Control Act



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Ambre Lumiere* Fragrance Oil

Date of compilation: 2021-10-15

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------------|--|
| 29 CFR 1910.1000 | 29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Sub- stances (permissible exposure limits) |
| 49 CFR US DOT | 49 CFR U.S. Department of Transportation |
| ACGIH® | American Conference of Governmental Industrial Hygienists |
| ACGIH® 2021 | From ACGIH®, 2021 TLVs® and BEIs® Book. Copyright 2021. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presenta-tions/tlv-bei-position-statement |
| Acute Tox. | Acute toxicity |
| Cal/OSHA PEL | California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DOT | Department of Transportation (USA) |
| EmS | Emergency Schedule |
| ERG No | Emergency Response Guidebook - Number |
| Flam. Liq. | Flammable liquid |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| ΙΑΤΑ | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| IUPAC | International Union of Pure and Applied Chemistry |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| NFPA® | National Fire Protection Association (United States) |
| NIOSH REL | National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs) |



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Ambre Lumiere* Fragrance Oil

Date of compilation: 2021-10-15

| Abbr. | Descriptions of used abbreviations |
|----------------|---|
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition |
| OSHA | Occupational Safety and Health Administration (United States) |
| PBT | Persistent, Bioaccumulative and Toxic |
| PEL | Permissible exposure limit |
| ppm | Parts per million |
| RTECS | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information) |
| Skin Sens. | Skin sensitization |
| STEL | Short-term exposure limit |
| TLV® | Threshold Limit Values |
| TWA | Time-weighted average |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--------------------------------------|
| H226 | Flammable liquid and vapor. |
| H227 | Combustible liquid. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H311 | Toxic in contact with skin. |
| H317 | May cause an allergic skin reaction. |
| H330 | Fatal if inhaled. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.