# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice<sup>™</sup> Aromatic Tea Upcycled @100%

Page 1 of 8 Print Date: 2023-05-04

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade Name: Crafter's Choice<sup>™</sup> Aromatic Tea Upcycled @100%

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

	Flammable Liquids, Category 4	H227 : Combustible liquid
	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
	Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 1	H318 : Causes serious eye damage
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Clas	ssification OSHA (Provisions 1910.1200 of title	29)

Flammable Liquids, Category 4	H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 1	H318 : Causes serious eye damage
Reproductive Toxicity, Category 2	H361 : Suspected of damaging fertility or the unborn child

#### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS) Hazard pictograms

# **Crafter's**Choice<sup>®</sup>

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



## Signal Word: Danger

#### Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Product:

### **Precautionary Statements**

#### **Prevention:**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P310	Immediately call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

## 2.3 Other Hazards

no data available





Crafter's Choice<sup>™</sup> Aromatic Tea

Page 2 of 8 Print Date: 2023-05-04



# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice<sup>™</sup> Aromatic Tea Upcycled @100%

Page 3 of 8 Print Date: 2023-05-04

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
78-70-6	201-134-4	20 - 30 %	H227; H303; H315; H317; H319; H402		
Linalool					
106-24-1	203-377-1	20 - 30 %	H303; H315; H317; H318; H402		
Geraniol					
115-95-7	204-116-4	10 - 20 %	H227; H315; H317; H320; H402		
Linalyl Ace	etate				
28219-61-6	248-908-8	5 - 10 %	H315; H319; H401; H411		
Ethyl trime	ethylcyclopentene	e butenol			
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412		
Limonene					
18479-58-8	242-362-4	5 - 10 %	H227; H303; H315; H319; H402		
-	yloct-7-en-2-ol				
4819-67-4	225-392-2	2 - 5 %	H227; H402		
2-Pentylcy	clopentanone				
19870-74-7	243-384-7	2 - 5 %	H317; H400; H410		
	Cedrol methyl ether				
470-82-6	207-431-5	2 - 5 %	H226; H303; H317; H320; H402		
Eucalyptol					
65443-14-3	265-779-3	2 - 5 %	H227; H401; H411		
	ethyl-5-pentylcyd				
98-55-5	202-680-6	2 - 5 %	H227; H303; H315; H319; H401		
Terpineol					
133636-82-5		1 - 2 %	H314; H317; H318; H400; H410		
-	Bicyclo-heptane-				
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361		
gamma-Terpinene					
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410		
pinene					
85940-32-5	616-779-0	0.1 - 1.0 %	H226; H315; H317; H319; H401; H411		
Cardamom seed oil					
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401		
Citral					
99-87-6	202-796-7	0.1 - 1.0 %	H226; H303; H304; H331; H361; H401; H411		
p-cymene					
See Section 16 for full text of GHS classification codes					

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice<sup>™</sup> Aromatic Tea Upcycled @100%

Page 4 of 8 Print Date: 2023-05-04

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Total Hydrocarbon Content (% w/w) = 9.27

4.	First Aid Measures		
4.1	Description of first aid measures		
I	Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
I	Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
:	Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
I	Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2	Most important symptoms and effects, b	both acute and delayed	
:	Symptoms:	no data available	
I	Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3	4.3 Indication of any immediate medical attention and special treatment needed		
-	Treatment:	Refer to Section 2.2 "Response"	
5.	Fire-Fighting measures		
5.1	Extinguishing media		
:	Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
l	Unsuitable	Do not use a direct water jet on burning material	
5.2	.2 Special hazards arising from the substance or mixture		
I	During fire fighting:	Water may be ineffective	
5.3	Advice for firefighters		
I	Further information:	Standard procedure for chemical fires	

6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

## 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

## 6.4 Reference to other sections

Not Applicable



# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

# Product: Crafter's Choice<sup>™</sup> Aromatic Tea Upcycled @100%

Page 5 of 8 Print Date: 2023-05-04

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Li Component			ACGIH	ACGIH	OSHA	OSHA
-			TWA ppm	STEL ppm	TWA ppm	STEL ppm
80-56-8	pinene		20	)		
Engineering	Controls:	Use local exhaust as needed.				
0 0						

#### 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Pale Yellow (G2) - Yellow (G4)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	163 F (72.78 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.1819
%VOC:	12.65
Specific Gravity @ 25 C:	0.8840

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 6 of 8

Print Date: 2023-05-04

Product: Crafter's Choice<sup>™</sup> Aromatic Tea Upcycled @100%

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Density (g/mL) @ 25 C:	0.8810
Refractive Index @ 20 C:	1.4668
Soluble in:	Oil

# 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

# 11. Toxicological Information

# 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3698.8610) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4876.6275) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 39.1536) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye damage
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

#### 12.1 Toxicity

Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability

no data available



7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

# Product: Crafter's Choice<sup>™</sup> Aromatic Tea Upcycled @100%

Page 7 of 8 Print Date: 2023-05-04

www.WholesaleSuppliesPlus.com		
12.3 Bioaccumulative potential	no data available	
12.4 Mobility in soil	no data available	
12.5 Other adverse effects	no data available	

# 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 19870-74-7 : (2 - 5 %) : Cedrol methyl ether					
Regulator		Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)		Not Regulated	ot Regulated - Not Dangerous Goods			
Chemicals NOI						
ADR/RID (International Roa	ad/Rail)					
Environmentally Hazardous		9	III		UN3082	
Substance, Liquid, n.o.s.						
IATA (Air Cargo)						
Environmentally Hazardous		9	III		UN3082	
Substance, Liquid, n.o.s.						
IMDG (Sea)						
Environmentally Hazardous		9	III		UN3082	
Substance, Liquid, n.o.s.						

15. Regulatory Information					
U.S. Federal Regulations					
TSCA (Toxic Substance Control Act)		ntrol Act)	All components of the substance/mixture are listed or exempt		
40 CFR(EPCRA U.S. State Regulati	· ·	RCLA and CAA)	This product contains NO components of concern.		
California Prope	osition 65 W	arning	This product contains the following components:		
123-35-3(NF	204-622-5	0.1 - 1.0 %	beta-Myrcene (Natural Source)		
140-67-0	205-427-8	<= 5 ppm	Estragole (Methyl chavicol) (Natural Source)		
89-82-7	201-943-2	<= 3 ppm	Pulegone (Natural Source)		
Canadian Regulations					
DSL			100.00% of the components are listed or exempt.		

#### Revised Date: 202

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice<sup>™</sup> Aromatic Tea Upcycled @100%

Page 8 of 8 Print Date: 2023-05-04

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

16. Other Information

## GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H304 : May be fatal if swallowed and enters airways
- H316 : Causes mild skin irritation
- H319 : Causes serious eye irritation
- H331 : Toxic if inhaled
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

## **Total Fractional Values**

(TFV) Risk

- (127.70) Acute Toxicity Inhalation, Category 5
- (26.01) Sensitization, Skin, Category 1B
- (9.65) Skin Corrosion/Irritation, Category 3
- (8.34) Eye Damage/Eye Irritation, Category 1
- (2.36) Aquatic Chronic Toxicity, Category 2
- (1.28) Eye Damage/Eye Irritation, Category 2B
- (1.20) Sensitization, Skin, Category 1A

H302 : Harmful if swallowed
H314 : Causes severe skin burns and eye damage
H317 : May cause an allergic skin reaction
H320 : Causes eye irritation
H400 : Very Toxic to aquatic life
H402 : Harmful to aquatic life
H412 : Harmful to aquatic life with long lasting effects

# (TFV) Risk

- (29.38) Eye Damage/Eye Irritation, Category 2A
  (23.88) Aquatic Chronic Toxicity, Category 3
  (9.57) Skin Corrosion/Irritation, Category 2
  (7.30) Reproductive Toxicity, Category 2
  (1.35) Acute Toxicity Oral, Category 5
  (1.20) Sensitization, Skin, Category 1
- (1.03) Acute Toxicity Dermal, Category 5

## Department issuing data sheet:

## Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.