



Artisan's Perfume Base

Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules & Regulations
Compilation Date: 11/24/2021

Version: GHS 1.0

SECTION 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Product Name Artisan's Perfume Base

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Relevant identified uses General use

1.3 NAME, ADDRESS, AND TELEPHONE OF THE RESPONSIBLE PARTY

Supplier Details IndiMade Brands, LLC DBA Rustic Escentuals
7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.RusticEscentuals.com

1.4 EMERGENCY TELEPHONE NUMBER

Emergency Telephone **(800) 255-3924** Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+1 813 248-0585 International

SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard Class	Category	Hazard Class and Category	Hazard Statement
A.6	Carcinogenicity	1A	Carc. 1A	H350
B.6	Flammable liquid	2	Flam. Liq. 2	H225

The most important adverse physicochemical, human health and environmental effects The product is combustible and can be ignited by potential ignition sources.

2.2 LABEL ELEMENTS

Signal word
Pictograph

Danger
GHS02, GHS08



Hazard statements

H225: Highly flammable liquid and vapor.
H350: May cause cancer.

Precautionary Statements

P201: Obtain special instructions before use.
P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233: Keep container tightly closed.
P240: Ground/bond container and receiving equipment.
P241: Use explosion-proof electrical/ventilating/lighting equipment.
P242: Use only non-sparking tools.
P243: Take precautionary measures against static discharge.
P280: Wear protective gloves/eye protection/face protection.
P303+P361+P353: If on skin (or hair), take off immediately all contaminated clothing. Rinse skin with water/shower.
P308+P313: If exposed or concerned, get medical advice/attention.
P370+P378: In case of fire, use sand, carbon dioxide or powder extinguisher to extinguish.
P403+P235: Store in a well-ventilated place. Keep cool.
P405: Store locked up.
P501: Dispose of contents/container to industrial combustion plant.

Artisan's Perfume Base

Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

2.3 OTHER HAZARDS

Of no significance

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 SUBSTANCE

Not relevant (mixture)

3.2 MIXTURE

IUPAC Name	CAS No.	Weight (%)	Percentage
Ethanol	64-17-5	75 - <90	Carc. 1A / H350 Flam. Liq. / H225

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

General	Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.
Inhalation	If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.
Skin contact	Wash with plenty of soap and water.
Eye contact	Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.
Ingestion	Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.
Protection of first-aiders	No special protection required

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Symptoms and effects are not known to date.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

None

SECTION 5: FIREFIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Suitable Extinguishing Media	Water spray, BC-powder, Carbon dioxide (CO ₂)
Unsuitable Extinguishing Media	Water jet

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products	Carbon monoxide (CO), Carbon dioxide (CO ₂)
-------------------------------	---

5.3 ADVICE FOR FIREFIGHTERS

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Artisan's Perfume Base

Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

For non-emergency personnel	Remove persons to safety.
For emergency responders	Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 ENVIRONMENTAL PRECAUTIONS

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Advice on how to contain a spill	Covering of drains
Advice on how to clean up a spill	Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder
Appropriate containment techniques	Use of adsorbent materials.
Other information relating to spills and releases	Place in appropriate containers for disposal. Ventilate affected area.

6.4 REFERENCE TO OTHER SECTIONS

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Measures to prevent fire as well as aerosol and dust generation	Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.
Specific notes/details	Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.
Advice on general occupational hygiene	Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Explosive atmospheres	Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.
Flammability hazards	Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.
Ventilation requirements	Use local and general ventilation. Ground/bond container and receiving equipment.
Packaging compatibilities	Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 SPECIFIC END USE(S)

See section 16 for a general overview.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Artisan's Perfume Base

Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

Occupational exposure limits:

Country	Name of substance	CAS No	Identifier	TWA (ppm)	TWA (mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Ceiling-C (ppm)	Ceiling-C (mg/m ³)	Notation	Source
US	Ethanol	64-17-5	TLV®			1,000					ACGIH® 2021
US	Ethanol	64-17-5	REL	1,000 (10 h)	1,900 (10 h)						NIOSH REL
US	Ethanol	64-17-5	PEL (CA)	1,000	1,900						Cal/OSHA PEL
US	Ethanol	64-17-5	PEL	1,000	1,900						29 CFR 1910.100
US	1,2-diethyl benzene-1,2-dicarboxylate	84-66-2	PEL (CA)		5						Cal/OSHA PEL
US	1,2-diethyl benzene-1,2-dicarboxylate	84-66-2	REL		5 (10 h)						NIOSH REL
US	1,2-diethyl benzene-1,2-dicarboxylate	84-66-2	TLV®		5						ACGIH® 2021

8.2 EXPOSURE CONTROLS

Appropriate engineering controls
Eye/face protection
Skin and Body Protection

General ventilation.

Wear eye/face protection.

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid
Color	: Clear
Particle	: Not relevant
pH (value)	: Not determined
Melting point/freezing point	: -97.8 °C
Initial boiling point and boiling range	: 148.5 °F at 1,013 hPa
Flash point	: 55 °F
Evaporation rate	: Not determined
Flammability (solid, gas)	: Not relevant
Lower explosion limit (LEL)	: 2.5 vol%
Upper explosion limit (UEL)	: 13.5 vol%
Vapor pressure	: 169.3 hPa at 25 °C
Density	: 0.8192 g/ml at 25 °C
Vapor density	: This information is not available
Solubility	: Not determined

Artisan's Perfume Base

Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

Partition coefficient : This information is not available

Auto-ignition temperature : 824 °F

Viscosity : Not determined

Explosive properties : None

Oxidizing properties : None

9.2 OTHER INFORMATION

Solvent content : 100 %

Solid content : 0 %

Temperature class (USA, acc. To NEC 500) : T2 (maximum permissible surface temperature on the equipment: 300 °C)

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated Risk of ignition

10.2 CHEMICAL STABILITY

See below "Conditions to avoid".

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No known hazardous reactions.

10.4 CONDITIONS TO AVOID

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 INCOMPATIBLE MATERIALS

Oxidizers

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Classification procedure	The method for classification of the mixture is based on ingredients of the mixture (additivity formula).
Acute toxicity	Shall not be classified as acutely toxic.
Skin corrosion/irritation	Shall not be classified as corrosive/irritant to skin.
Serious eye damage/eye irritation	Shall not be classified as seriously damaging to the eye or eye irritant.
Respiratory or skin sensitization	Shall not be classified as a respiratory or skin sensitizer.
Germ cell mutagenicity	Shall not be classified as germ cell mutagenic.
Carcinogenicity	May cause cancer.
Reproductive Toxicity	Shall not be classified as a reproductive toxicant.
Specific target organ toxicity - single exposure	Shall not be classified as a specific target organ toxicant (single exposure).
Specific target organ toxicity - repeated exposure	Shall not be classified as a specific target organ toxicant (repeated exposure).
Aspiration hazard	Shall not be classified as presenting an aspiration hazard.

SECTION 12: ECOLOGICAL INFORMATION

Artisan's Perfume Base

Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

12.1 TOXICITY

Shall not be classified as hazardous to the aquatic environment.

12.2 PERSISTENCE AND DEGRADABILITY

Data is not available.

12.3 BIOACCUMULATIVE POTENTIAL

Data is not available.

12.4 MOBILITY IN SOIL

Data is not available.

12.5 RESULTS OF PBT AND VPVB ASSESSMENT

Data is not available.

12.6 ENDOCRINE DISRUPTING PROPERTIES

Information on this property is not available.

12.7 OTHER ADVERSE EFFECTS

Data is not available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Waste treatment-relevant information	Solvent reclamation/regeneration.
Sewage disposal-relevant information	Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.
Waste treatment of containers/packages	Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.
Remarks	Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: TRANSPORT INFORMATION

14.1 UN NUMBER

DOT	UN 1266
IMDG-Code	UN 1266
ICAO-TI	UN 1266

14.2 UN PROPER SHIPPING NAME

DOT	Perfumery products
IMDG-Code	PERFUMERY PRODUCTS
ICAO-TI	Perfumery products

14.3 TRANSPORT HAZARD CLASS(ES)

DOT	3
IMDG-Code	3
ICAO-TI	3

Artisan's Perfume Base

Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

14.3 PACKING GROUP

DOT II
IMDG-Code II
ICAO-TI II

14.5 ENVIRONMENTAL HAZARDS

Non-environmentally hazardous acc. to the dangerous goods regulations.

14.6 SPECIAL PRECAUTIONS FOR USER

There is no additional information.

14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL AND THE IBC CODE

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations:

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration UN1266, Perfumery products, 3, II
Danger label(s) 3



Special provisions (SP) 149, IB2, T4, TP1, TP8
ERG No 127

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant -
Danger label(s) 3



Special provisions (SP) 163
Excepted quantities (EQ) E2
Limited quantities (LQ) 5 L
EmS F-E, S-D
Stowage category B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 3



Special provisions (SP) A3, A72
Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT IN QUESTION NATIONAL REGULATIONS (UNITED STATES)

Toxic Substance Control Act (TSCA) All ingredients are listed
SARA Title III None of the ingredients are listed
Clean Air Act None of the ingredients are listed

Right to Know Hazardous Substance List

Name of Substance	CAS No	Remarks	Classifications
Ethanol	64-17-5		Carcinogenic (CA) Mutagenic (MU)

Artisan's Perfume Base

Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

Teratogenic (TE)
Flammable - Third Degree (F3)

California Proposition 65 Warning

Name Acc. to Inventory	CAS No	Remarks	Toxicity Type
Ethanol (ethyl alcohol)	64-17-5	In alcoholic beverages	Developmental

NPCA-HMIS® III

Category	Rating	Description
Chronic	*	Chronic (long-term) health effects may result from repeated overexposure
Health	0	No significant risk to health
Flammability	3	Material that can be ignited under almost all ambient temperature conditions
Physical Hazard	0	Material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense or self-react. Non-explosive.
Personal protection	-	

NFPA® 704

Category	Rating	Description
Flammability	3	Material that can be ignited under almost all ambient temperature conditions
Health	0	Material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	Material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
US	TSCA	All ingredients are listed

15.2 CHEMICAL SAFETY ASSESSMENT

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2021	From ACGIH®, 2021 TLVs® and BEIs® Book. Copyright 2021. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DOT	Department of Transportation (USA)
EmS	Emergency Schedule

Artisan's Perfume Base

Safety Data Sheet

According to Feder Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

ERG No	Emergency Response Guidebook - Number
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
IUPAC	International Union of Pure and Applied Chemistry
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data	OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200. Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).
Classification procedure	Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).
List of relevant phrases	H225: Highly flammable liquid and vapor. H350: May cause cancer.
Disclaimer	This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.