

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 1 of 9 Print Date: 2023-05-04

11011000 Bato. 2020 02 00 00.00

Product: Crafter's Choice™ Autumn Lodge* Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Autumn Lodge* Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed
Acute Toxicity Dermal, Category 4 H312 : Harmful in contact with skin
Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A

H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Reproductive Toxicity, Category 1B H360 : May damage fertility or the unborn child Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed

Acute Toxicity Dermal, Category 4 H312 : Harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation

Reproductive Toxicity, Category 1B H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 2 of 9 Print Date: 2023-05-04

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 Product: Crafter's Choice™ Autumn Lodge* Fragrance Oil

www.WholesaleSuppliesPlus.com Hazard pictograms







Signal Word: Danger

Hazard statements

H302 H312	Harmful if swallowed Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response:

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available



Crafter'sChoice®

Product: Crafter's Choice™ Autumn
Lodge* Fragrance Oil

Revised Date: 2023-02-06 00:00

SDS v1 GHS / OSHA

Page 3 of 9 Print Date: 2023-05-04

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411
Benzyl Bei	nzoate		
98-55-5	202-680-6	10 - 20 %	H227; H303; H315; H319; H401
Terpineol			
91-64-5	202-086-7	10 - 20 %	H301; H317; H402
Coumarin			
125-12-2	204-727-6	5 - 10 %	H227; H316; H401
Isobornyl a	acetate		
60-12-8	200-456-2	2 - 5 %	H302; H313; H316; H319
phenethyl	alcohol		
121-32-4	204-464-7	2 - 5 %	H303; H320; H402
Ethyl Vanil	llin		
123-11-5	204-602-6	2 - 5 %	H303; H402; H412
Anisaldehy	⁄de		
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402
Linalyl Ace	etate		
121-33-5 <i>vanillin</i>	204-465-2	1 - 2 %	H303; H313; H319; H402
2050-08-0	218-080-2	1 - 2 %	H302; H400; H410
Amyl salicy	ylate		
120-57-0	204-409-7	1 - 2 %	H303; H317; H401
Heliotropin	e		
36306-87-3	252-961-2	1 - 2 %	H315; H401; H411
3,3,5,5-Te	tramethyl-4-etho	xyvinyl cyclohexa	anone
140-11-4	205-399-7	1 - 2 %	H303; H401; H412
Benzyl ace	etate		
119-36-8	204-317-7	1 - 2 %	H302; H317; H318; H361; H402; H412
Methyl Sal	icylate		
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H360; H401;
Butylpheny	/l Methylpropiona	a <i>l</i>	H412
101-86-0	202-983-3	0.1 - 1.0 %	H303; H316; H317; H400; H411
Hexyl cinn	amal		
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411
6,7-Dihydr	o-1,1,2,3,3-penta	amethyl-4(5H)-ind	danone (Cashmeran)
104-54-1	203-212-3	0.1 - 1.0 %	H302; H316; H317; H401
Cinnamyl A	Alcohol		



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 4 of 9

Print Date: 2023-05-04

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice™ Autumn
Lodge* Fragrance Oil

www.vvnoiesaies	uppliesi lus.com		
CAS# Ingredient	EC#	Conc. Range	GHS Classification
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
122-40-7	204-541-5	0.1 - 1.0 %	H303; H316; H317; H401; H411
Amyl Cinr	namal		
18096-62-3	241-997-4	0.1 - 1.0 %	H303; H361
4,4a,5,9b	-Tetrahydroinde	eno[1,2-d]-1,3-dio	oxine
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Eugenol			
104-55-2	203-213-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H401;
Cinnamal			H412
77-83-8	201-061-8	0.1 - 1.0 %	H317; H401; H411
Ethyl Met	hylphenylglycida	ate	
58567-11-6	261-332-1	0.1 - 1.0 %	H315; H317; H401; H411
(ethoxym	ethoxy)cyclodod	decane	
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
Limonene	•		
93-16-3	202-224-6	0.1 - 1.0 %	H303; H317; H402
Methyl iso	eugenol (Isoeu	genyl methyl eth	er)
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.31

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 5 of 9

Print Date: 2023-05-04

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice™ Autumn Lodge* Fragrance Oil

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

10

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

140-11-4 Benzyl acetate

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice™ Autumn Lodge* Fragrance Oil

Page 6 of 9 Print Date: 2023-05-04

Eye protection:

Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection:

Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection:

Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorless to Yellow Tint (G0-1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Not determined

Not determined

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0148

 %VOC:
 1.51

 Specific Gravity @ 25 C:
 1.0200

 Density (g/mL) @ 25 C:
 1.0170

 Refractive Index @ 20 C:
 1.5075

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

(LD50: 1903.9481) Harmful if swallowed

Acute toxicity - Oral - (Rat) mg/kg



Revised Date: 2023-02-06 00:00

SDS v1 GHS / OSHA

Page 7 of 9

Print Date: 2023-05-04

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's ChoiceTM Autumn Lodge* Fragrance Oil

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 1363.7245) Harmful in contact with skin Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 172.8395) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eve damage / irritation Causes serious eve irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Not classified - the classification criteria are not met Carcinogenicity

Reproductive toxicity May damage fertility or the unborn child

Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met **Aspiration hazard**

Not classified - the classification criteria are not met

12. **Ecological Information**

12.1 Toxicity

Acute acquatic toxicity Not classified - the classification criteria are not met

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

no data available **Toxicity Data on soil** Toxicity on other organisms no data available

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. **Transport Information**

Marine Pollutant Yes. Ingredient of greatest environmental impact :

2050-08-0 : (1 - 2 %) : Amyl salicylate

Regulator Class **Pack Group** Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice™ Autumn

7820 E Pleasant Valley Road
Independence, OH 44131

Product: Crafter's Choice™ Autumn

Lodge* Fragrance Oil

Page 8 of 9 Print Date: 2023-05-04

(800) 359-0944 www.WholesaleSuppliesPlus.com			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IATA (Air Cargo)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IMDG (Sea)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 <= 27 ppm beta-Myrcene (Natural Source) 94-59-7 202-345-4 <= 9 ppm Safrole (Natural Source)

93-15-2 202-223-0 <= 4 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

(3.19) Eye Damage/Eye Irritation, Category 2A

(2.75) Reproductive Toxicity, Category 1B

(1.47) Acute Toxicity Dermal, Category 4

(1.05) Acute Toxicity Oral, Category 4

GHS H-Statements referred to under section 3 and not listed in section 2

GITS 11-Statements referred to drider section 5 and not histe	in Section 2
H226 : Flammable liquid and vapour	H227 : Combustible liquid
H301 : Toxic if swallowed	H303: May be harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H313: May be harmful in contact with skin
H316: Causes mild skin irritation	H317: May cause an allergic skin reaction
H318 : Causes serious eye damage	H320 : Causes eye irritation
H361 : Suspected of damaging fertility or the unborn child	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412: Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(28.93) Acute Toxicity Inhalation, Category 5	(14.86) Aquatic Chronic Toxicity, Category 3
(12.38) Sensitization, Skin, Category 1B	(11.25) Reproductive Toxicity, Category 2
(8.25) Reproductive Toxicity, Category 1B	(3.35) Skin Corrosion/Irritation, Category 3

(3.03) Sensitization, Skin, Category 1A

(1.96) Skin Corrosion/Irritation, Category 2

(1.46) Aquatic Chronic Toxicity, Category 2

(1.04) Aquatic Chronic Toxicity, Category 4



Product: Crafter's Choice™ Autumn Lodge* Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 9 of 9 Print Date: 2023-05-04

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.