


```
=====
Acq. Operator   : SYSTEM                               Seq. Line :    8
Sample Operator : SYSTEM
Acq. Instrument : GC #3                               Location  :    8 (F)
Injection Date  : 7/25/2018 1:35:40 PM                Inj       :    1
                                                    Inj Volume: 1 µl

Sequence File   : C:\Users\Public\Documents\ChemStation\3\Data\7251833\7251833 2018-07-25
                  10-43-47\7251833.S
Method          : C:\Users\Public\Documents\ChemStation\3\Data\7251833\7251833 2018-07-25
                  10-43-47\DUAL.M (Sequence Method)
Last changed    : 7/19/2018 11:09:44 AM by SYSTEM
Sample Info     : OIL BLACK PEPPER SUPER FCC
=====
```



=====
 Area Percent Report
 =====

```
Sorted By      :      Signal
Multiplier     :      1.0000
Dilution       :      1.0000
Do not use Multiplier & Dilution Factor with ISTDs
```

Signal 1: FID1 A, Front Signal

Peak #	RetTime [min]	Type	Width [min]	Area [pA*s]	Height [pA]	Area %
1	1.662	BV E	0.0357	287.73874	136.97838	1.00665
2	1.729	VV R	0.0318	2897.79956	1521.18530	10.13796
3	1.815	VB	0.0310	80.05978	42.16034	0.28009
4	1.987	BV	0.0344	2472.45728	1001.91669	8.64989

alpha Pinene
Sabinene

Peak #	RetTime [min]	Type	Width [min]	Area [pA*s]	Height [pA]	Area %	
5	2.031	VV	0.0221	2632.59424	1860.72498	9.21013	BETA Pinene
6	2.085	VB	0.0220	436.71173	327.34827	1.52784	
7	2.214	BV	0.0301	280.04962	153.09386	0.97975	
8	2.292	VV R	0.0280	1894.66443	1107.96680	6.62849	DELTA-3-CARENE
9	2.342	VB E	0.0245	67.01337	45.26337	0.23445	
10	2.457	BB	0.0264	4073.21387	2126.09717	14.25014	LIMONENE
11	2.556	BB	0.0159	51.39374	50.23571	0.17980	
12	2.667	BV	0.0185	68.12808	57.86830	0.23835	
13	2.710	VB	0.0186	34.56565	29.27428	0.12093	
14	2.897	BV E	0.0178	2.83666	2.55327	0.00992	
15	2.949	VV R	0.0222	111.58733	74.99964	0.39039	
16	3.002	VB	0.0213	141.41197	105.12945	0.49473	
17	3.065	BB	0.0175	1.12050	1.03037	0.00392	
18	3.227	BB	0.0245	12.08584	7.14201	0.04228	
19	3.320	BV	0.0256	3.26353	1.97992	0.01142	
20	3.390	VV	0.0238	12.87277	7.92245	0.04504	
21	3.438	VB	0.0343	11.42155	4.76998	0.03996	
22	3.560	BB	0.0238	6.55129	4.01677	0.02292	
23	3.725	BB	0.0195	2.30203	1.83102	0.00805	
24	3.792	BB	0.0204	133.73730	105.38098	0.46788	
25	3.865	BV E	0.0184	3.08917	2.64890	0.01081	
26	3.904	VV R	0.0203	30.53031	22.94876	0.10681	
27	3.981	VB E	0.0332	8.59226	3.43685	0.03006	
28	4.054	BV	0.0222	2.62879	1.84907	0.00920	
29	4.087	VB	0.0196	2.86543	2.25882	0.01002	
30	4.146	BB	0.0396	10.03643	3.36873	0.03511	
31	4.301	BV	0.0243	7.10518	4.43425	0.02486	
32	4.352	VB	0.0253	8.52753	5.25289	0.02983	
33	4.646	BB	0.0236	3.25263	2.02368	0.01138	
34	4.997	BB	0.0254	4.22363	2.48566	0.01478	
35	5.145	BB	0.0300	7.26117	3.35509	0.02540	
36	5.287	BB	0.0253	3.35353	1.98892	0.01173	
37	5.631	BB	0.0236	482.16724	311.96664	1.68686	
38	5.761	BB	0.0237	67.69297	43.57165	0.23682	
39	5.951	BV	0.0285	34.27569	18.06844	0.11991	
40	6.064	VV	0.0255	1071.16284	604.15619	3.74746	
41	6.171	VB	0.0387	208.19368	85.96021	0.72837	
42	6.563	BV R	0.0477	7800.52148	2084.03735	27.29013	CARYOPHELLENE beta
43	6.591	VB E	0.0153	52.69570	54.29908	0.18436	
44	6.665	BB	0.0252	22.33408	12.77099	0.07814	
45	6.760	BV E	0.0225	19.22416	13.28353	0.06726	
46	6.812	VB R	0.0236	426.62274	290.12292	1.49254	
47	6.873	BV	0.0219	7.61146	5.43693	0.02663	
48	6.917	VB	0.0204	10.84659	8.11070	0.03795	
49	7.014	BV	0.0285	38.64674	19.03012	0.13521	
50	7.060	VB	0.0243	130.90311	81.65173	0.45796	
51	7.114	BB	0.0197	71.54534	59.22839	0.25030	
52	7.152	BV E	0.0154	10.69783	10.90551	0.03743	
53	7.214	VV R	0.0259	229.02214	126.55996	0.80123	
54	7.251	VB	0.0271	132.84151	77.72662	0.46475	
55	7.360	BV R	0.0263	868.79785	472.04764	3.03949	
56	7.419	VB E	0.0150	12.98157	13.74782	0.04542	
57	7.473	BB	0.0221	470.86719	333.37933	1.64733	
58	7.550	BV R	0.0207	18.79447	14.49548	0.06575	
59	7.590	VB E	0.0224	3.56736	2.60587	0.01248	
60	7.641	BV	0.0203	17.44609	13.12367	0.06104	

Peak #	RetTime [min]	Type	Width [min]	Area [pA*s]	Height [pA]	Area %
61	7.678	VB	0.0233	26.94183	17.72260	0.09426
62	7.794	BB	0.0279	33.47583	17.50694	0.11712
63	7.966	BB	0.0277	267.05557	141.06046	0.93429
64	8.073	BB	0.0317	6.48874	2.90411	0.02270
65	8.189	BB	0.0285	16.02239	8.47120	0.05605
66	8.322	BV E	0.0300	11.41899	5.47007	0.03995
67	8.374	VV R	0.0248	81.04247	51.41771	0.28353
68	8.447	VV E	0.0263	10.82791	6.35046	0.03788
69	8.534	VB	0.0256	77.12103	44.98799	0.26981
70	8.598	BV	0.0393	4.70658	1.71130	0.01647
71	8.672	VB	0.0208	3.30131	2.41091	0.01155
72	8.754	BB	0.0395	3.17319	1.11786	0.01110
73	8.801	BB	0.0291	3.53055	1.81434	0.01235
74	9.195	BB	0.0228	1.48417	1.05609	0.00519
75	9.263	BB	0.0215	1.56809	1.15169	0.00549
76	9.404	BB	0.0226	3.20186	2.19726	0.01120
77	9.569	BB	0.0237	4.90091	3.16245	0.01715
78	9.699	BB	0.0353	4.52989	1.78063	0.01585
79	10.177	BB	0.0255	6.37108	3.74228	0.02229

Totals : 2.85837e4 1.39052e4

Signal 2: FID2 B, Back Signal

Peak #	RetTime [min]	Type	Width [min]	Area [pA*s]	Height [pA]	Area %
1	0.981	BV	0.0264	3490.36377	1758.42346	10.79672
2	1.103	VB	0.0299	88.40062	39.78555	0.27345
3	1.253	BV	0.0210	1516.00232	1150.14429	4.68944
4	1.289	VB	0.0335	4089.47729	1534.92371	12.64995
5	1.422	BV R	0.0303	2487.12866	1069.17688	7.69342
6	1.478	VB E	0.0290	305.53619	176.22037	0.94511
7	1.545	BB	0.0323	37.15552	19.13678	0.11493
8	1.676	BV	0.0305	4050.62378	2255.73535	12.52977
9	1.716	VB	0.0171	441.48538	417.10229	1.36564
10	1.809	BB	0.0220	5.92328	4.22356	0.01832
11	1.916	BB	0.0254	132.33678	84.99953	0.40936
12	2.062	BB	0.0236	115.41125	78.37521	0.35700
13	2.115	BV	0.0223	19.87317	14.62462	0.06147
14	2.159	VB	0.0234	94.70422	64.97989	0.29295
15	3.345	BB	0.0203	3.05268	2.42138	0.00944
16	3.640	BV	0.0309	113.52737	52.40879	0.35117
17	3.736	VB	0.0367	556.56708	246.45837	1.72163
18	3.853	BV E	0.0444	36.45296	13.44826	0.11276
19	3.974	VB R	0.0392	1247.21826	505.80231	3.85801
20	4.278	BV E	0.0410	28.99315	11.64708	0.08968
21	4.367	VV R	0.0298	261.99536	126.54341	0.81043
22	4.411	VB E	0.0210	30.64568	23.20896	0.09480
23	4.532	BB	0.0240	12.00607	7.62607	0.03714
24	4.680	BV E	0.0506	18.84811	4.89113	0.05830
25	5.003	VV R	0.0633	9377.12402	1846.40393	29.00620
26	5.028	VV E	0.0169	6.67098	5.67351	0.02064
27	5.055	VB E	0.0173	4.24282	3.70970	0.01312

Peak #	RetTime [min]	Type	Width [min]	Area [pA*s]	Height [pA]	Area %
28	5.138	BB	0.0288	12.24279	6.16072	0.03787
29	5.194	BB	0.0211	23.75852	17.91895	0.07349
30	5.275	BV	0.0201	1.80182	1.37674	0.00557
31	5.312	VB	0.0193	5.53933	4.44997	0.01713
32	5.359	BV	0.0192	4.08495	3.49746	0.01264
33	5.396	VB	0.0194	3.28081	2.77789	0.01015
34	5.441	BB	0.0192	5.63705	4.83206	0.01744
35	5.485	BV	0.0198	77.37296	60.24961	0.23934
36	5.532	VB	0.0239	411.53568	261.72101	1.27300
37	5.568	BB	0.0276	8.02169	3.83215	0.02481
38	5.643	BB	0.0179	2.00912	1.91276	0.00621
39	5.687	BV	0.0263	51.91976	29.19487	0.16060
40	5.748	VB	0.0228	53.45691	36.19431	0.16536
41	5.867	BB	0.0319	183.57402	81.58345	0.56785
42	5.915	BB	0.0175	13.17545	12.13188	0.04076
43	5.958	BV E	0.0214	86.25059	63.82553	0.26680
44	6.063	VV R	0.0323	1150.07166	488.16794	3.55751
45	6.087	VB E	0.0182	94.93681	77.90363	0.29367
46	6.185	BV E	0.0189	4.13408	3.42430	0.01279
47	6.228	VB R	0.0208	23.13697	17.70225	0.07157
48	6.315	BB	0.0252	546.16199	311.95078	1.68944
49	6.403	BV E	0.0222	7.89862	5.53816	0.02443
50	6.451	VB R	0.0273	110.62667	64.31821	0.34220
51	6.506	BB	0.0207	16.82283	12.97645	0.05204
52	6.555	BV	0.0161	1.76487	1.82913	0.00546
53	6.584	VB	0.0183	2.67148	2.30604	0.00826
54	6.658	BV	0.0197	4.82594	3.77096	0.01493
55	6.696	VB	0.0186	2.80591	2.37249	0.00868
56	6.801	BB	0.0207	1.99517	1.62681	0.00617
57	6.918	BB	0.0276	40.75697	21.62377	0.12607
58	6.998	BB	0.0206	2.01865	1.57487	0.00624
59	7.040	BB	0.0191	4.54679	3.70745	0.01406
60	7.201	BB	0.0206	2.13437	1.57899	0.00660
61	7.435	BB	0.0222	49.10555	33.01644	0.15190
62	7.602	BV E	0.0211	2.11787	1.59276	0.00655
63	7.683	VB R	0.0285	28.98395	15.26834	0.08966
64	7.874	BB	0.0221	108.55782	76.84251	0.33580
65	7.956	BB	0.0268	2.42823	1.38818	0.00751
66	8.031	BB	0.0219	1.61855	1.15517	0.00501
67	8.110	BV	0.0246	49.11512	31.46087	0.15193
68	8.189	VB	0.0233	219.79729	144.60426	0.67990
69	8.374	BB	0.0517	4.64934	1.17617	0.01438
70	8.504	BB	0.0217	3.11583	2.37629	0.00964
71	8.627	BV	0.0252	9.46506	5.86675	0.02928
72	8.666	VB	0.0231	26.10553	18.21851	0.08075
73	8.725	BV	0.0261	5.30250	3.02398	0.01640
74	8.780	VB	0.0254	3.93244	2.41927	0.01216
75	8.851	BV	0.0243	4.36222	2.84582	0.01349
76	8.893	VB	0.0228	3.26456	2.21888	0.01010
77	8.938	BB	0.0184	1.25235	1.14023	0.00387
78	9.003	BB	0.0219	2.25033	1.60976	0.00696
79	9.095	BB	0.0233	2.40840	1.74652	0.00745
80	9.170	BB	0.0191	1.60801	1.38801	0.00497
81	9.298	BV	0.0224	22.69710	15.75722	0.07021
82	9.387	VB	0.0297	4.72380	2.36292	0.01461
83	9.506	BB	0.0312	8.13174	3.58985	0.02515

Peak #	RetTime [min]	Type	Width [min]	Area [pA*s]	Height [pA]	Area %
84	9.732	BV	0.0273	8.60435	4.63096	0.02662
85	9.780	VB	0.0224	16.21340	11.23877	0.05015
86	9.835	BV E	0.0182	3.33537	2.89378	0.01032
87	9.878	VV R	0.0229	70.51585	49.99460	0.21813
88	9.934	VB E	0.0245	2.26472	1.45660	0.00701
89	10.068	BB	0.0315	4.36804	1.96564	0.01351
90	10.290	BB	0.0228	84.08969	57.18519	0.26011
91	10.576	BB	0.0311	12.47457	5.88947	0.03859
92	10.858	BB	0.0223	1.82558	1.27216	0.00565
93	11.136	BB	0.0265	2.74938	1.47850	0.00850
94	11.280	BB	0.0248	3.93721	2.49969	0.01218
95	12.384	BB	0.0231	2.81054	1.87038	0.00869
96	12.498	BB	0.0238	2.47856	1.65976	0.00767
97	12.814	BB	0.0318	5.41915	2.41417	0.01676
98	12.946	BB	0.0276	3.69587	2.03868	0.01143
99	13.489	BB	0.0264	5.48545	3.20563	0.01697

Totals : 3.23280e4 1.36549e4

=====
*** End of Report ***