

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Rustic Escentuals[™] Blue Skies Fragrance Oil

Page 1 of 9 Print Date: 2023-08-23

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Rustic Escentuals[™] Blue Skies Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

| | jjj | |
|-----|---|--|
| | Flammable Liquids, Category 4 | H227 : Combustible liquid |
| | Acute Toxicity Oral, Category 5 | H303 : May be harmful if swallowed |
| | Acute Toxicity Dermal, Category 5 | H313 : May be harmful in contact with skin |
| | Skin Corrosion/Irritation, Category 2 | H315 : Causes skin irritation |
| | Sensitization, Skin, Category 1A | H317 : May cause an allergic skin reaction |
| | Eye Damage/Eye Irritation, Category 2A | H319 : Causes serious eye irritation |
| | Acute Toxicity Inhalation, Category 5 | H333 : May be harmful if inhaled |
| | Carcinogenicity, Category 1B | H350 : May cause cancer |
| | Aquatic Chronic Toxicity, Category 2 | H411 : Toxic to aquatic life with long lasting effects |
| Cla | ssification OSHA (Provisions 1910.1200 of title | 29) |
| | Flammable Liquids, Category 4 | H227 : Combustible liquid |
| | Skin Corrosion/Irritation, Category 2 | H315 : Causes skin irritation |
| | Sensitization, Skin, Category 1A | H317 : May cause an allergic skin reaction |
| | Eye Damage/Eye Irritation, Category 2A | H319 : Causes serious eye irritation |
| | Carcinogenicity, Category 1B | H350 : May cause cancer |
| | Reproductive Toxicity, Category 2 | H361 : Suspected of damaging fertility or the unborn child |
| | | |

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []



7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Labelling (GHS)

Hazard pictograms





Product:

Safety Data Sheet

Fragrance Oil

Rustic Escentuals[™] Blue Skies

Signal Word: Danger


Hazard statements H227 Combustible liquid H303 May be harmful if swallowed H313 May be harmful in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled H350 May cause cancer H361 Suspected of damaging fertility or the unborn child Toxic to aquatic life with long lasting effects H411

Precautionary Statements

Prevention:

| P201 | Obtain special instructions before use |
|--------------------|---|
| P202 | Do not handle until all safety precautions have been read and understood |
| P235 | Keep cool |
| P264 | Wash hands thoroughly after handling |
| P272 | Contaminated work clothing should not be allowed out of the workplace |
| P273 | Avoid release to the environment |
| P281 | Use personal protective equipment as required |
| Response: | |
| P302 + P352 | IF ON SKIN: Wash with soap and water |
| P304 + P312 | IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing |
| P308 + P313 | IF exposed or concerned: Get medical advice/attention |
| P312 | Call a POISON CENTER or doctor/physician if you feel unwell |
| P313 | Get medical advice/attention |
| P333 + P313 | If skin irritation or a rash occurs: Get medical advice/attention |
| P337 + P313 | If eye irritation persists: Get medical advice/attention |
| P362 | Take off contaminated clothing and wash before reuse |
| P363 | Wash contaminated clothing before reuse |
| P370 + P378 | In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material |
| P391 | Collect Spillage |
| Othern Hernende | |

- 2.3 Other Hazards
 - no data available



Revised Date: 2023-02-07 00:00

Page 2 of 9 Print Date: 2023-08-23



www.WholesaleSuppliesPlus.com

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Rustic Escentuals[™] Blue Skies Fragrance Oil

Page 3 of 9 Print Date: 2023-08-23

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

| CAS# Ingredient | EC# | Conc. Range | GHS Classification | |
|------------------------|-----------------|----------------|---|--|
| 84-66-2 | 201-550-6 | 30 - 40 % | H316; H402 | |
| Diethyl phi | thalate | | | |
| 78-70-6 | 201-134-4 | 5 - 10 % | H227; H303; H315; H317; H319; H402 | |
| Linalool | | | | |
| 140-11-4 | 205-399-7 | 5 - 10 % | H303; H401; H412 | |
| Benzyl ace | etate | | | |
| 60-12-8 | 200-456-2 | 5 - 10 % | H302; H313; H316; H319 | |
| phenethyl | alcohol | | | |
| 120-51-4 | 204-402-9 | 2 - 5 % | H302; H313; H400; H411 | |
| Benzyl Be | nzoate | | | |
| 118-58-1 | 204-262-9 | 2 - 5 % | H303; H317; H320; H401; H412 | |
| Benzyl Sa | licylate | | | |
| 18479-58-8 | 242-362-4 | 2 - 5 % | H227; H303; H315; H319; H402 | |
| 2,6-dimeth | yloct-7-en-2-ol | | | |
| 134-20-3 | | 2 - 5 % | H303; H316; H319; H401 | |
| Methyl anthranilate | | | | |
| 122-63-4 | 204-559-3 | 2 - 5 % | H303; H401 | |
| Benzyl propionate | | | | |
| 122-40-7 | | 2 - 5 % | H303; H316; H317; H401; H411 | |
| Amyl Cinn | | | | |
| 1222-05-5 | 214-946-9 | 2 - 5 % | H316; H400; H410 | |
| | ylindanopyran | | | |
| 104-61-0 | 203-219-1 | 1 - 2 % | H316 | |
| - | onalactone | | | |
| 32388-55-9 | | 1 - 2 % | H303; H317; H400; H410 | |
| Acetyl ced | | | | |
| 123-11-5 | | 1 - 2 % | H303; H402; H412 | |
| Anisaldehy | | | | |
| 103-41-3 | | 0.1 - 1.0 % | H303; H317; H400; H411 | |
| Benzyl Cir | | | | |
| 106-24-1 | 203-377-1 | 0.1 - 1.0 % | H303; H315; H317; H318; H402 | |
| Geraniol | | | | |
| 97-54-1 | 202-590-7 | 0.1 - 1.0 % | H302; H312; H315; H317; H319; H332; H335; H401 | |
| Iso Eugenol H335; H401 | | | | |



7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Rustic Escentuals[™] Blue Skies Fragrance Oil

Page 4 of 9 Print Date: 2023-08-23

| CAS# Ingredient | EC# | Conc. Range | GHS Classification |
|--------------------|--------------------|--------------------|------------------------------------|
| - | ~ ~ ~ ~ ~ ~ ~ | - | |
| 119-36-8 | 204-317-7 | 0.1 - 1.0 % | H302; H317; H318; H361; H402; H412 |
| Methyl Sa | - | | |
| 77-83-8 | 201-061-8 | 0.1 - 1.0 % | H317; H401; H411 |
| - | thylphenylglycid | | |
| 91-64-5 | 202-086-7 | 0.1 - 1.0 % | H301; H317; H402 |
| Coumarir | | | |
| 106-25-2 | 203-378-7 | 0.1 - 1.0 % | H303; H315; H317; H319; H401 |
| Nerol | | | |
| 104-93-8 | 203-253-7 | 0.1 - 1.0 % | H227; H302; H315; H361; H402 |
| p-Methyla | | | |
| 31906-04-4 | 250-863-4 | 0.1 - 1.0 % | H317; H402 |
| Hydroxyi | sohexyl 3-cycloł | nexene carboxalo | lehyde |
| 127-43-5 | 204-843-7 | 0.1 - 1.0 % | H315; H317; H401; H411 |
| Methyl-ß- | ionone | | |
| 106-22-9 | 203-375-0 | 0.1 - 1.0 % | H303; H313; H315; H317; H319; H401 |
| Citronello | ol | | |
| 97-53-0 | 202-589-1 | 0.1 - 1.0 % | H303; H316; H317; H319; H401 |
| Eugenol | | | |
| 4180-23-8 | 224-052-0 | 0.1 - 1.0 % | H303; H316; H317; H401 |
| Anethole | | | |
| 103-26-4 | 203-093-8 | 0.1 - 1.0 % | H303; H317 |
| Methyl cil | nnamate | | |
| 115-95-7 | 204-116-4 | 0.1 - 1.0 % | H227; H315; H317; H320; H402 |
| Linalyl Ac | cetate | | |
| 127-51-5 | 204-846-3 | 0.1 - 1.0 % | H316; H317; H320; H401; H411 |
| a-Isomethyl ionone | | | |
| 2705-87-5 | 220-292-5 | 0.1 - 1.0 % | H302; H312; H317; H400; H411 |
| Allyl cyclo | ohexylpropionate | Э | |
| 119-61-9 | 204-337-6 | 0.1 - 1.0 % | H303; H313; H350; H373; H401; H412 |
| Benzoph | enone | | |
| See Section 2 | 6 for full text of | GHS classification | on codes |

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.09

| 4. First Aid Measures | |
|---------------------------------------|--|
| 4.1 Description of first aid measures | |
| Inhalation: | Remove from exposure site to fresh air and keep at rest. Obtain medical advice. |
| Eye Exposure: | Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. |
| Skin Exposure: | Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. |



(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Rustic Escentuals[™] Blue Skies Fragrance Oil

Page 5 of 9 Print Date: 2023-08-23

| www.WholesaleSuppliesPlus.com | | | |
|--|---|--|--|
| Ingestion: | Rinse mouth with water and obtain medical advice. | | |
| 4.2 Most important symptoms and effects | 4.2 Most important symptoms and effects, both acute and delayed | | |
| Symptoms: | no data available | | |
| Risks: | Refer to Section 2.2 "Hazard Statements" | | |
| 4.3 Indication of any immediate medical attention and special treatment needed | | | |
| Treatment: | Refer to Section 2.2 "Response" | | |
| 5. Fire-Fighting measures | | | |
| 5.1 Extinguishing media | | | |
| Suitable: | Carbon dioxide (CO2), Dry chemical, Foam | | |
| Unsuitable | Do not use a direct water jet on burning material | | |
| 5.2 Special hazards arising from the substance or mixture | | | |
| During fire fighting: | Water may be ineffective | | |
| 5.3 Advice for firefighters | | | |
| Further information: | Standard procedure for chemical fires | | |
| | | | |

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Rustic Escentuals[™] Blue Skies Fragrance Oil

Page 6 of 9 Print Date: 2023-08-23

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

| 8. Exposure Controls/Personal Protection | | | | | |
|--|-------------------|------------------|-------------------|-----------------|------------------|
| 8.1 Control par | rameters | | | | |
| Exposure L | imits: | | | | |
| Component | | ACGIH TWA ppm | ACGIH STEL ppm | OSHA TWA ppm | OSHA STEL ppm |
| 84-66-2 | Diethyl phthalate | 5 | | | |

140-11-4 Benzyl acetate

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

| Eye protection: | Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure |
|-------------------------|---|
| Respiratory protection: | Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. |
| Skin protection: | Avoid Skin contact. Use chemically resistant gloves as needed. |

10

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

| Appearance: | Liquid |
|-----------------------------|--|
| Odor: | Conforms to Standard |
| Color: | Yellow Tint (G1) to Greenish Yellow (G4) |
| Viscosity: | Liquid |
| Freezing Point: | Not determined |
| Boiling Point: | Not determined |
| Melting Point: | Not determined |
| Flashpoint (CCCFP): | 195 F (90.56 C) |
| Auto flammability: | Not determined |
| Explosive Properties: | None Expected |
| Oxidizing properties: | None Expected |
| Vapor Pressure (mmHg@20 C): | 0.0427 |
| %VOC: | 9.27 |
| Specific Gravity @ 25 C: | 1.0400 |
| Density (g/mL) @ 25 C: | 1.0370 |
| Refractive Index @ 20 C: | 1.5070 |
| Soluble in: | Oil |

10. Stability and Reactivity

10.1 ReactivityNo10.2 Chemical stabilitySt10.3 Possibility of hazardous reactionsNo

None Stable None known



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Rustic Escentuals[™] Blue Skies Fragrance Oil

Page 7 of 9 Print Date: 2023-08-23

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

| 10.4 Conditions to avoid | None known |
|---------------------------------------|--|
| 10.5 Incompatible materials | Strong oxidizing agents, strong acids, and alkalis |
| 10.6 Hazardous decomposition products | None known |

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

| Acute toxicity - Oral - (Rat) mg/kg | (LD50: 3479.1923) May be harmful if swallowed |
|--|--|
| Acute toxicity - Dermal - (Rabbit) mg/kg | (LD50: 4066.9626) May be harmful in contact with skin |
| Acute toxicity - Inhalation - (Rat) mg/L/4hr | (LD50: 27.7241) May be harmful if inhaled |
| Skin corrosion / irritation | Causes skin irritation |
| Serious eye damage / irritation | Causes serious eye irritation |
| Respiratory sensitization | Not classified - the classification criteria are not met |
| Skin sensitization | May cause an allergic skin reaction |
| Germ cell mutagenicity | Not classified - the classification criteria are not met |
| Carcinogenicity | May cause cancer |
| Reproductive toxicity | Suspected of damaging fertility or the unborn child |
| Specific target organ toxicity - single exposure | Not classified - the classification criteria are not met |
| Specific target organ toxicity - repeated exposure | Not classified - the classification criteria are not met |
| Aspiration hazard | Not classified - the classification criteria are not met |
| | |

12. Ecological Information

| Acute acquatic toxicity | Not classified - the classification criteria are not met | |
|------------------------------------|--|--|
| Chronic acquatic toxicity | Toxic to aquatic life with long lasting effects | |
| Toxicity Data on soil | no data available | |
| Toxicity on other organisms | no data available | |
| | | |
| 12.2 Persistence and degradability | no data available | |
| 12.3 Bioaccumulative potential | no data available | |
| 12.4 Mobility in soil | no data available | |
| 12.5 Other adverse effects | no data available | |

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Rustic Escentuals[™] Blue Skies Fragrance Oil

Page 8 of 9 Print Date: 2023-08-23

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

14. Transport Information

| Marine Pollutant | Yes. Ingredient of greatest environmental impact : 1222-05-5 : (2 - 5 %) : Hexamethylindanopyran | | | | |
|--|---|---------------|-----------------|----------|--------|
| Regulator | | Class | Pack Group | Sub Risk | UN-nr. |
| U.S. DOT (Non-Bulk) | | Not Regulated | - Not Dangerous | s Goods | |
| Chemicals NOI | | | | | |
| ADR/RID (International Ro | ad/Rail) | | | | |
| Environmentally Hazardous Substance, Liquid, n.o.s. | | 9 | Ш | | UN3082 |
| IATA (Air Cargo) | | | | | |
| Environmentally Hazardous Substance, Liquid, n.o.s. | | 9 | Ш | | UN3082 |
| IMDG (Sea) | | | | | |
| Environmentally Hazardous Substance, Liquid, n.o.s. | | 9 | 111 | | UN3082 |

| 15. Regulatory Information | | | | | | |
|-------------------------------------|-----------|---------------|--|--|--|--|
| U.S. Federal Regulations | | | | | | |
| TSCA (Toxic Substance Control Act) | | ntrol Act) | All components of the substance/mixture are listed or exempt | | | |
| 40 CFR(EPCRA, SARA, CERCLA and CAA) | | RCLA and CAA) | This product contains the following components: | | | |
| 84-66-2 | 201-550-6 | 30 - 40 % | Diethyl phthalate | | | |
| 1222-05-5 | 214-946-9 | 2 - 5 % | Hexamethylindanopyran | | | |
| U.S. State Regulati | ions | | | | | |
| California Proposition 65 Warning | | arning | This product contains the following components: | | | |
| 119-61-9 | 204-337-6 | 0.1 - 1.0 % | Benzophenone | | | |
| 94-59-7 | 202-345-4 | <= 6 ppm | Safrole (Natural Source) | | | |
| 123-35-3(NF | 204-622-5 | <= 5 ppm | beta-Myrcene (Natural Source) | | | |
| 93-15-2 | 202-223-0 | <= 3 ppm | Methyl Eugenol (Natural Source) | | | |
| Canadian Regulations | | | | | | |
| DSL | | | 100.00% of the components are listed or exempt.The following components are NOT on the List: | | | |
| 815580-59-7 | 453-570-1 | <= 3 ppm | 3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester | | | |
| | | | | | | |

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

| H301 : Toxic if swallowed | H302 : Harmful if swallowed |
|--|---|
| H312 : Harmful in contact with skin | H316 : Causes mild skin irritation |
| H317 : May cause an allergic skin reaction | H318 : Causes serious eye damage |
| H320 : Causes eye irritation | H332 : Harmful if inhaled |
| H335 : May cause respiratory irritation | H373 : May cause damage to organs through prolonged or repeated exposure |



7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Safety Data Sheet

SDS v1 GHS / OSHA

(1.00) Sensitization, Skin, Category 1

Revised Date: 2023-02-07 00:00

Product: Rustic Escentuals[™] Blue Skies Fragrance Oil

Page 9 of 9 Print Date: 2023-08-23

| www.wnoiesaleSuppliesPlus.com | |
|--|--|
| H400 : Very Toxic to aquatic life | H401 : Toxic to aquatic life |
| H402 : Harmful to aquatic life | H410 : Very toxic to aquatic life with long lasting effects |
| H412 : Harmful to aquatic life with long lasting effects | |
| Total Fractional Values | |
| (TFV) Risk | (TFV) Risk |
| (180.38) Acute Toxicity Inhalation, Category 5 | (21.36) Aquatic Chronic Toxicity, Category 3 |
| (8.98) Sensitization, Skin, Category 1B | (7.14) Skin Corrosion/Irritation, Category 3 |
| (6.40) Sensitization, Skin, Category 1A | (6.00) Reproductive Toxicity, Category 2 |
| (3.93) Eye Damage/Eye Irritation, Category 2A | (2.08) Aquatic Chronic Toxicity, Category 2 |
| (1.68) Skin Corrosion/Irritation, Category 2 | (1.44) Acute Toxicity Oral, Category 5 |
| (1.23) Acute Toxicity Dermal, Category 5 | (1.14) Aquatic Chronic Toxicity, Category 4 |
| | |

(1.00) Carcinogenicity, Category 1B

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.