

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Cabernet Sauvignon
Wine - EO & FO Blend

Print Date: 2023-08-07

Page 1 of 8

Print

. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

www.WholesaleSuppliesPlus.com

Trade Name: Crafter's Choice™ Cabernet Sauvignon Wine - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 1 H318 : Causes serious eye damage Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 1 H318: Causes serious eye damage

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: **Cr**a

Crafter's Choice™ Cabernet Sauvignon Wine - EO & FO Blend

Page 2 of 8 Print Date: 2023-08-07

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com







Signal Word: Danger

Hazard statements	
	_

H227 Combustible liquid

H303 May be harmful if swallowed

H313 May be harmful in contact with skin

H316 Causes mild skin irritation

H317 May cause an allergic skin reaction
H318 Causes serious eye damage
H333 May be harmful if inhaled

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235 Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P310 Immediately call a POISON CENTER or doctor/physician
P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Conc.

Ingredient EG# Range GHS Classification



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Cabernet Sauvignon
Wine - EO & FO Blend

Page 3 of 8 Print Date: 2023-08-07

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

www.WholesaleS	uppliesPlus.com				
CAS# Ingredient	EC#	Conc. Range	GHS Classification		
77-83-8	201-061-8	30 - 40 %	H317; H401; H411		
Ethyl Metl	hylphenylglycida	ate			
134-20-3	205-132-4	10 - 20 %	H303; H316; H319; H401		
Methyl an	thranilate				
151-05-3	205-781-3	10 - 20 %	H303; H402		
1,1-Dimethyl-2-phenylethyl acetate					
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411		
Benzyl Be	enzoate				
1222-05-5	214-946-9	5 - 10 %	H316; H400; H410		
Hexameth	nylindanopyran				
123-51-3	204-633-5	2 - 5 %	H226; H303; H313; H315; H318; H335		
Isoamyl a	lcohol				
103-48-0	203-116-1	2 - 5 %	H401		
Phenethyl	isobutyrate				
93-92-5	202-288-5	2 - 5 %	H227; H402		
methylber	nzyl acetate				
98-55-5	202-680-6	2 - 5 %	H227; H303; H315; H319; H401		
Terpineol					
100-51-6	202-859-9	1 - 2 %	H302; H313; H319		
Benzyl Ald	cohol				
140-11-4	205-399-7	1 - 2 %	H303; H401; H412		
Benzyl ac	etate				
60-12-8	200-456-2	1 - 2 %	H302; H313; H316; H319		
phenethyl	alcohol				
103-45-7	203-113-5	1 - 2 %	H303; H318; H402		
Phenethyl acetate					
128-37-0	204-881-4	1 - 2 %	H316; H400; H410		
BHT					
93-58-3	202-259-7	1 - 2 %	H227; H302; H316		
Methyl be	nzoate				
23726-91-2	245-842-1	0.1 - 1.0 %	H303; H315; H317; H401; H411		
(2E)-1-(2,	6,6-Trimethyl-1	-cyclohexen-1-yl)	-2-buten-1-one		
101-86-0	202-983-3	0.1 - 1.0 %	H303; H316; H317; H400; H411		
Hexyl cinr	namal				
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402		
Linalool					
See Section 1	6 for full text of	GHS classification	on codes		



www.WholesaleSuppliesPlus.com

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice™ Cabernet Sauvignon

Page 4 of 8

Print Date: 2023-08-07

Wine - EO & FO Blend

First Aid Measures

Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Remove contaminated clothes. Wash thoroughly with water (and soap). **Skin Exposure:**

Contact physician if symptoms persist.

Refer to Section 2.2 "Response"

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

5. **Fire-Fighting measures**

5.1 **Extinguishing media**

Treatment:

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

Reference to other sections 6.4

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Cabernet Sauvignon
Wine - EO & FO Blend

Page 5 of 8 Print Date: 2023-08-07

(800) 359-0944 www.WholesaleSuppliesPlus.com

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

140-11-4

Benzyl acetate

10

128-37-0 BHT 2

123-51-3 *Isoamyl alcohol* 100 125 100

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorless G0 to Yellow (G5)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Flashpoint (CCCFP):

152 F (66.67 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

Vapor Pressure (mmHg@20 C): 1.1428 **%VOC:** 7.95



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Cabernet Sauvignon
Wine - EO & FO Blend

Print Date: 2023-08-07

Page 6 of 8

(800) 359-0944 www.WholesaleSuppliesPlus.com

 Specific Gravity @ 25 C:
 1.0420

 Density (g/mL) @ 25 C:
 1.0390

 Refractive Index @ 20 C:
 1.5120

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3041.1341) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4012.2415) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 27.2669) May be harmful if inhaled

Skin corrosion / irritationCauses mild skin irritationSerious eye damage / irritationCauses serious eye damage

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

roduct: Crafter's Choice™ Cabernet Sauvignon
Wine - EO & FO Blend

Page 7 of 8 Print Date: 2023-08-07

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant

Yes. Ingredient of greatest environmental impact:
1222-05-5: (5 - 10 %): Hexamethylindanopyran

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous	9	III		UN3082
Substance, Liquid, n.o.s.				
IATA (Air Cargo)				
Environmentally Hazardous	9	III		UN3082
Substance, Liquid, n.o.s.				
IMDG (Sea)				
Environmentally Hazardous	9	III		UN3082
Substance, Liquid, n.o.s.				

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 5 - 10 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning No Warning required

Canadian Regulations

DSL 100.00% of the components are listed or exempt.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

roduct: Crafter's Choice™ Cabernet Sauvignon
Wine - EO & FO Blend

Page 8 of 8

Print Date: 2023-08-07

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H302 : Harmful if swallowed

H315 : Causes skin irritation H317 : May cause an allergic skin reaction H319 : Causes serious eye irritation H335 : May cause respiratory irritation

H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk	(TFV) Risk
(183.37) Acute Toxicity Inhalation, Category 5	(46.13) Aquatic Chronic Toxicity, Category 3
(30.00) Sensitization, Skin, Category 1B	(7.94) Eye Damage/Eye Irritation, Category 2A
(4.61) Aquatic Chronic Toxicity, Category 2	(3.50) Skin Corrosion/Irritation, Category 3
(2.00) Aquatic Chronic Toxicity, Category 4	(1.92) Eye Damage/Eye Irritation, Category 1
(1.64) Acute Toxicity Oral, Category 5	(1.25) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.