

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 08/22/2019 | Revision date: 08/29/2023 | Supersedes: 12/16/2020

Version: 1.3

tion		
: 1	Mixture	
: 1	RUSTIC ESCENTUALS™ CANDIED GINGER FRAGRANCE OIL	
: 1	MIXTURE	
se and restrictions on (USE	
ailable		
none number		
:	(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands +1 813 248-0585 International	
) identification		
he substance or mixtu	re	
H227	Combustible liquid	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H317	May cause an allergic skin reaction	
e section 16		
nts, including precauti	onary statements	
5) :	^	
: \	Warning	
	-	
HS US) : 	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition s smoking. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Re contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see supplemental first aid instruction on this label). P332+P313 - If skin irritation occurs: Get medical advice/attention.	
	<pre>: I se and restrictions on a allable Vholesale Supplies Plus .com none number :) identification :) identification : :) identification : :) identification : :) identification : :) identification : : :) identification : : : : : : : : : : : : : : : : : : :</pre>	: Mixture : RUSTIC ESCENTUALS™ CANDIED GINGER FRAGRANCE OIL : MIXTURE se and restrictions on use silable Wholesale Supplies Plus com com or one number : (800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands +1 813 248-0585 International Pidentification the substance or mixture H227 Combustible liquid H315 Causes skin irritation H317 May cause an allergic skin reaction e section 16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P370+P378 - In case of fire: Use media other than water to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
BENZYL BENZOATE	(CAS-No.) 120-51-4	30 – 70	Acute Tox. 4 (Oral), H302
HEXYL CINNAMAL	(CAS-No.) 101-86-0	5 – 10	Skin Sens. 1B, H317
CINNAMAL	(CAS-No.) 104-55-2	1 – 5	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317
LINALYL ACETATE	(CAS-No.) 115-95-7	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
CITRAL	(CAS-No.) 5392-40-5	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
LINALOOL	(CAS-No.) 78-70-6	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
LIMONENE	(CAS-No.) 5989-27-5	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
CARYOPHELLENE BETA	(CAS-No.) 87-44-5	1 – 5	Skin Sens. 1B, H317 Asp. Tox. 1, H304
GERANIOL	(CAS-No.) 106-24-1	< 0.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
ISOEUGENOL	(CAS-No.) 97-54-1	< 0.5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and eff	ects (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
4.3. Immediate medical attention and s	special treatment, if necessary
Treat symptomatically.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTI	ON 5: Fire-fighting measures			
5.1.	.1. Suitable (and unsuitable) extinguishing media			
Suitable	extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.		
5.2.	Specific hazards arising from the che	mical		
Fire haz	ard	Combustible liquid.		
5.3.	Special protective equipment and pre-	cautions for fire-fighters		
Protectio	on during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		
SECTI	ON 6: Accidental release measu	ires		
6.1.	Personal precautions, protective equi	pment and emergency procedures		
6.1.1.	For non-emergency personnel			
Emerger	ncy procedures	Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.		
6.1.2.	For emergency responders			
Protectiv	re equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2.	Environmental precautions			
Avoid re	lease to the environment.			
6.3.	Methods and material for containment	t and cleaning up		
Methods	for cleaning up	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.		
Other in	formation	Dispose of materials or solid residues at an authorized site.		
6.4.	Reference to other sections			
For furth	er information refer to section 13.			
SECTI	ON 7: Handling and storage			
7.1.	Precautions for safe handling			
Precauti	ons for safe handling	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.		
Hygiene	measures	Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2.	Conditions for safe storage, including	any incompatibilities		
Storage	conditions	Store in a well-ventilated place. Keep cool.		

8.1. **Control parameters**

CITRAL (5392-40-5)		
ACGIH	Local name	Citral
ACGIH	ACGIH OEL TWA [ppm]	5 ppm (IFV - Inhalable fraction and vapor)
ACGIH	Remark (ACGIH)	TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
ACGIH	Regulatory reference	ACGIH 2018
GERANIOL (106-24-1)		
Not applicable		
D-LIMONENE (5989-27-5)		
Not applicable		
Linalool (78-70-6)		
Not applicable		
08/29/2023	EN (English US)	3/13

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LINALYL ACETATE (115-95-7)
Not applicable
CARYOPHELLENE BETA (87-44-5)
Not applicable
ISO EUGENOL (97-54-1)
Not applicable
BENZYL BENZOATE (120-51-4)
Not applicable
CINNAMIC ALDEHYDE (104-55-2)
Not applicable
HEXYL CINNAMIC ALDEHYDE (101-86-0)
Not applicable

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls Ensure good ventilation of the work station.Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



	Mixture contains one or more component(s) which have the following odour: Pine odour Floral odour Fruity odour Sweet odour Lemon odour Mild odour Characteristic odour Pleasant odour Irritating/pungent odour Unpleasant odour Strong odour Aromatic odou
Odor threshold	: No data available
pH	: No data available
•	
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: ≈94.2 °C
Relative evaporation rate (butyl acetate=1)	: No data available
08/29/2023	EN (English LIS) 4/13

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
No data availableViscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

CITRAL (5392-40-5)	
ATE US (dermal)	2250 mg/kg body weight
GERANIOL (106-24-1)	
LD50 oral rat	3600 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Experimental value, Dermal)
ATE US (oral)	3600 mg/kg body weight
D-LIMONENE (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)
Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	5610 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Linalool (78-70-6)	
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
ISO EUGENOL (97-54-1)	•
ATE US (oral)	1500 mg/kg body weight
ATE US (dermal)	1912 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
BENZYL BENZOATE (120-51-4)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)
ATE US (oral)	1500 mg/kg body weight
ATE US (dermal)	4000 mg/kg body weight
CINNAMIC ALDEHYDE (104-55-2)	
ATE US (oral)	2200 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight
HEXYL CINNAMIC ALDEHYDE (101-86-0)	
ATE US (oral)	3100 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
D-LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable
Denne destine testile	Niek - Lee - 10 - J
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
ISO EUGENOL (97-54-1)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Linalool (78-70-6)	
NOAEL (dermal,rat/rabbit,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard	: Not classified
· Viscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

GERANIOL (106-24-1)			
LC50 - Fish [1]	22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP)		
EC50 - Crustacea [1]	10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)		
ErC50 algae	13.1 mg/l (OECD 201: Alga, Growth Inh bition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)		
D-LIMONENE (5989-27-5)			
LC50 - Fish [1]	720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)		
EC50 - Crustacea [1]	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)		
Linalool (78-70-6)			
LC50 - Fish [1]	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)		
EC50 - Crustacea [1]	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)		
ErC50 algae	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)		
LINALYL ACETATE (115-95-7)			
LC50 - Fish [1]	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio)		
EC50 - Crustacea [1]	15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)		
BENZYL BENZOATE (120-51-4)			
LC50 - Fish [1]	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)		
EC50 - Crustacea [1]	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system. Fresh water. Experimental value. GLP)		

12.2. Persistence and degradability

GERANIOL (106-24-1)	
Persistence and degradability	Readily biodegradable in water.
D-LIMONENE (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O ₂ /g substance
Linalool (78-70-6)	
Persistence and degradability	Readily biodegradable in water.
LINALYL ACETATE (115-95-7)	
Persistence and degradability	Readily biodegradable in water.
BENZYL BENZOATE (120-51-4)	
Persistence and degradability	Readily biodegradable in water.

12.3. Bioaccumulative potential

GERANIOL (106-24-1)	
Partition coefficient n-octanol/water (Log Pow)	2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
D-LIMONENE (5989-27-5)	
BCF - Fish [1]	864.8 – 1022 (Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation ($4 \ge Log$ Kow ≤ 5).
Linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LINALYL ACETATE (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.93 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
BENZYL BENZOATE (120-51-4)	
BCF - Fish [1]	2.286 (BCFBAF v3.00, Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	3.97 (Experimental value, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

GERANIOL (106-24-1)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, PCKOCWIN v1.66, Calculated value)	
Ecology - soil	Highly mobile in soil.	
D-LIMONENE (5989-27-5)		
Ecology - soil	Adsorbs into the soil.	
Linalool (78-70-6)		
Surface tension	8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension)	
Ecology - soil	No (test)data on mobility of the substance available.	
LINALYL ACETATE (115-95-7)		
Ecology - soil	Adsorbs into the soil.	
BENZYL BENZOATE (120-51-4)		
Surface tension	0.027 N/m (210 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	 3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) 	
Ecology - soil	Low potential for mobility in soil.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideratio	ns
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Transport document description (DOT)	: UN3082 Environmentally hazardous substances, liquid, n.o.s. (BENZYL BENZOATE (120-51- 4)), 9, III
UN-No.(DOT)	: UN3082
Proper Shipping Name (DOT)	: Environmentally hazardous substances, liquid, n.o.s. BENZYL BENZOATE (120-51-4)
Class (DOT)	: 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 9 - Class 9 (Miscellaneous dangerous materials)
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
08/29/2023	EN (English US) 8/13

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Bulk (49 CFR 173.xxx)	: 241	
DOT Symbols DOT Special Provisions (49 CFR 172.102)	 G - Identifies PSN requiring a technical name 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other requirited substances liquid as called a constraint in addition for a set." 	
	 description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies. 146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination. 173 - An appropriate generic entry may be used for this material. 335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous 	
DOT Packaging Exceptions (40 CEP 173 yvv)	materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP. : 155	
DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)		
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: No limit	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.	
Emergency Response Guide (ERG) Number	: 171	
Other information	: No supplementary information available.	
Transportation of Dangerous Goods		
Not applicable		
Transport by sea		
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE (120-51-4)), 9, III	
UN-No. (IMDG)	: 3082	
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
Class (IMDG)	: 9 - Miscellaneous dangerous substances and articles	
Packing group (IMDG)	: III - substances presenting low danger	
Limited quantities (IMDG)	: 5L	
Air transport		
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (BENZYL BENZOATE (120-51-4)), 9, III	
UN-No. (IATA)	: 3082	
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.	
Class (IATA)	: 9 - Miscellaneous Dangerous Substances and Articles	

15.1. US Federal regulations		
SECTION 15: Regulatory infor	mation	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

CITRAL	CAS-No. 5392-40-5	1 – 5%
GERANIOL	CAS-No. 106-24-1	< 0.5%
LIMONENE	CAS-No. 5989-27-5	1 – 5%
LINALOOL	CAS-No. 78-70-6	1 – 5%
LINALYL ACETATE	CAS-No. 115-95-7	1 – 5%
CARYOPHELLENE BETA	CAS-No. 87-44-5	1 – 5%
ISOEUGENOL	CAS-No. 97-54-1	< 0.5%
BENZYL BENZOATE	CAS-No. 120-51-4	30 - 70%
CINNAMAL	CAS-No. 104-55-2	1 – 5%
HEXYL CINNAMAL	CAS-No. 101-86-0	5 – 10%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA CITRAL (5392-40-5) Listed on the Canadian DSL (Domestic Substances List) **GERANIOL (106-24-1)** Listed on the Canadian DSL (Domestic Substances List) D-LIMONENE (5989-27-5) Listed on the Canadian DSL (Domestic Substances List) Linalool (78-70-6) Listed on the Canadian DSL (Domestic Substances List) LINALYL ACETATE (115-95-7) Listed on the Canadian DSL (Domestic Substances List) **CARYOPHELLENE BETA (87-44-5)** Listed on the Canadian DSL (Domestic Substances List) ISO EUGENOL (97-54-1) Listed on the Canadian DSL (Domestic Substances List) **BENZYL BENZOATE (120-51-4)** Listed on the Canadian DSL (Domestic Substances List) **CINNAMIC ALDEHYDE (104-55-2)** Listed on the Canadian DSL (Domestic Substances List) **HEXYL CINNAMIC ALDEHYDE (101-86-0)** Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CITRAL (5392-40-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on the Japanese Inventory of Chemicals and Chemical Substances) Listed on the EC Inventory Listed on the EC Inventory Listed on the Australian HSIS Consolidated List Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
GERANIOL (106-24-1)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the EC Inventory Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
D-LIMONENE (5989-27-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory) Listed on ter CSI (Taiwan Chemical Substance Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on the Japanese ENCS (Existing New Chemical Substances) Listed on the EC Inventory Listed on the EC Inventory Listed on the Australian HSIS Consolidated List Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Linalool (78-70-6)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the EC Inventory Listed on the EC Inventory
LINALYL ACETATE (115-95-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the EC Inventory Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	ter / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
CARYOPHELLENE E	3ETA (87-44-5)
Listed on the TCSI (Ta Listed on NZIOC (New Listed on the Japanes Listed on PICCS (Phil Listed on the EC Inve Listed on INSQ (Mexi Listed introduction on Listed on KECL/KECI	entory of Existing Chemical Substances Produced or Imported in China) aiwan Chemical Substance Inventory) v Zealand Inventory of Chemicals) se ENCS (Existing New Chemical Substances) inventory lippines Inventory of Chemicals and Chemical Substances) intory can National Inventory of Chemical Substances) Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) (Korean Existing Chemicals Inventory) an Existing Chemicals Inventory)
ISO EUGENOL (97-5	4-1)
Listed on the TCSI (Ta Listed on NZIoC (New Listed on the Japaness Listed on PICCS (Phil Listed on the EC Inve Listed on INSQ (Mexi Listed on the Australia Listed introduction on Listed on KECL/KECI	entory of Existing Chemical Substances Produced or Imported in China) aiwan Chemical Substance Inventory) v Zealand Inventory of Chemicals) se ENCS (Existing New Chemical Substances) inventory lippines Inventory of Chemicals and Chemical Substances) intory can National Inventory of Chemical Substances) an HSIS Consolidated List Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) (Korean Existing Chemicals Inventory) an Existing Chemicals Inventory)
BENZYL BENZOATE	E (120-51-4)
Listed on INSQ (Mexi Listed on IECSC (Inve Listed on KECI (Korea Listed on the TCSI (Ta Listed on NZIOC (New Listed on the Japanes Listed on the Japanes Listed on the EC Inve Listed on the Australia	States TSCA (Toxic Substances Control Act) inventory - Status: Active can National Inventory of Chemical Substances) entory of Existing Chemical Substances Produced or Imported in China) an Existing Chemicals Inventory) aiwan Chemical Substance Inventory) v Zealand Inventory of Chemicals) se ENCS (Existing New Chemical Substances) inventory lippines Inventory of Chemicals and Chemical Substances) intory an HSIS Consolidated List Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
CINNAMIC ALDEHYI	DE (104-55-2)
Listed on INSQ (Mexi Listed on IECSC (Inve Listed on KECI (Korea Listed on the TCSI (Ta Listed on NZIoC (New Listed on the Japanes Listed on the Japanes Listed on the EC Inve Listed introduction on	Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
	LDEHYDE (101-86-0)
Listed on the TCSI (Ta Listed on NZIoC (New Listed on the Japanes Listed on PICCS (Phil Listed on the EC Inve Listed on INSQ (Mexi Listed introduction on Listed on KECL/KECI	entory of Existing Chemical Substances Produced or Imported in China) aiwan Chemical Substance Inventory) v Zealand Inventory of Chemicals) se ENCS (Existing New Chemical Substances) inventory lippines Inventory of Chemicals and Chemical Substances) intory can National Inventory of Chemical Substances) Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) (Korean Existing Chemicals Inventory) an Existing Chemicals Inventory)

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 08/29/2023

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

SDS US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.