

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 4/28/2015 Revision date: 6/28/2022 Supersedes: 2/18/2021

#### **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture

Trade name : RUSTIC ESCENTUALS™ CARAMEL SENSATIONS FRAGRANCE OIL

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Perfumes, Fragrances Recommended use : Perfumes, Fragrances

#### 1.3. Supplier

IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1.4. Emergency telephone number

Emergency number

: (800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

# **SECTION 2: Hazard(s) identification**

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Acute toxicity (oral) Category 4 H302 Harmful if swallowed

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : H302 - Harmful if swallowed

Precautionary statements (GHS US) : P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product.

P301+P312 - If swallowed: Call a doctor, a POISON CENTER if you feel unwell.

P330 - Rinse mouth.

P501 - Dispose of contents/container in accordance with local/national laws and regulations

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

No additional information available

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Benzyl benzoate	CAS-No.: 120-51-4	23.75 – 47.5	Acute Tox. 4 (Oral), H302
Hexylene Glycol	CAS-No.: 107-41-5	1.25 – 2.5	Eye Irrit. 2A, H319
Vanillin	CAS-No.: 121-33-5	1.125 – 2.25	Eye Irrit. 2A, H319

Full text of hazard classes and H-statements : see section 16

#### **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures general	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice
		(show the label where possible). Call a poison center/doctor/physician if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe

fresh air. Allow the victim to rest.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). Wash contaminated clothing

before reuse. Wash skin with plenty of water.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON

CENTER or doctor/physician if you feel unwell. Call a poison center/doctor/physician if you fee

CENTER or doctor/physician if you feel unwell. Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and : Based on available data, the classification criteria are not met. Harmful if swallowed. symptoms

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

#### **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

6/28/2022 (Revision date) EN (English US) 2/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do

not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as poss ble. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Hygiene measures

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands

and other exposed areas with mild soap and water before eating, drinking or smoking and when

leaving work. Provide good ventilation in process area to prevent formation of vapor.

: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated

clothing before reuse. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away from

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container

closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **CARAMEL SENSATIONS #3116-F**

No additional information available

#### Benzyl benzoate (120-51-4)

No additional information available

#### Hexylene Glycol (107-41-5)

#### **USA - ACGIH - Occupational Exposure Limits**

ACGIH OEL TWA [ppm]	25 ppm (vapor fraction)
ACGIH OEL STEL	10 mg/m³ (inhalable particulate matter, aerosol only)
ACGIH OEL STEL [ppm]	50 ppm (vapor fraction)
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL (Ceiling)	125 mg/m³

# Vanillin (121-33-5)

# **USA - AIHA - Occupational Exposure Limits**

10 mg/m³

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

25 ppm

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Wear appropriate mask

#### Personal protective equipment symbol(s):





#### Other information:

Do not eat, drink or smoke during use.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow amber Odor : characteristic Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available : No data available

Flash point : > 93.33 °C (closed cup) ASTM D7094

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20°C : No data available

Relative density : ≈ 1.04

Solubility No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** No data available Explosive properties No data available Oxidizing properties No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

# 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 11: Toxicological information**

Acute toxicity (dermal) : Macute toxicity (inhalation) : Macut	Harmful if swallowed. Not classified Not classified  1045.198 mg/kg body weight  500 mg/kg (Source: NLM_CIP)  1160 mg/kg body weight  4000 mg/kg (Source: NLM_CIP)  500 mg/kg body weight
Acute toxicity (dermal) : It Acute toxicity (inhalation) : It  CARAMEL SENSATIONS #3116-F  ATE US (oral)  Benzyl benzoate (120-51-4)  LD50 oral rat  LD50 oral  LD50 dermal rabbit  ATE US (oral)  ATE US (dermal)  Hexylene Glycol (107-41-5)	Not classified Not classified  1045.198 mg/kg body weight  500 mg/kg (Source: NLM_CIP)  1160 mg/kg body weight  4000 mg/kg (Source: NLM_CIP)
ATE US (oral)  Benzyl benzoate (120-51-4)  LD50 oral rat  LD50 dermal rabbit  ATE US (oral)  ATE US (dermal)  Hexylene Glycol (107-41-5)	500 mg/kg (Source: NLM_CIP)  1160 mg/kg body weight  4000 mg/kg (Source: NLM_CIP)
Benzyl benzoate (120-51-4)  LD50 oral rat  LD50 oral  LD50 dermal rabbit  ATE US (oral)  ATE US (dermal)  Hexylene Glycol (107-41-5)	500 mg/kg (Source: NLM_CIP)  1160 mg/kg body weight  4000 mg/kg (Source: NLM_CIP)
LD50 oral rat  LD50 oral  LD50 dermal rabbit  ATE US (oral)  ATE US (dermal)  Hexylene Glycol (107-41-5)	1160 mg/kg body weight 4000 mg/kg (Source: NLM_CIP)
LD50 oral  LD50 dermal rabbit  ATE US (oral)  ATE US (dermal)  Hexylene Glycol (107-41-5)	1160 mg/kg body weight 4000 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit ATE US (oral) ATE US (dermal)  Hexylene Glycol (107-41-5)	4000 mg/kg (Source: NLM_CIP)
ATE US (oral)  ATE US (dermal)  Hexylene Glycol (107-41-5)	
ATE US (dermal)  Hexylene Glycol (107-41-5)	500 mg/kg body weight
Hexylene Glycol (107-41-5)	
	4000 mg/kg body weight
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	12300 mg/kg (Source: NLM_HSDB)
LC50 Inhalation - Rat	> 310 mg/m³ (Exposure time: 1 h Source: NLM_CIP)
ATE US (oral)	3700 mg/kg body weight
ATE US (dermal)	12300 mg/kg body weight
Vanillin (121-33-5)	
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)
LD50 dermal	2600 mg/kg body weight
Serious eye damage/irritation : !	Not classified Not classified Not classified
•	Not classified  Not classified
Reproductive toxicity : 1	Not classified Not classified
- 0 1	Not classified Not classified
·	Not classified
Viscosity, kinematic : 1	No data available
Benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s
symptoms	Based on available data, the classification criteria are not met. Harmful if swallowed.  Not expected to present a significant hazard under anticipated conditions of normal use.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Ecology - general :	Toxic to aquatic life with long lasting effects.
Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
Hexylene Glycol (107-41-5)	
LC50 - Fish [1]	10.5 (10500 – 11000) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 - Crustacea [1]	2.7 (2700 – 3700) mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
Vanillin (121-33-5)	
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])

# 12.2. Persistence and degradability

CARAMEL SENSATIONS #3116-F	
Persistence and degradability	Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

# 12.3. Bioaccumulative potential

CARAMEL SENSATIONS #3116-F		
Bioaccumulative potential	Not established.	
Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
Hexylene Glycol (107-41-5)		
Partition coefficient n-octanol/water (Log Pow)	< 0.14	
Vanillin (121-33-5)		
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)	

# 12.4. Mobility in soil

No additional information available

# 12.5. Other adverse effects

Other information : Avoid release to the environment.

6/28/2022 (Revision date) EN (English US) 7/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container in accordance with local/national laws and regulations.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with DOT

#### 14.1. UN number

DOT NA No : Not applicable

#### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable

#### 14.3. Transport hazard class(es)

#### DOT

Transport hazard class(es) (DOT) : Not applicable

#### 14.4. Packing group

Packing group (DOT) : Not applicable

#### 14.5. Environmental hazards

Other information : No supplementary information available.

# 14.6. Special precautions for user

#### DOT

No data available

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

#### 15.2. International regulations

#### **CANADA**

#### Benzyl benzoate (120-51-4)

Listed on the Canadian DSL (Domestic Substances List)

#### Hexylene Glycol (107-41-5)

Listed on the Canadian DSL (Domestic Substances List)

6/28/2022 (Revision date) EN (English US) 8/10

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Vanillin (121-33-5)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

#### Benzyl benzoate (120-51-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Hexylene Glycol (107-41-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Vanillin (121-33-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### **National regulations**

#### Benzyl benzoate (120-51-4)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

#### Hexylene Glycol (107-41-5)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on TECI (Thailand Existing Chemicals Inventory)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Vanillin (121-33-5)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on TECI (Thailand Existing Chemicals Inventory)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Hexylene Glycol(107-41-5)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
1,2-Propanediol(57-55-6)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

#### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: 6/28/2022 Revision date Other information : None.


Full text of H-phrases		
H302	Harmful if swallowed	
H319	Causes serious eye irritation	

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur. NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire

conditions.



#### Safety Data Sheet (SDS), USA

The data contained in this Safety Data Sheet is accurate to the best knowledge of IndiMade Brands applies to the product as supplied by IndiMade Brands. and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does IndiMade Brands. assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact SDS@Wholesalesuppliesplus.com