

RUSTIC ESCENTUALS[™] CARAMELIZED PRALINES (FES) FRAGRANCE OIL Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 07/22/2019

Version: 2.1

| Escentuals Revision date: 08/29/2023 | Supersedes: 09/21/2022 | | Version: 2.1 |
|--|---|--|--------------|
| SECTION 1: Identification | | | |
| 1.1. Identification | | | |
| Product form | : Mixture | | |
| Product name | | MELIZED PRALINES (FES) FRAGRANCE O | а |
| CAS-No. | : MIXTURE | | |
| | | | |
| 1.2. Recommended use and restriction | ons on use | | |
| No additional information available | | | |
| 1.3. Supplier | | | |
| ndiMade Brands, LLC DBA Wholesale S 7820 E Pleasant Valley Road ndependence, OH 44131 800) 359-0944 www.WholesaleSuppliesPlus.com 1.4. Emergency telephone number | 3upplies Plus | | |
| ••••••••••••••••••••••••••••••• | | | |
| Emergency number | : (800) 255-3924 Domestic USA, +1 813 248-0585 International | Canada, Puerto Rico, and US Virgin Islands | |
| SECTION 2: Hazard(s) identificati | on | | |
| 2.1. Classification of the substance of | | | |
| GHS US classification | | | |
| Skin sensitization, H317 | May cause an allergic skir | reaction | |
| Category 1 | | | |
| Full text of H statements : see section 16 | | | |
| | | | |
| 2.2. GHS Label elements, including p | precautionary statements | | |
| GHS US labeling | | | |
| Hazard pictograms (GHS US) | | | |
| Signal word (GHS US) | : Warning | | |
| Hazard statements (GHS US) | : H317 - May cause an allergic skir | reaction | |
| Precautionary statements (GHS US) | : P261 - Avoid breathing dust/fume | | |
| | P272 - Contaminated work clothin P280 - Wear protective gloves/pro P302+P352 - If on skin: Wash wit P321 - Specific treatment (see su P333+P313 - If skin irritation or ra P363 - Wash contaminated clothi P501 - Dispose of contents/conta | g must not be allowed out of the workplace. otective clothing/eye protection/face protection h plenty of water. pplemental first aid instruction on this label). ish occurs: Get medical advice/attention. | |
| | | | |
| 2.3. Other hazards which do not resu | alt in classification | | |
| No additional information available | | | |
| 2.4. Unknown acute toxicity (GHS US | 3) | | |
| Not applicable | | | |
| SECTION 3: Composition/Informa | tion on ingredients | | |
| | | | |
| 3.1. Substances | | | |
| Not applicable | | | |
| 3.2. Mixtures | | | |
| Name | Product identifier | % GHS US classification | n |
| | (212.1) 100.51.4 | 10 00 A A /O 11 11000 | |

(CAS-No.) 120-51-4

10 – 30

Acute Tox. 4 (Oral), H302

BENZYL BENZOATE

08/29/2023

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Name | Product identifier | % | GHS US classification |
|-----------------|--------------------|---------|--|
| BENZYL ALCOHOL | (CAS-No.) 100-51-6 | 1 – 5 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation dust,mist), H332 Eye Irrit. 2, H319 |
| 2,3-BUTANEDIONE | (CAS-No.) 431-03-8 | 0.5 – 1 | Flam. Liq. 1, H224 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 2, H373 |

Full text of hazard classes and H-statements : see section 16

| SECTI | ON 4: First-aid measures | |
|-----------|--|---|
| 4.1. | Description of first aid measures | |
| First-aid | measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid | measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid | measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid | measures after ingestion | : Call a poison center/doctor/physician if you feel unwell. |
| 4.2. | Most important symptoms and effects | s (acute and delayed) |
| Sympton | ns/effects after skin contact | : May cause an allergic skin reaction. |
| 4.3. | Immediate medical attention and spec | cial treatment, if necessary |
| Treat syr | nptomatically. | |
| SECTI | ON 5: Fire-fighting measures | |
| 5.1. | Suitable (and unsuitable) extinguishin | ng media |
| Suitable | extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
| 5.2. | Specific hazards arising from the che | mical |
| | | |
| 5.3. | Special protective equipment and pre | cautions for fire-fighters |
| Protectio | n during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
| SECTI | ON 6: Accidental release measu | Ires |
| 6.1. | Personal precautions, protective equi | pment and emergency procedures |
| 6.1.1. | For non-emergency personnel | |
| Emerger | | : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. |
| 6.1.2. | For emergency responders | |
| Protectiv | e equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| 6.2. | Environmental precautions | |
| Avoid rel | ease to the environment. | |
| 6.3. | Methods and material for containmen | t and cleaning up |
| Methods | for cleaning up | : Take up liquid spill into absorbent material. |
| Other inf | ormation | : Dispose of materials or solid residues at an authorized site. |
| 6.4. | Reference to other sections | |
| For furth | er information refer to section 13. | |
| SECTI | ON 7: Handling and storage | |
| 7.1. | Precautions for safe handling | |
| Precautio | ons for safe handling | : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Wear personal protective equipment. |
| Hygiene | measures | : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |
| 00/00/000 | • | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

BENZYL BENZOATE (120-51-4)

| Not applicable | | |
|--------------------|----------------------|--|
| BENZYL ALCOHOL | (100-51-6) | |
| Not applicable | | |
| DIACETYL (431-03-8 | 3) | |
| ACGIH | Local name | Diacetyl |
| ACGIH | ACGIH OEL TWA [ppm] | 0.01 ppm |
| ACGIH | ACGIH OEL STEL [ppm] | 0.02 ppm |
| ACGIH | Remark (ACGIH) | TLV® Basis: Lung dam (Bronchiolitis obliterans-like illness). Notations: A4 (Not classifiable as a Human Carcinogen) |
| ACGIH | Regulatory reference | ACGIH 2018 |

8.2. **Appropriate engineering controls**

Appropriate engineering controls

Environmental exposure controls

: Ensure good ventilation of the work station.

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

| SECTION 9: Physical and chemical properties | | |
|---|--|--|
| 9.1. Information on basic physical and c | hemical properties | |
| Physical state | : Liquid | |
| Color | : Mixture contains one or more component(s) which have the following colour(s): Colourless to light yellow Colourless White White to light yellow On exposure to light: discolours Yellow Light yellow to colourless On exposure to air: yellow-brown Colourless to light amber White to off-white Colourless to white On exposure to light: turns yellow On exposure to air: turns yellow | |
| Odor | There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Pleasant odour Fruity odour Mild odour Aromatic odour Sweet odour Strong odour Characteristic odour Almond odour Irritating/pungent odour Unpleasant odour Floral odour | |
| Odor threshold | : No data available | |
| pH | : No data available | |
| Melting point | : No data available | |
| Freezing point | : No data available | |
| Boiling point | : No data available | |
| 08/29/2023 | EN (English US) 3/10 | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Flash point | : > 98.9 °C |
|---|---------------------|
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability | : Not applicable. |
| Vapor pressure | : No data available |
| Relative vapor density at 20°C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| No data availableViscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| | |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

| SECTION 11: Toxicological information | on |
|--|---|
| 11.1. Information on toxicological effects | |
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |
| BENZYL BENZOATE (120-51-4) | |
| LD50 oral rat | > 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rabbit | > 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal) |
| ATE US (oral) | 1500 mg/kg body weight |
| ATE US (dermal) | 4000 mg/kg body weight |
| BENZYL ALCOHOL (100-51-6) | |
| LD50 oral rat | 1620 mg/kg bw/day (Rat, Male, Experimental value, Oral) |
| LD50 dermal rabbit | > 2000 mg/kg (Rabbit, Inconclusive, insufficient data, Dermal) |
| LC50 Inhalation - Rat | > 4.178 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male/female, Experimental value, Inhalation (aerosol)) |
| ATE US (oral) | 1620 mg/kg body weight |
| ATE US (dermal) | 2500 mg/kg body weight |
| ATE US (dust, mist) | 1.5 mg/l/4h |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| DIACETYL (431-03-8) | |
|-------------------------------------|--|
| ATE US (oral) | 1580 mg/kg body weight |
| ATE US (gases) | 700 ppmV/4h |
| ATE US (vapors) | 3 mg/l/4h |
| ATE US (dust, mist) | 0.5 mg/l/4h |
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| DIACETYL (431-03-8) | |
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |
| Aspiration hazard | Not classified |
| Viscosity, kinematic | : No data available |
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |
| SECTION 12: Ecological informa | ition |
| 12.1. Toxicity | |

| : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. |
|---|
| |
| 2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP) |
| 3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) |
| |

| BENZYL ALCOHOL (100-51-6) | |
|---------------------------|---|
| LC50 - Fish [1] | 460 mg/l (EPA OPP 72-1, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value, Nominal concentration) |
| EC50 - Crustacea [1] | 230 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Fresh water, Experimental value, GLP) |
| ErC50 algae | 770 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) |

Persistence and degradability 12.2.

| BENZYL BENZOATE (120-51-4) | | |
|---------------------------------|--|--|
| Persistence and degradability | Readily biodegradable in water. | |
| BENZYL ALCOHOL (100-51-6) | | |
| Persistence and degradability | Biodegradable in the soil. Readily biodegradable in water. | |
| Biochemical oxygen demand (BOD) | 1.6 g O ₂ /g substance | |
| Chemical oxygen demand (COD) | 2.4 g O ₂ /g substance | |
| ThOD | 2.5 g O ₂ /g substance | |

12.3. **Bioaccumulative potential**

| BENZYL BENZOATE (120-51-4) | | |
|---|--|--|
| BCF - Fish [1] | 2.286 (BCFBAF v3.00, Pisces, QSAR) | |
| Partition coefficient n-octanol/water (Log Pow) | 3.97 (Experimental value, 25 °C) | |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). | |
| BENZYL ALCOHOL (100-51-6) | | |
| Partition coefficient n-octanol/water (Log Pow) | 1 – 1.1 (Experimental value, 20 °C) | |
| 08/29/2023 | EN (English US) 5/1 | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| BENZYL ALCOHOL (100-51-6) | | |
|--|--|--|
| Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4). | | |
| | | |
| 12.4. Mobility in soil | | |
| BENZYL BENZOATE (120-51-4) | | |
| Surface tension | 0.027 N/m (210 °C) | |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value) | |
| Ecology - soil | Low potential for mobility in soil. | |
| BENZYL ALCOHOL (100-51-6) | | |
| Surface tension | 39 mN/m (20 °C) | |
| Ecology - soil | No (test)data on mobility of the substance available. | |

12.5. Other adverse effects

No additional information available

| SECTION 13: Disposal considerat | ions |
|---|---|
| 13.1. Disposal methods | |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| SECTION 14: Transport information | on and a second s |
| Department of Transportation (DOT) | |
| n accordance with DOT | |
| Transport document description (DOT) | : UN3082 Environmentally hazardous substances, liquid, n.o.s. (BENZYL BENZOATE), 9, III |
| UN-No.(DOT) | : UN3082 |
| Proper Shipping Name (DOT) | : Environmentally hazardous substances, liquid, n.o.s. |
| | BENZYL BENZOATE |
| Class (DOT) | : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140 |
| Packing group (DOT) | : III - Minor Danger |
| Hazard labels (DOT) | : 9 - Class 9 (Miscellaneous dangerous materials) |
| | |
| DOT Packaging Non Bulk (49 CFR 173.xxx) | : 203 |
| DOT Packaging Bulk (49 CFR 173.xxx) | : 241 |
| DOT Symbols | : G - Identifies PSN requiring a technical name |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| <u> </u> | |
|--|---|
| DOT Special Provisions (49 CFR 172.102) | 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies. 146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination. 173 - An appropriate generic entry may be used for this material. 335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s." UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal |
| DOT Packaging Exceptions (49 CFR 173.xxx) | : 155 |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : No Limit |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) | : No Limit |
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. |
| Emergency Response Guide (ERG) Number | : 171 |
| Other information | : No supplementary information available. |
| Transportation of Dangerous Goods | |
| Transport document description (TDG) | : UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE), 9, III |
| UN-No. (TDG) | : UN3082 |
| Proper Shipping Name (TDG) | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| TDG Primary Hazard Classes | 9 - Class 9 - Miscellaneous Products, Substances or Organisms |
| Packing group (TDG) | : III - Minor Danger |
| | |

08/29/2023

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| 5 5 , | |
|---|---|
| TDG Special Provisions | 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d) UN3248, MEDICINE, LIQUID, TOXIC, N.O.S. (a) UN2349, MEDICINE, SOLID, TOXIC, N.O.S. (a) UN2349, MEDICINE, SOLID, TOXIC, N.O.S. (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS,99 - (1) Mixtures of solids that are not dangerous goods and liquids or solids that are UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport. (2) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of less than 450 |
| Explosive Limit and Limited Quantity Index | : 5L |
| Transport by sea | |
| Transport document description (IMDG) | : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE), 9, III, MARINE POLLUTANT |
| UN-No. (IMDG) | : 3082 |
| Proper Shipping Name (IMDG) | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| Class (IMDG) | : 9 - Miscellaneous dangerous substances and articles |
| Packing group (IMDG) | : III - substances presenting low danger |
| Limited quantities (IMDG) | : 5 L |
| Air transport | |
| Transport document description (IATA) | : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (BENZYL BENZOATE), 9, III |
| UN-No. (IATA) | : 3082 |
| | . Environmentally because exhibitions a liquid in a c |
| Proper Shipping Name (IATA) | : Environmentally hazardous substance, liquid, n.o.s. |
| Proper Shipping Name (IATA) Class (IATA) | 9 - Miscellaneous Dangerous Substances and Articles |

| | SECTION 13. Regulatory information | |
|-----|------------------------------------|--|
| 15. | 15.1. US Federal regulations | |
| | | |

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

| BENZYL BENZOATE | CAS-No. 120-51-4 | 10 – 30% |
|-----------------|------------------|----------|
| BENZYL ALCOHOL | CAS-No. 100-51-6 | 1 – 5% |
| 2,3-BUTANEDIONE | CAS-No. 431-03-8 | 0.5 – 1% |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

| BENZYL | . BENZOATE | E (120-51-4) |
|--------|------------|--------------|

Listed on the Canadian DSL (Domestic Substances List)

BENZYL ALCOHOL (100-51-6)

Listed on the Canadian DSL (Domestic Substances List)

DIACETYL (431-03-8)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

| BENZYL BENZOATE (120-51-4) |
|--|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the EC Inventory Listed on the Australian HSIS Consolidated List Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) |
| BENZYL ALCOHOL (100-51-6) |
| Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the EC Inventory Listed on the EC Inventory Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the Australian HSIS Consolidated List Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on KECI (Korean Existing Chemicals Inventory) |
| DIACETYL (431-03-8) |
| Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the EC Inventory Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on KECI (Korean Existing Chemicals Inventory) |

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 08/29/2023

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Full text of H-phrases: | | |
|-------------------------|------|---|
| | H224 | Extremely flammable liquid and vapor |
| | H302 | Harmful if swallowed |
| | H315 | Causes skin irritation |
| | H317 | May cause an allergic skin reaction |
| | H318 | Causes serious eye damage |
| | H319 | Causes serious eye irritation |
| | H331 | Toxic if inhaled |
| | H332 | Harmful if inhaled |
| | H373 | May cause damage to organs through prolonged or repeated exposure |

SDS US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.