

Safety Data Sheet

Revised Date: 2022-10-19 00:00

Print Date: 2022-11-02 13:07

Page 1 of 8

Product: Crafter's Choice[™] Citrus Blend - 100% Upcycled Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

1.

Trade Name: Crafter's Choice[™] Citrus Blend - 100% Upcycled Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924	Domestic USA, Canada, Puerto Rico, and US Virgin Islands
. 4 042 240 0505	International

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
	Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
	Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Cla	ssification OSHA (Provisions 1910.1200 of title	29)
	Flammable Liquids, Category 4	H227 : Combustible liquid
	Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eve Demogra/Eve Invitation Cotogony 24	11240 · Courses serieus sus irritation

- Eye Damage/Eye Irritation, Category 2A Reproductive Toxicity, Category 2
- H319 : Causes serious eye irritation H361 : Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

Crafter'sChoice®

Safety Data Sheet

Upcycled Fragrance Oil

Revised Date: 2022-10-19 00:00

Product:

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Labelling (GHS)

Hazard pictograms





Signal Word: Danger

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

Crafter's Choice[™] Citrus Blend - 100%

Page 2 of 8 Print Date: 2022-11-02 13:07



Safety Data Sheet

Revised Date: 2022-10-19 00:00

Product:

Crafter's Choice[™] Citrus Blend - 100% **Upcycled Fragrance Oil**

Page 3 of 8 Print Date: 2022-11-02 13:07

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

2.3 Other Hazards

no data available

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
5989-27-5	227-813-5	50 - 60 %	H226; H304; H315; H317; H400; H412		
Limonene					
18479-58-8	242-362-4	5 - 10 %	H227; H303; H315; H319; H402		
2,6-dimeth	yloct-7-en-2-ol				
115-95-7	204-116-4	5 - 10 %	H227; H315; H317; H320; H402		
Linalyl Ace	tate				
54464-57-2	259-174-3	5 - 10 %	H315; H317; H400; H410		
Tetramethy	/I Acetyloctahydi	ronaphthalenes			
236391-76-7	431-700-8	5 - 10 %	H401; H411		
Acetic acio	l, (1-oxopropoxy))-, 1-(3,3-dimethy	/lcyclohexyl)ethyl ester		
107-75-5	203-518-7	2 - 5 %	H317; H319; H402		
Hydroxycit	ronellal				
141773-73-1	415-490-5	2 - 5 %	H401; H411		
Dimethylcy	clohexylethoxy l	lsobutylpropanoa	ate		
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402		
Linalool					
65443-14-3	265-779-3	2 - 5 %	H227; H401; H411		
2,2,5-Trimethyl-5-pentylcyclopentanone					
4819-67-4	225-392-2	1 - 2 %	H227; H402		
2-Pentylcy	clopentanone				
105-87-3	203-341-5	1 - 2 %	H315; H317; H401; H412		
Geranyl Ac	cetate				
8008-31-9	297-672-2	1 - 2 %	H226; H304; H315; H317; H361; H401;		
Citrus nobilis (Mandarin Orange) peel oil H411					
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402		
Geraniol					
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361		
gamma-Te	rpinene				
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;		
pinene			H410		
141-12-8	205-459-2	0.1 - 1.0 %	H317; H401		
Neryl aceta	ate				
		0.1 - 1.0 %	H317; H401		



7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-10-19 00:00

Product: Crafter's Choice[™] Citrus Blend - 100% Upcycled Fragrance Oil

Page 4 of 8 Print Date: 2022-11-02 13:07

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
106-25-2 Nerol	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401	
133636-82-5	430-460-1	0.1 - 1.0 %	H314; H317; H318; H400; H410	
Trimethyl-	Bicyclo-heptan	e-spiro-cyclohexe	enone	
See Section 1	6 for full text of	GHS classification	on codes	

Total Hydrocarbon Content (% w/w) = 54.36

4. First Aid Measures			
I.1 Description of first aid measures			
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion:	Rinse mouth with water and obtain medical advice.		
4.2 Most important symptoms and effects,	4.2 Most important symptoms and effects, both acute and delayed		
Symptoms:	no data available		
Risks:	Refer to Section 2.2 "Hazard Statements"		
4.3 Indication of any immediate medical attention and special treatment needed			
Treatment:	Refer to Section 2.2 "Response"		
5. Fire-Fighting measures			
5.1 Extinguishing media			
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam		
Unsuitable	Do not use a direct water jet on burning material		
5.2 Special hazards arising from the substa	ince or mixture		
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective		

Further information:

Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.



Safety Data Sheet

Revised Date: 2022-10-19 00:00

Product: Crafter's Choice[™] Citrus Blend - 100% Upcycled Fragrance Oil

Page 5 of 8 Print Date: 2022-11-02 13:07

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Lir	nits:	
Component		ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
80-56-8	pinene	20
Engineering Controls: 8.2 Exposure controls - Perso		Use local exhaust as needed. onal protective equipment
		Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection:Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.Skin protection:Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	145 F (62.78 C)

Crafter'sChoice[®]

Safety Data Sheet

Revised Date: 2022-10-19 00:00

Product: Crafter's Choice[™] Citrus Blend - 100% Upcycled Fragrance Oil

Page 6 of 8 Print Date: 2022-11-02 13:07

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

vw.WholesaleSuppliesPlus.com			
Auto flammability:	Not determined		
Explosive Properties:	None Expected		
Oxidizing properties:	None Expected		
Vapor Pressure (mmHg@20 C):	0.5450		
%VOC:	55.67		
Specific Gravity @ 25 C:	Not determined		
Density (g/mL) @ 25 C:	Not determined		
Refractive Index @ 20 C:	Not determined		
Soluble in:	Oil		

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4292.2376) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4489.0093) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 87.8155) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-10-19 00:00

Crafter's Choice[™] Citrus Blend - 100% Product: Upcycled Fragrance Oil

Page 7 of 8 Print Date: 2022-11-02 13:07

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

12. Ecological Ir	nformation		
12.1 Toxicity			
Acute acquatic toxicity		Very Toxic to aquatic life	
Chronic acquatic toxici	ty	Toxic to aquatic life with long lasting effects	
Toxicity Data on soil		no data available	
Toxicity on other organ	isms	no data available	
12.2 Persistence and de	egradability	no data available	
12.3 Bioaccumulative p	otential	no data available	

12.4 Mobility in soil

12.5 Other adverse effects

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

no data available

no data available

14. **Transport Information**

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 5989-27-5 : (50 - 60 %) : Limonene				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Roa	ıd/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	i	9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.	i	9	111		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.	i	9	III		UN3082

15. Regulatory Information	
U.S. Federal Regulations	
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains NO components of concern.
U.S. State Regulations	
California Proposition 65 Warning	This product contains the following components:

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-10-19 00:00

Crafter's Choice[™] Citrus Blend - 100% Product: Upcycled Fragrance Oil

components are NOT on the List:

Propyl-benzodioxepin-3-one, 7-

Page 8 of 8 Print Date: 2022-11-02 13:07

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

400 0F 0/NF 004 000 F

www.wnoicoulcoupplico	145.0011		
123-35-3(NF	204-622-5	0.1 - 1.0 %	beta-Myrcene (Natural Source)
140-67-0	205-427-8	<= 2 ppm	Estragole (Methyl chavicol) (Natural Source)
89-82-7	201-943-2	<= 1 ppm	Pulegone (Natural Source)
Canadian Regulations			

DSL

207228-93-1 428-930-6 0.01 - 0.1%

Other Information 16.

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H314 : Causes severe skin burns and eye damage
- H317 : May cause an allergic skin reaction
- H320 : Causes eye irritation
- H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (56.94) Acute Toxicity Inhalation, Category 5 (39.16) Aquatic Chronic Toxicity, Category 3 (14.00) Sensitization, Skin, Category 1A (8.73) Skin Corrosion/Irritation, Category 3 (5.56) Aspiration Hazard, Category 1 (2.96) Aquatic Chronic Toxicity, Category 4 (2.44) Aquatic Acute Toxicity, Category 1 (1.11) Acute Toxicity Dermal, Category 5

H302 : Harmful if swallowed H316 : Causes mild skin irritation H318 : Causes serious eye damage H401 : Toxic to aquatic life H410 : Very toxic to aquatic life with long lasting effects

99.72% of the components are listed or exempt. The following

(TFV) Risk

- (52.35) Sensitization, Skin, Category 1B
- (14.00) Sensitization, Skin, Category 1
- (10.00) Reproductive Toxicity, Category 2
- (8.65) Skin Corrosion/Irritation, Category 2
- (3.70) Aquatic Chronic Toxicity, Category 2
- (2.62) Eye Damage/Eye Irritation, Category 2A
- (1.16) Acute Toxicity Oral, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.