



Revised Date: 2023-02-07 00:00

Crafter's Choice™ Double Bubble Gum -Sweetened Flavor Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 1 of 8 Print Date: 2023-05-05

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Double Bubble Gum - Sweetened Flavor Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Product:

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 3 H226 : Flammable liquid and vapour Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 2 H401 : Toxic to aquatic life

Aquatic Chronic Toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 3 H226 : Flammable liquid and vapour

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [] ACGIH [] IARC [X] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms





Revised Date: 2023-02-07 00:00

Crafter's Choice™ Double Bubble Gum -Product:

Sweetened Flavor Oil 7820 E Pleasant Valley Road

Page 2 of 8 Print Date: 2023-05-05



(800) 359-0944

Independence, OH 44131





Signal Word: Danger

Hazard statements

H226	Flammable liquid and vapour
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P233	Keep container tightly closed			
P235	Keep cool			
P240	Ground/bond container and receiving equipment			
P241	Use explosion-proof electrical/ventilating/light//equipment			
P242	Use only non-sparking tools			
P243	Take precautionary measures against static discharge			
P264	Wash hands thoroughly after handling			
P272	Contaminated work clothing should not be allowed out of the workplace			
P273	Avoid release to the environment			
Response:				
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting			
P302 + P352	IF ON SKIN: Wash with soap and water			
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower			
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell			
P312	Call a POISON CENTER or doctor/physician if you feel unwell			
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention			
P352	Wash with soap and water			
P362	Take off contaminated clothing and wash before reuse			
P363	Wash contaminated clothing before reuse			
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use			

a direct water jet on burning material

2.3 Other Hazards

no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice™ Double Bubble Gum - Sweetened Flavor Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 3 of 8 Print Date: 2023-05-05

3. Composition/Information on Ingredients

Product:

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification			
5989-27-5	227-813-5	10 - 20 %	H226; H304; H315; H317; H400; H412			
Limonene						
123-92-2	204-662-3	5 - 10 %	H226; H402			
Isoamyl acetate						
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411			
Benzyl Benzoate						
121-33-5	204-465-2	2 - 5 %	H303; H313; H319; H402			
vanillin						
105-54-4	203-306-4	2 - 5 %	H226; H319			
Ethyl butyrate						
142-92-7	205-572-7	1 - 2 %	H226; H316; H401; H411			
Hexyl acetate						
110-19-0	203-745-1	1 - 2 %	H225; H336; H402			
Isobutyl acetate (iso-Butyl acetate)						
5392-40-5	226-394-6	1 - 2 %	H313; H315; H317; H319; H401			
Citral						
106-32-1	203-385-5	1 - 2 %	H227; H401; H411			
Ethyl octanoate						
6485-40-1	229-352-5	0.1 - 1.0 %	H227; H303; H313; H317; H401			
I-Carvone						
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402			
Linalool						
Son Soction 1	See Section 16 for full toxt of CHS classification codes					

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 15.94

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

SDS v1 GHS / OSHA



Safety Data Sheet

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Double Bubble Gum Sweetened Flavor Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 4 of 8 Print Date: 2023-05-05

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Double Bubble Gum - Sweetened Flavor Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 8 Print Date: 2023-05-05

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

 110-19-0
 Isobutyl acetate (iso-Butyl acetate)
 150
 150

 123-92-2
 Isoamyl acetate
 50
 100
 100

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow (G4-6)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

111 F (43.89 C)

Auto flammability:

Not determined

Not determined

Not determined

Not determined

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 1.8020

 %VOC:
 29.70

 Specific Gravity @ 25 C:
 1.0140

 Density (g/mL) @ 25 C:
 1.0110

 Refractive Index @ 20 C:
 1.4670

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Double Bubble Gum Sweetened Flavor Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 6 of 8 Print Date: 2023-05-05

10.4 Conditions to avoidNone known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4776.8851) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3462.8286) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 134.3319) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Not classified - the classification criteria are not met
Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Toxic to aquatic life

Chronic acquatic toxicity Harmful to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice™ Double Bubble Gum -Sweetened Flavor Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 7 of 8 Print Date: 2023-05-05

14. Transport Information

Marine Pollutant No

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Product:

Chemicals NOI

ADR/RID (International Road/Rail) Not Regulated - Not Dangerous Goods

Chemicals NOI IATA (Air Cargo)

Perfumery Products 3 III Flammable Liquid UN1266

IMDG (Sea)

Perfumery Products 3 III Flammable Liquid UN1266

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

123-92-2 204-662-3 5 - 10 % Isoamyl acetate

110-19-0 203-745-1 1 - 2 % Isobutyl acetate (iso-Butyl acetate)

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H225 : Highly flammable liquid and vapor H227 : Combustible liquid

H302 : Harmful if swallowed
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation
H336 : May cause drowsiness or dizziness
H400 : Very Toxic to aquatic life

H402 : Harmful to aquatic life H411 : Toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(37.22) Acute Toxicity Inhalation, Category 5 (15.48) Sensitization, Skin, Category 1B

(10.81) Sensitization, Skin, Category 1 (10.81) Sensitization, Skin, Category 1A

(7.78) Aquatic Acute Toxicity, Category 2 (3.40) Aquatic Chronic Toxicity, Category 3

(1.96) Skin Corrosion/Irritation, Category 3 (1.78) Skin Corrosion/Irritation, Category 2

(1.59) Aspiration Hazard, Category 1 (1.44) Acute Toxicity Dermal, Category 5

(1.05) Acute Toxicity Oral, Category 5



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice™ Double Bubble Gum - Sweetened Flavor Oil

Page 8 of 8 Print Date: 2023-05-05

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.