

SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: Rustic Escentuals[™] Driftwood & Sea Salt

Fragrance Oil

Page 1 of 8 Print Date: 2023-08-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Rustic Escentuals[™] Driftwood & Sea Salt Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

Reproductive Toxicity, Category 2

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed		
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin		
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation		
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction		
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled		
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life		
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects		
Classification OSHA (Provisions 1910.1200 of title 29)			
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation		
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction		

H361 : Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



	-	.
Safety	Data	Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: Rustic Escentuals[™] Driftwood & Sea Salt

Fragrance Oil

Page 2 of 8 Print Date: 2023-08-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com





Signal Word: Warning

Hazard statements

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wash hands thoroughly after handling
Contaminated work clothing should not be allowed out of the workplace
Avoid release to the environment
Use personal protective equipment as required
IF ON SKIN: Wash with soap and water
IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
IF exposed or concerned: Get medical advice/attention
Call a POISON CENTER or doctor/physician if you feel unwell
If skin irritation or a rash occurs: Get medical advice/attention
Take off contaminated clothing and wash before reuse
Wash contaminated clothing before reuse

P391 2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

Collect Spillage

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS#	EC#	Conc.	
Ingredient	EC#	Range	GHS Classification



(800) 359-0944

7820 E Pleasant Valley Road

Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: Rustic Escentuals[™] Driftwood & Sea Salt

Fragrance Oil

Page 3 of 8 Print Date: 2023-08-17

CAS# Ingredient	EC#	Conc. Range	GHS Classification
-		-	
01-86-0	202-983-3	20 - 30 %	H303; H316; H317; H400; H411
Hexyl cin	namal		
54464-57-2	259-174-3	10 - 20 %	H315; H317; H401; H411
Tetramet	hyl Acetyloctahy	rdronaphthalenes	3
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411
Benzyl Be	enzoate		
222-05-5	214-946-9	5 - 10 %	H316; H400; H410
Hexamet	hylindanopyran		
32210-23-4	250-954-9	5 - 10 %	H303; H317; H401
4-tert-But	tylcyclohexyl ace	etate	
05-95-3	203-347-8	2 - 5 %	H401
Ethylene	brassylate		
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402
Linalyl Ac	cetate		
03-60-6	203-127-1	2 - 5 %	H316
2-Phenox	yethyl isobutyra	te	
2388-55-9	251-020-3	2 - 5 %	H303; H317; H400; H410
Acetyl ce	drene		
989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H412
Limonene		/ .	
28219-61-6	248-908-8	1 - 2 %	H315; H319; H401; H411
	ethylcyclopente		
6306-87-3	252-961-2	1 - 2 %	H315; H401; H411
		ioxyvinyl cyclohe	
27-51-5	204-846-3	1 - 2 %	H316; H317; H320; H401; H411
	hyl ionone	1 2 70	
9870-74-7	243-384-7	1 - 2 %	H317; H400; H410
	ethyl ether	1 2 70	
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
	201-134-4	0.1 - 1.0 /0	11227, 11303, 11313, 11317, 11313, 11402
Linalool 30-56-8	201 201 0	01 100/	L226. L202. L204. L215. L217. L400.
	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
pinene	000 704 0	04 4000	
9-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-1			
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pine			
see Section 1	16 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 2.14



SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: Rustic Escentuals[™] Driftwood & Sea Salt Fragrance Oil

Page 4 of 8 Print Date: 2023-08-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

4. First Aid Measures 4.1 Description of first aid meas			
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion: Rinse mouth with water and obtain medical advice.			
4.2 Most important symptoms and effects, both acute and delayed			
Symptoms: no data available			
Risks: Refer to Section 2.2 "Hazard Statements"			
4.3 Indication of any immediate	medical attention and special treatment needed		
Treatment:	Refer to Section 2.2 "Response"		
5. Fire-Fighting meas	ures		
5.1 Extinguishing media			
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam		
Unsuitable Do not use a direct water jet on burning material			
5.2 Special hazards arising fron	n the substance or mixture		

During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: Rustic Escentuals[™] Driftwood & Sea Salt Fragrance Oil

Page 5 of 8 Print Date: 2023-08-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Lir	nits:	
Component		ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
80-56-8	pinene	20
127-91-3	beta Pinene	20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Pale Yellow (G2) to Greenish Yellow (G6)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0300
%VOC:	2.22
Specific Gravity @ 25 C:	0.9560



SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: Rustic Escentuals[™] Driftwood & Sea Salt Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 6 of 8 Print Date: 2023-08-17

www.WholesaleSuppliesPlus.com		
Density (g/mL) @ 25 C:	0.9530	
Refractive Index @ 20 C:	1.4990	
Soluble in:	Oil	

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3916.4861) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4342.9824) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 30.9331) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability

no data available



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Rustic Escentuals[™] Driftwood & Sea Salt Product:

TREASE TRAASE TR	Fragrance Oil	Page 7 of 8 Print Date: 2023-08-17
12.3 Bioaccumulative potenti	al no data available	
12.4 Mobility in soil	no data available	
12.5 Other adverse effects	no data available	

Disposal Conditions 13.

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. **Transport Information**

Marine Pollutant	Yes. Ingredient o 101-86-0 : (20 - 3	0			
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	Goods	
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					
IATA (Air Cargo)					
Environmentally Hazardous		9	111		UN3082
Substance, Liquid, n.o.s.					
IMDG (Sea)					
Environmentally Hazardous		9	111		UN3082
Substance, Liquid, n.o.s.					

15. Regulatory Information	
U.S. Federal Regulations	
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains the following components:
1222-05-5 214-946-9 5 - 10 %	Hexamethylindanopyran
U.S. State Regulations	
California Proposition 65 Warning	This product contains the following components:
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (Natural Source)
Canadian Regulations	
DSL	100.00% of the components are listed or exempt.The following components are NOT on the List:
815580-59-7 453-570-1 <= 2 ppm	3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester



SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: Rustic Escentuals[™] Driftwood & Sea Salt Fragrance Oil

Page 8 of 8 Print Date: 2023-08-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H302 : Harmful if swallowed
- H316 : Causes mild skin irritation
- H319 : Causes serious eye irritation
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(161.64) Acute Toxicity Inhalation, Category 5
(20.00) Sensitization, Skin, Category 1B
(5.14) Aquatic Chronic Toxicity, Category 2
(2.19) Aquatic Chronic Toxicity, Category 4
(1.43) Aquatic Acute Toxicity, Category 1
(1.15) Acute Toxicity Dermal, Category 5

- H227 : Combustible liquid
 H304 : May be fatal if swallowed and enters airways
 H317 : May cause an allergic skin reaction
 H320 : Causes eye irritation
 H402 : Harmful to aquatic life
 H412 : Harmful to aquatic life with long lasting effects
- (TFV) Risk
- (51.51) Aquatic Chronic Toxicity, Category 3
- (5.24) Skin Corrosion/Irritation, Category 3
- (2.36) Skin Corrosion/Irritation, Category 2
- (1.56) Reproductive Toxicity, Category 2
- (1.28) Acute Toxicity Oral, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.