

SDS v1 GHS / OSHA

Revised Date: 2017-08-07 00:00

Page 1 of 7 Print Date: 2024-06-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# Product: Crafter's Choice™ FO & EO Modifier

## Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade Name:** Crafter's Choice™ FO & EO Modifier

## 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

## 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

**+1 813 248-0585** International

#### 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

## Classification according to GHS

Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Eye Damage/Eye Irritation, Category 1 H318 : Causes serious eye damage Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

#### Classification OSHA (Provisions 1910.1200 of title 29)

Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Eye Damage/Eye Irritation, Category 1 H318 : Causes serious eye damage

#### Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)

**Hazard pictograms** 





Signal Word: Danger Hazard statements



SDS v1 GHS / OSHA

Revised Date: 2017-08-07 00:00

Page 2 of 7

Print Date: 2024-06-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice<sup>TM</sup> FO & EO Modifier

H302	Harmful if swallowed
H315	Causes skin irritation

H318 Causes serious eye damage H333 May be harmful if inhaled

## **Precautionary Statements**

**Prevention:** 

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this product

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse

mouth

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P310 Immediately call a POISON CENTER or doctor/physician
P332 + P313 If skin irritation occurs: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

#### 2.3 Other Hazards

no data available

## Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
68131-40-8	614-295-4	> 80 %	H302; H312; H315; H318; H332	
C11-15 Sec-Pareth-12				
25322-68-3	500-038-2	2 - 5 %	H335	
Polyethyle	ene Glycol			
			_	

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.00

## 4. First Aid Measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.



SDS v1 GHS / OSHA

Revised Date: 2017-08-07 00:00

Product: Crafter's Choice™ FO & EO Modifier

Page 3 of 7 Print Date: 2024-06-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

## 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable** Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

## 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

## 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

## 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific end uses

No information available



SDS v1 GHS / OSHA

Revised Date: 2017-08-07 00:00

Page 4 of 7

Print Date: 2024-06-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Modifier

Crafter's Choice™ FO & EO

#### **Exposure Controls/Personal Protection** 8.

#### 8.1 Control parameters

**Exposure Limits:** 

ACGIH ACGIH **OSHA OSHA** Component TWA ppm STEL ppm TWA ppm STEL ppm

25322-68-3 Polyethylene Glycol 10

**Engineering Controls:** Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

## **Physical and Chemical Properties**

## 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Colorless to Yellow Tint (G0-1)

Viscosity: Liquid

Not determined **Freezing Point: Boiling Point:** Not determined **Melting Point:** Not determined Flashpoint (CCCFP): >200 F (93.33 C) Auto flammability: Not determined **Explosive Properties:** None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.0090 %VOC: 0.00 Specific Gravity @ 25 C: 1.0045 Density (g/mL) @ 25 C: 1.0015 Refractive Index @ 20 C: 1.4590 Soluble in: Water

#### 10. **Stability and Reactivity**

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known



Product: Crafter's Choice<sup>TM</sup> FO & EO Modifier

SDS v1 GHS / OSHA

Revised Date: 2017-08-07 00:00

Page 5 of 7 Print Date: 2024-06-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

## 11. Toxicological Information

## 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 425.5319) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 504.0322) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye damage

Respiratory sensitization

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

## 12. Ecological Information

### 12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Not classified - the classification criteria are not met

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

## 13. Disposal Conditions

## 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company.



(800) 359-0944

7820 E Pleasant Valley Road Independence, OH 44131

www.WholesaleSuppliesPlus.com

**Safety Data Sheet** 

Crafter's Choice™ FO & EO Modifier SDS v1 GHS / OSHA

Revised Date: 2017-08-07 00:00

Page 6 of 7

Print Date: 2024-06-26

## 14. Transport Information

Marine Pollutant No

Regulator Class Pack Group Sub Risk UN-nr.

**U.S. DOT (Non-Bulk)**Not Regulated - Not Dangerous Goods

Product:

Chemicals NOI

ADR/RID (International Road/Rail) Not Regulated - Not Dangerous Goods

Chemicals NOI

IATA (Air Cargo) Not Regulated - Not Dangerous Goods

Chemicals NOI

IMDG (Sea) Not Regulated - Not Dangerous Goods

Chemicals NOI

## 15. Regulatory Information

**U.S. Federal Regulations** 

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

**U.S. State Regulations** 

California Proposition 65 Warning No Warning required

**Canadian Regulations** 

**DSL** 100.00% of the components are listed or exempt.

## 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

H312 : Harmful in contact with skin H332 : Harmful if inhaled

H335: May cause respiratory irritation

## **Total Fractional Values**

(TFV) Risk (TFV) Risk

(97.00) Eye Damage/Eye Irritation, Category 2
(32.33) Eye Damage/Eye Irritation, Category 1
(9.70) Skin Corrosion/Irritation, Category 2
(9.70) Skin Corrosion/Irritation, Category 3

(4.70) Acute Toxicity Oral, Category 4

## Department issuing data sheet:

Department E-mail address:



Product: Crafter's Choice<sup>TM</sup> FO & EO Modifier

SDS v1 GHS / OSHA

Revised Date: 2017-08-07 00:00

Page 7 of 7 Print Date: 2024-06-26

## (800) 359-0944 www.WholesaleSuppliesPlus.com

Independence, OH 44131

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.