

acc. to 29 CFR 1910.1200 App D

# Rustic Escentuals<sup>™</sup> Flannel Sheets Fragrance Oil

Date of compilation: 2021-04-16

# **SECTION 1: Identification**

**1.1 Product identifier** Trade name:

Rustic Escentuals<sup>™</sup> Flannel Sheets Fragrance Oil

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

General use

#### 1.3 Details of the supplier of the safety data sheet IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# 1.4 Emergency telephone number

Emergency information service

(800) 255 – 3924 | Domestic USA, Canada, Puerto Rico, and US Virgin Islands +1 813 – 248 – 0585 | International

# SECTION 2: Hazard(s) identification

## 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
A.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

## 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning
- Pictograms

GHS07





acc. to 29 CFR 1910.1200 App D

# Rustic Escentuals<sup>™</sup> Flannel Sheets Fragrance Oil

Date of compilation: 2021-04-16

- Hazard stateme	nts
H317	May cause an allergic skin reaction.
- Precautionary st	tatements
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P321	Specific treatment (see on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container to industrial combustion plant.

## 2.3 Other hazards

of no significance

# **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Not relevant (mixture)

## 3.2 Mixtures

Description of the mixture

IUPAC name	Identifier	Wt%	Classification acc. to GHS
2-methyl-3-[4-(propan-2-yl)phenyl]propanal	CAS No 103-95-7	1 - < 5	Flam. Liq. 4 / H227
2,6-dimethyloct-7-en-2-ol	CAS No 18479-58-8	1 - < 5	Flam. Liq. 4 / H227
(4R)-1-methyl-4-(prop-1-en-2-yl)cyclohex-1-ene	CAS No 5989-27-5	1-<5	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Flam. Liq. 3 / H226
3,7-dimethylocta-1,6-dien-3-ol	CAS No 78-70-6	<1	Skin Sens. 1B / H317 Flam. Liq. 4 / H227
2,6-dimethylphenol	CAS No 93-04-9 576-26-1	< 1	Acute Tox. 4 / H302 Acute Tox. 3 / H311 Skin Corr. 1B / H314

For full text of abbreviations: see SECTION 16.



acc. to 29 CFR 1910.1200 App D

# Rustic Escentuals<sup>™</sup> Flannel Sheets Fragrance Oil

Date of compilation: 2021-04-16

## **SECTION 4: First-aid measures**

#### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

# 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



acc. to 29 CFR 1910.1200 App D

# Rustic Escentuals<sup>™</sup> Flannel Sheets Fragrance Oil

Date of compilation: 2021-04-16

# SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Remove persons to safety.

#### For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

#### Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

#### Appropriate containment techniques

Use of adsorbent materials.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

#### Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### - Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.



acc. to 29 CFR 1910.1200 App D

# Rustic Escentuals<sup>™</sup> Flannel Sheets Fragrance Oil

Date of compilation: 2021-04-16

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of sub- stance	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Nota- tion	Source
US	ethanoic acid phenylmethyl ester		PEL (CA)	10	61						Cal/ OSHA PEL
US	ethanoic acid phenylmethyl ester	140-11-4	TLV®	10							ACGIH® 2019
US	2,6-dimethylphenol	576-26-1	TLV®	1						iv	ACGIH® 2019

#### Notation

 Ceiling-C
 ceiling value is a limit value above which exposure should not occur

 iv
 inhalable fraction and vapor

 STEL
 short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

 TWA
 time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



acc. to 29 CFR 1910.1200 App D

# Rustic Escentuals™ Flannel Sheets Fragrance Oil

Date of compilation: 2021-04-16

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

## Appearance

Physical state	liquid	
Color	VERY PALE YELLOW	
Odor	Comparable to standard	

## Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	363.2 °F at 100.3 kPa
Flash point	201 °F
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)

## Explosive limits

- Lower explosion limit (LEL)	0.3 vol%			
- Upper explosion limit (UEL)	1.6 vol%			
Vapor pressure	200 Pa at 298 K			
Density	0.9312 <sup>g</sup> / <sub>ml</sub> at 25 °C			
Vapor density	this information is not available			
Solubility(ies)	not determined			
Partition coefficient				
- n-octanol/water (log KOW)	this information is not available			



acc. to 29 CFR 1910.1200 App D

# Rustic Escentuals<sup>™</sup> Flannel Sheets Fragrance Oil

Date of compilation: 2021-04-16

Auto-ignition temperature	464 °F (auto-ignition temperature (liquids and gases))
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

#### 9.2 Other information

Solvent content	97.69 %
Solid content	2.309 %
Temperature class (USA, acc. to NEC 500)	T2C (maximum permissible surface temperature on the equip- ment: 230°C)

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidizers

#### **10.6 Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).



Rustic

acc. to 29 CFR 1910.1200 App D

# Rustic Escentuals<sup>™</sup> Flannel Sheets Fragrance Oil

Date of compilation: 2021-04-16

## Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

# 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.



acc. to 29 CFR 1910.1200 App D

# Rustic Escentuals<sup>™</sup> Flannel Sheets Fragrance Oil

Date of compilation: 2021-04-16

### 12.6 Endocrine disrupting properties

Information on this property is not available.

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECT	ION 14: Transport information	
14.1	UN number	
	DOT	UN 3082
	IMDG-Code	UN 3082
	ICAO-TI	UN 3082
14.2	UN proper shipping name	
	DOT	Environmentally hazardous substance, liquid, n.o.s.
	IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI- QUID, N.O.S.
	ICAO-TI	Environmentally hazardous substance, liquid, n.o.s.
	Technical name (hazardous ingredients)	DIISODECYL PHTHALATE (DIDP), METHYL IONONE GAMMA SUPREME
14.3	Transport hazard class(es)	
	DOT	9
	IMDG-Code	9
	ICAO-TI	9
14.4	Packing group	
	DOT	III
	IMDG-Code	III
	ICAO-TI	III



14.5

# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

# Rustic Escentuals<sup>™</sup> Flannel Sheets Fragrance Oil

Date of compilation: 2021-04-16

**Environmental hazards** Environmentally hazardous substance (aquatic environment)

**14.6** Special precautions for user There is no additional information.

# 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

# Information for each of the UN Model Regulations

# Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration

Reportable quantity (RQ)

Danger label(s)

Environmental hazards Special provisions (SP) ERG No UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: DIISODECYL PHTHALATE (DIDP), METHYL IONONE GAMMA SUPREME), 9, III

23,809,523,809,524 lbs (10,809,523,809,524 kg) (BUTYRIC ACID)

Yes (hazardous to the aquatic environment) (DIISODECYL PHTHAL-

9, fish and tree

yes (hazardous to the aquatic environment)

8, 146, 173, 335, IB3, T4, TP1, TP29

171

ATE (DIDP))

9, fish and tree

# International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant

Danger label(s)

· ·	
Special provisions (SP)	274, 335, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	А

hazardous to the aquatic environment DIISODECYL PHTHALATE (DIDP), METHYL IONONE GAMMA SUPREME



acc. to 29 CFR 1910.1200 App D

# Rustic Escentuals™ Flannel Sheets Fragrance Oil

Date of compilation: 2021-04-16

# International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards	<b>YES</b> (hazardous to the aquatic environment)			
Danger label(s)	9, fish and tree			
Special provisions (SP)	A97, A158, A197			
Excepted quantities (EQ)	E1			
Limited quantities (LQ)	30 kg			

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations specific for the product in question

# National regulations (United States)

## Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

## **Clean Air Act**

none of the ingredients are listed

## **Right to Know Hazardous Substance List**

## - Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
(4R)-1-methyl-4-(prop-1-en-2-yl)cyclohex-1-ene	5989-27-5		EU Fragrance Allergens
2,6-dimethylphenol	105-67-9		CWA 303(c) CWA 303(d)

## - Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshold	De Minimis Concen- tration Threshold
2,6-dimethylphenol	1300-71-6				1.0 %

Rustic

acc. to 29 CFR 1910.1200 App D

# Rustic Escentuals<sup>™</sup> Flannel Sheets Fragrance Oil

Date of compilation: 2021-04-16

## - Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
(4R)-1-methyl-4-(prop-1-en-2-yl)cyclohex-1-ene	138-86-3		F2
2,6-dimethylphenol	1300-71-6		

Legend

F2 Flammable - Second Degree

### - Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
PHENOL, DIMETHYL-	1300-71-6	E

Legend E

Environmental hazard

## Industry or sector specific available guidance(s)

#### **NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

## **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	2	material that, under emergency conditions, can cause temporary incapacitation or resid- ual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		



acc. to 29 CFR 1910.1200 App D

# Rustic Escentuals<sup>™</sup> Flannel Sheets Fragrance Oil

Date of compilation: 2021-04-16

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# SECTION 16: Other information, including date of preparation or last revision

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presenta-tions/tlv-bei-position-statement
Acute Tox.	Acute toxicity
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DOT	Department of Transportation (USA)
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
IUPAC	International Union of Pure and Applied Chemistry
LHS	Lower hazard substance
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)



acc. to 29 CFR 1910.1200 App D

# Rustic Escentuals<sup>™</sup> Flannel Sheets Fragrance Oil

#### Date of compilation: 2021-04-16

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapor.
H227	Combustible liquid.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.