## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Crafter's Choice<sup>™</sup> Forest Mist Product: Fragrance Oil

Page 1 of 9 Print Date: 2023-05-08

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1. Identification of the substance/mixture and of the company/undertaking

#### Product identifier 1.1

Trade Name: Crafter's Choice<sup>™</sup> Forest Mist Fragrance Oil

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. **Hazards Identification**

#### Classification of the substance or mixture 2.1

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

0		
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed	
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin	
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation	
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction	
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation	
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled	
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life	
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects	
Classification OSHA (Provisions 1910.1200 of	title 29)	
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation	

### C

Skin Corrosion/Irritation, Category 2		
Sensitization, Skin, Category 1A		
Eye Damage/Eye Irritation, Category 2A		

- H317 : May cause an allergic skin reaction
- H319 : Causes serious eye irritation

#### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS) Hazard pictograms

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



#### Signal Word: Warning

#### Hazard statements

alu statements	
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Product:

#### **Precautionary Statements**

#### **Prevention:**

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Safety Data Sheet

**Fragrance Oil** 

Crafter's Choice<sup>™</sup> Forest Mist

#### **Response:**

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

### 2.3 Other Hazards

no data available

### 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
6259-76-3	228-408-6	20 - 30 %	H316; H317; H400; H410
Hexyl salid	cylate		

#### SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 2 of 9 Print Date: 2023-05-08

# **Crafter's**Choice<sup>®</sup>

## Safety Data Sheet

#### Crafter's Choice<sup>™</sup> Forest Mist Product: **Fragrance Oil**

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 3 of 9 Print Date: 2023-05-08

7820 E Pleasant Independence, O (800) 359-0944 www.WholesaleS	H 44131	1100000	Fragrance Oil	Page 3 of Print Date: 2023-05-
CAS# Ingredient	EC#	Conc. Range	GHS Classification	
54464-57-2	259-174-3	10 - 20 %	H315; H317; H401; H411	
	hyl Acetyloctahyd	-		
120-51-4 Benzyl Be	204-402-9 enzoate	10 - 20 %	H302; H313; H400; H411	
88-41-5	201-828-7	5 - 10 %	H227; H303; H316; H401; H411	
2-t-Butylc	yclohexyl acetate	9		
54830-99-8	259-367-2	2 - 5 %	H303; H316; H402	
Acetoxyd	ihydrodicyclopen	tadiene		
32210-23-4	250-954-9	2 - 5 %	H303; H317; H401	
4-tert-But	ylcyclohexyl ace	tate		
67634-15-5	266-819-2	2 - 5 %	H315; H317; H400; H411	
Ethyl 2,2-	dimethylhydrocir	nnamal		
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410	
Hexameti	hylindanopyran			
106-22-9	203-375-0	2 - 5 %	H303; H313; H315; H317; H319; H401	
Citronello				
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402	
Linalool				
24851-98-7	246-495-9	2 - 5 %	H402	
Methyldih	lydrojasmonate			
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411	
Hexyl cin	namal			
140-11-4	205-399-7	2 - 5 %	H303; H401; H412	
Benzyl ac	cetate			
63500-71-0	405-040-6	2 - 5 %	H319	
Isobutyl N	/lethyl Tetrahydro	opyranol		
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402	
2,6-dimet	hyloct-7-en-2-ol			
103-60-6	203-127-1	1 - 2 %	H316	
2-Phenox	yethyl isobutyrat	e		
60-12-8	200-456-2	1 - 2 %	H302; H313; H316; H319	
phenethy	l alcohol			
25225-08-5	246-735-2	1 - 2 %	H227; H316; H401; H411	
I-Cyclocit	ronellene formate	Э		
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	
Dimethylt	etrahydro Benza	ldehyde	H411	
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412	
Limonene	9			
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401	
Citral				
5462-06-6	226-749-5	0.1 - 1.0 %	H303; H317; H401	
4-Methox	y-alpha-methylbe	enzenepropanal		

# **Crafter's**Choice<sup>®</sup>

7820 E Pleasant Valley Road Independence, OH 44131

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

### Product: Crafter's Choice<sup>™</sup> Forest Mist Fragrance Oil

Page 4 of 9 Print Date: 2023-05-08

CAS# Ingredient	EC#	Conc. Range	GHS Classification
<b>106-25-2</b> Nerol	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
106-24-1 Geraniol	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
106-72-9 Dimethyl	203-427-2 Heptenal	0.1 - 1.0 %	H227; H317; H401
67633-96-9 cis-3-Hex	266-797-4 enyl methyl carl	0.1 - 1.0 % bonate	H227; H317; H401

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.75

4. First Aid Measures			
4.1 Description of first aid measures			
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion:	Rinse mouth with water and obtain medical advice.		
4.2 Most important symptoms and effects	, both acute and delayed		
Symptoms:	no data available		
Risks:	Refer to Section 2.2 "Hazard Statements"		
4.3 Indication of any immediate medical a	ttention and special treatment needed		
Treatment:	Refer to Section 2.2 "Response"		
5. Fire-Fighting measures			
5.1 Extinguishing media			
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam		
Unsuitable	Do not use a direct water jet on burning material		
5.2 Special hazards arising from the subs	tance or mixture		
During fire fighting:	Water may be ineffective		
5.3 Advice for firefighters			
Further information:	Standard procedure for chemical fires		

## **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

## Product: Crafter's Choice™ Forest Mist

Fragrance Oil

Page 5 of 9 Print Date: 2023-05-08

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Lir	nits:					
Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm	
140-11-4	Benzyl acetate	10	)			
Engineering 8.2 Exposure co	Controls: Use local exhaust as needed. Introls - Personal protective equipment					

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:LiquidOdor:Conforms to StandardColor:Colorless to Yellow Tint (G1)

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## Safety Data Sheet

Product: Crafter's Choice<sup>™</sup> Forest Mist Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 6 of 9 Print Date: 2023-05-08

ww.WholesaleSuppliesPlus.com	
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0505
%VOC:	7.04
Specific Gravity @ 25 C:	0.9860
Density (g/mL) @ 25 C:	0.9830
Refractive Index @ 20 C:	1.4960
Soluble in:	Oil

### 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

### 11. Toxicological Information

#### **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"Acute toxicity - Oral - (Rat) mg/kg(LD50: 3246.7532) May be harmful if swallowedAcute toxicity - Dermal - (Rabbit) mg/kg(LD50: 3992.8870) May be harmful in contact with skinAcute toxicity - Inhalation - (Rat) mg/L/4hr(LD50: 32.8525) May be harmful if inhaledSkin corrosion / irritationCauses skin irritation

Serious eye damage / irritation Respiratory sensitization

Skin sensitization

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

Specific target organ toxicity - single exposure

### (LD50: 3992.8870) May be harmful in contact with skir (LD50: 32.8525) May be harmful if inhaled Causes skin irritation Causes serious eye irritation Not classified - the classification criteria are not met May cause an allergic skin reaction Not classified - the classification criteria are not met Not classified - the classification criteria are not met Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

7820 E Pleasant Valley Road Independence, OH 44131

## **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

#### Crafter's Choice<sup>™</sup> Forest Mist Product: **Fragrance Oil**

Page 7 of 9 Print Date: 2023-05-08

www.WholesaleSuppliesPlus.com	
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

#### **Ecological Information** 12.

#### 12.1 Toxicity

(800) 359-0944

-	
Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

#### **Disposal Conditions** 13.

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

#### **Transport Information** 14.

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 6259-76-3 : (20 - 30 %) : Hexyl salicylate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082

nnline Dlue com

7820 E Pleasant Valley Road Independence, OH 44131

WhalaaalaCu

(800) 359-0944

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

### Product: Crafter's Choice<sup>™</sup> Forest Mist Fragrance Oil

Page 8 of 9 Print Date: 2023-05-08

www.WholesaleSuppliesPlus.com	
15. Regulatory Information	
U.S. Federal Regulations	
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains the following components:
1222-05-5 214-946-9 2 - 5 %	Hexamethylindanopyran
U.S. State Regulations	
California Proposition 65 Warning	No Warning required
Canadian Regulations	
DSL	100.00% of the components are listed or exempt.

H227 : Combustible liquid

H401 : Toxic to aquatic life

effects

H304 : May be fatal if swallowed and enters airways

H410 : Very toxic to aquatic life with long lasting

H317 : May cause an allergic skin reaction

### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid	and vapour
-------------------------	------------

- H302 : Harmful if swallowed
- H316 : Causes mild skin irritation
- H318 : Causes serious eye damage
- H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk	(TFV) Risk
(200.00) Sensitization, Skin, Category 1	(200.00) Sensitization, Skin, Category 1A
(152.20) Acute Toxicity Inhalation, Category 5	(112.45) Aquatic Chronic Toxicity, Category 3
(16.15) Sensitization, Skin, Category 1B	(11.23) Aquatic Chronic Toxicity, Category 2
(7.31) Skin Corrosion/Irritation, Category 3	(3.19) Skin Corrosion/Irritation, Category 2
(2.89) Aquatic Chronic Toxicity, Category 4	(1.75) Aquatic Acute Toxicity, Category 1
(1.65) Eye Damage/Eye Irritation, Category 2A	(1.54) Acute Toxicity Oral, Category 5

### Department issuing data sheet:

(1.25) Acute Toxicity Dermal, Category 5

#### Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.



7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## Safety Data Sheet

Product: Crafter's Choice<sup>™</sup> Forest Mist Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 9 of 9 Print Date: 2023-05-08