

acc. To 29 CFR 1910.1200 App D

Rustic Escentuals™ Fragrant Room & Body Spray

Version number GHS 1.0 Date of revision: 2023-02-28

SECTION 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Trade Name Rustic Escentuals™ Fragrant Room & Body Spray

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Relevant identified uses General use

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Rd Independence, OH 44131

1-800-359-0944

www.WholesaleSuppliesPlus.com

1.4 EMERGENCY TELEPHONE NUMBER

Emergency information service 800-255-3924 | Domestic USA, Canada, Puerto Rico, US Virgin Islands

+1 813-248-0585 | International

SECTION 2: HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard Class	Category	Hazard Class & Category	Hazard Statement
B.6	Flammable Liquid	2	Flam. Liq. 2	H225

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health, and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 LABEL ELEMENTS

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Signal word Danger Pictograms GHS02



Hazard statements

H225 Highly flammable liquid and vapor.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

Page: 1/12



acc. To 29 CFR 1910.1200 App D

Rustic Escentuals™ Fragrant Room & Body Spray

Version number GHS 1.0 Date of revision: 2023-02-28

P240 Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. P241 Use only non-sparking tools. P242 Take precautionary measures against static discharge. P243 P280 Wear protective gloves/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with P303+P361+P353

water/shower.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

Dispose of contents/container to industrial combustion plant. P501

2.3 OTHER HAZARDS

Results of PBT and vPvB assessment Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$. Endocrine disrupting properties Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

3.1 SUBSTANCES

Not relevant (mixture)

3.2 MIXTURES

Description of the mixture

IUPAC Name	CAS No.	Wt%	Classification (GHS)
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	64-17-5 64742-48-9	50 - <75	Flam. Liq. 3 / H226 HNOC002
Propane-1,2,3-triol	56-81-5	<1	Acute Tox. 2 / H300

4.1 DESCRIPTION OF FIRST-AID MEASURES

General notes Do not leave affected person unattended. Remove victim out of the danger area. Keep

> affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness

place person in the recovery position. Never give anything by mouth.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid Following inhalation

actions. Provide fresh air.

Following skin contact Wash with plenty of soap and water.

Following eye contact Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with

clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Symptoms and effects are not known to date.

Page: 2/12



acc. To 29 CFR 1910.1200 App D

Rustic Escentuals™ Fragrant Room & Body Spray

Version number GHS 1.0 Date of revision: 2023-02-28

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

None

SECTION 5: FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Suitable extinguishing media Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media Water jet

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 ADVICE FOR FIREFIGHTERS

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

For non-emergency personnel Remove persons to safety.

For emergency responders Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 ENVIRONMENTAL PRECAUTIONS

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Advice on how to contain a spill Covering of drains

Advice on how to clean up a spill Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur

(diatomite), sand, universal binder

Appropriate containment techniques

Other information relating to spills and Place in appropriate containers for disposal. Ventilate affected area.

Use of adsorbent materials.

releases

6.4 REFERENCE TO OTHER SECTIONS

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: HANDLING AND STORAGE

Page: 3/12



acc. To 29 CFR 1910.1200 App D

Rustic Escentuals™ Fragrant Room & Body Spray

Version number GHS 1.0 Date of revision: 2023-02-28

7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

Specific notes/details

Places which are not ventilated, e.g., unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Managing of associated risks

Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Control of the effects

Protect against external exposure, such as frost

Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

Packaging compatibilities

Only packagings which are approved (e.g., acc. to the Dangerous Goods Regulations) may be used

7.3 SPECIFIC END USE(S)

See section 16 for a general overview.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of substance	CAS No	Identifier	TWA (ppm)	TWA (mg/m³)	STEL (ppm)	STEL (mg/m³)	Ceiling-C (ppm)	Ceiling-C (mg/m³)	Notation	Source
US	propane-1,2,3-triol	56-81-5	REL							Mist, appx-D	NIOSH REL
US	propane-1,2,3-triol	56-81-5	PEL		15					Mist, I	29 CFR 1910.1000

Page: 4/12



acc. To 29 CFR 1910.1200 App D

Rustic Escentuals™ Fragrant Room & Body Spray

Version number GHS 1.0 Date of revision: 2023-02-28

US	propane-1,2,3-triol	56-81-5	PEL		5		Mist, r	29 CFR 1910.1000
US	Ethanol	64-17-5	TLV®			1,000		ACGIH® 2022
US	Ethanol	64-17-5	REL	1,000 (10 h)	1,900 (10 h)			NIOSH REL
US	Ethanol	64-17-5	PEL (CA)	1,000	1,900			Cal/OSHA PEL

8.2 EXPOSURE CONTROLS

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Liquid

Color Very Pale Yellow
Particle Not relevant (liquid)
Odor Comparable to standard

Other safety parameters

pH (value) Not determined Melting point/freezing point Not determined Initial boiling point and boiling range 311 °F at 1 atm

Flash point 55 °F

Evaporation rate Not determined Flammability (solid, gas) Not relevant (fluid)

Explosive Limits

Page: 5/12



acc. To 29 CFR 1910.1200 App D

Rustic Escentuals™ Fragrant Room & Body Spray

Version number GHS 1.0 Date of revision: 2023-02-28

Lower explosion limit (LEL) 2.5 vol% Upper explosion limit (UEL) 13.5 vol%

Vapor pressure 169.3 hPa at 25 $^{\circ}$ C Density 0.8531 g/mL at 25 $^{\circ}$ C

Vapor density This information is not available

Solubility(ies) Not determined

Partition coefficient

n-octanol/water (log KOW) This information is not available

Auto-ignition temperature >392 °F (auto-ignition temperature (liquids and gases))

Viscosity Not determined

Explosive properties None
Oxidizing properties None

9.2 OTHER INFORMATION

Solvent content: 99.5 % Solid content: 0.5 %

Temperature class (USA, acc. to NEC 500)

T3 (maximum permissible surface temperature on the equipment: 200°C)

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated Risk of ignition

10.2 CHEMICAL STABILITY

See below "Conditions to avoid."

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No known hazardous reactions.

10.4 CONDITIONS TO AVOID

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

10.5 INCOMPATIBLE MATERIALS

Oxidizers

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion product: see section 5.



acc. To 29 CFR 1910.1200 App D

Rustic Escentuals™ Fragrant Room & Body Spray

Version number GHS 1.0 Date of revision: 2023-02-28

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity Shall not be classified as acutely toxic.

Skin corrosion/irritation Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation Shall not be classified as seriously damaging to the eye or eye irritant

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Shall not be classified as germ cell mutagenic.

Carcinogenicity Shall not be classified as carcinogenic.

Reproductive toxicity Shall not be classified as a reproductive toxicant.

Specific target organ toxicity – single

exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity – repeated

exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard Shall not be classified as presenting an aspiration hazard.

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY

Harmful to aquatic life with long lasting effects.

12.2 PERSISTENCE AND DEGRADABILITY

Data is not available.

12.3 BIOACCUMULATIVE POTENTIAL

Data is not available.

12.4 MOBILITY IN SOIL

Data is not available.

12.5 RESULTS OF PBT AND VPVB ASSESSMENT

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 ENDOCRINE DISRUPTING PROPERTIES

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

12.7 OTHER ADVERSE EFFECTS

Data is not available.

SECTION 13: DISPOSAL CONSIDERATIONS



acc. To 29 CFR 1910.1200 App D

Rustic Escentuals™ Fragrant Room & Body Spray

Version number GHS 1.0 Date of revision: 2023-02-28

13.1 WASTE TREATMENT METHODS

Waste treatment-relevant information Solvent reclamation/regeneration.

Sewage disposal-relevant information Do not empty into drains. Avoid release to the environment. Refer to special

instructions/safety data sheets.

Waste treatment of containers/packages Only packagings which are approved (e.g., acc. to DOT) may be used. Completely emptied

packages can be recycled. Handle contaminated packages in the same way as the substance

itself.

Remarks Please consider the relevant national or regional provisions. Waste shall be separated into

categories that can be handled separately by the local or national waste management facilities.

SECTION 14: TRANSPORT INFORMATION

14.1 UN NUMBER

DOT UN 1170
IMDG-Code UN 1170
ICAO-TI UN 1170

14.2 UN PROPER SHIPPING NAME

DOT Ethanol IMDG-Code ETHANOL ICAO-TI Ethanol

14.3 TRANSPORT HAZARD CLASS(ES)

DOT 3
IMDG-Code 3
ICAO-TI 3

14.4 PACKING GROUP

DOT II
IMDG-Code II
ICAO-TI II

14.5 ENVIRONMENTAL HAZARDS

Non-environmentally hazardous acc. to the dangerous goods regulations

14.6 SPECIAL PRECAUTIONS FOR USER

There is no additional information.

14.7 TRANSPORT IN BULK ACCORDING TO IMO INSTRUMENTS

The cargo is not intended to be carried in bulk.

14.7.1 TRANSPORT OF DANGEROUS GOODS BY ROAD OR RAIL (49 CFR US DOT) - ADDITIONAL INFORMATION

Particulars in the shipper's declaration UN1170, Ethanol, 3, II

Page: 8/12



acc. To 29 CFR 1910.1200 App D

Rustic Escentuals™ Fragrant Room & Body Spray

Version number GHS 1.0 Date of revision: 2023-02-28

Danger label(s)

Special provisions (SP) 24, IB2, T4, TP1

ERG No 127

14.7.2 INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG) - ADDITIONAL INFORMATION

Marine pollutant Danger label(s) 3
Special provisions (SP) 144
Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
EmS F-E, S-D
Stowage category A

14.7.3 INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO-IATA/DGR) - ADDITIONAL INFORMATION

Danger label(s)

Special provisions (SP) A3, A58, A180

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT IN QUESTION

15.1.1 NATIONAL REGULATIONS (UNITED STATES)

Toxic Substance Control Act (TSCA)

All ingredients are listed as "ACTIVE"

Superfund Amendment and Reauthorization Act (SARA TITLE III)

None of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

None of the ingredients are listed

Clean Air Act

None of the ingredients are listed

Right to Know Hazardous Substance List

Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of Substance	CAS No	Functionality	Authoritative Lists
Ethanol	64742.48.0		Canada PBiTs
Ethanor	64742-48-9		EC Annex VI CMRs - Cat. 1B

Toxic or Hazardous Substance List (CA-RTK)

None of the ingredients are listed

Hazardous Substances List (MN-ERTK)

Name of Substance	CAS No	References	Remarks
Alcohol 40B	64-17-5	A , O	

Hazardous Substance List (NJ-RTK)

Name of Substance CAS No References	s Remarks
-------------------------------------	-----------



acc. To 29 CFR 1910.1200 App D

Rustic Escentuals™ Fragrant Room & Body Spray

Version number GHS 1.0 Date of revision: 2023-02-28

Ethanol	64-17-5	CA MU TE F3
Propane-1,2,3-triol	56-81-5	

Hazardous Substance List (Chapter 323)(PA-RTK)

Name acc. to Inventory	CAS No	Classifications
Ethanol	64-17-5	

Hazardous Substance List (RI-RTK)

Name of Substance	CAS No	References
Alcohol 40B	64-17-5	T, F
Glycerin	56-81-5	T, F

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Name acc. to Inventory	CAS No	Remarks	Type of Toxicity
Ethanol (ethyl alcohol)	64-17-5	In alcoholic beverages	Developmental

15.1.2 INDUSTRY OR SECTOR SPECIFIC AVAILABLE GUIDANCE(S)

NPCA-HMIS ® III

Category	Rating	Description
Chronic	*	Chronic (long-term) health effects may result from repeated overexposure
Health	0	No significant risk to health
Flammability	3	Material that can be ignited under almost all ambient temperature conditions
Physical hazard	0	Material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

Category	Degree of Hazard	Description	
Flammability	3	Material that can be ignited under almost all ambient temperature conditions	
Health	0	Material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material	
Instability	0	Material that is normally stable, even under fire conditions	
Special hazard			

National Inventories

Country	Inventory	Status
US	TSCA	All ingredients are listed

15.2 CHEMICAL SAFETY ASSESSMENT

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Page: 10/12



acc. To 29 CFR 1910.1200 App D

Rustic Escentuals™ Fragrant Room & Body Spray

Version number GHS 1.0 Date of revision: 2023-02-28

۸h	rov	riations	bac	acron	vmc
ADI	лev	riations	anu	acron	VIIIS

Abbr.	Descriptions of used abbreviations		
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous		
	Substances (permissible exposure limits)		
49 CFR US DOT	49 CFR U.S. Department of Transportation		
ACGIH®	American Conference of Governmental Industrial Hygienists		
	From ACGIH®, 2022 TLVs® and BEIs® Book. Copyright 2022. Reprinted with permission. Information on the		
ACGIH® 2022	proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-		
	presentations/tlv-bei-position-statement		
Acute Tox.	Acute toxicity		
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)		
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)		
Ceiling-C	Ceiling value		
DGR	Dangerous Goods Regulations (see IATA/DGR)		
DOT	Department of Transportation (USA)		
EmS	Emergency Schedule		
ERG No	Emergency Response Guidebook - Number		
Flam. Liq.	Flammable liquid		
CUC	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United		
GHS	Nations		
IATA	International Air Transport Association		
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)		
ICAO	International Civil Aviation Organization		
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air		
IMDG	International Maritime Dangerous Goods Code		
IMDG-Code	International Maritime Dangerous Goods Code		
IUPAC	International Union of Pure and Applied Chemistry		
NFPA®	National Fire Protection Association (United States)		
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)		
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third		
	Edition		
OSHA	Occupational Safety and Health Administration (United States)		
PBT	Persistent, Bioaccumulative and Toxic		
PEL	Permissible exposure limit		
ppm	Parts per million		
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)		
STEL	Short-term exposure limit		
TLV®	Threshold Limit Values		
TWA	Time-weighted average		
vPvB	Very Persistent and very Bioaccumulative		

Key literature references and sources for data OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).



acc. To 29 CFR 1910.1200 App D

Rustic Escentuals™ Fragrant Room & Body Spray

Version number GHS 1.0 Date of revision: 2023-02-28

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based

on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text

as stated in section 2 and 3)

Code

Text

H226

Flammable liquid and vapor

H226Flammable liquid and vaporH227Combustible liquidH301Toxic if swallowed

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.