

Fragrance Oil

Just Scent™ Graphite Steel*

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Print Date: 2023-08-08

Page 1 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade Name: Just Scent[™] Graphite Steel* Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

Product:

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

> 7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms







Signal Word: Warning



(800) 359-0944

Safety Data Sheet

Just Scent[™] Graphite Steel* Product: **Fragrance Oil**

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 8

Print Date: 2023-08-08

www.WholesaleSuppliesPlus.com **Hazard statements**

Independence, OH 44131

H303	May be harmful if swallowed
H315	Causes skin irritation
H317	
	May cause an allergic skin reaction
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use		
P202	Do not handle until all safety precautions have been read and understo		
P264	Wash hands thoroughly after handling		
P272	Contaminated work clothing should not be allowed out of the workplace		
P273	Avoid release to the environment		
P281	Use personal protective equipment as required		
sponse:			
Dooc Boso	IF ON OWN IN WELL A		

Res

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

	CAS# Ingredient	EC#	Conc. Range	GHS Classification	
	24851-98-7	246-495-9	5 - 10 %	H402	
Methyldihydrojasmonate					
	54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411	
Tetramethyl Acetyloctahydronaphthalenes					
	115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402	
	Linalyl Acetate				
	78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402	
	l inalool				



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 8

Print Date: 2023-08-08

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Just Scent™ Graphite Steel*
Fragrance Oil

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410	
Hexameti	hylindanopyran			
65113-99-7	265-453-0	2 - 5 %	H316; H319; H401; H411	
Pentamet	thylcyclopent-3-	ene-butanol		
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412	
Limonene)			
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402	
Coumarin)			
1205-17-0	214-881-6	0.1 - 1.0 %	H303; H317; H361; H401; H411	
a-Methyl-1,3-benzodioxole-5-propionaldehyde				
127-51-5	204-846-3	0.1 - 1.0 %	H316; H317; H320; H401; H411	
a-Isometh	nyl ionone			
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411	
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (Cashmeran)				
24720-09-0	246-430-4	0.1 - 1.0 %	H302; H313; H317; H401; H411	
alpha-damascone				
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401	
Eugenol				
See Section 1	6 for full text of	GHS classification	on codes	

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 1.05

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"



Fragrance Oil

Just Scent[™] Graphite Steel*

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Print Date: 2023-08-08

Page 4 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Fire-Fighting measures

5.1 **Extinguishing media**

Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

Product:

6. **Accidental Release Measures**

Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. **Handling and Storage**

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.



Product: Just Scent[™] Graphite Steel*
Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 8 Print Date: 2023-08-08

(800) 359-0944 www.WholesaleSuppliesPlus.com

Independence, OH 44131

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorless G0 to Pale Yellow (G3)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0185

 %VOC:
 1.23

 Specific Gravity @ 25 C:
 0.9380

 Density (g/mL) @ 25 C:
 0.9350

 Refractive Index @ 20 C:
 1.4600

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4581.9082) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 102.6662) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation



Product: Just Scent[™] Graphite Steel*
Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 8 Print Date: 2023-08-08

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

1222-05-5 : (2 - 5 %) : Hexamethylindanopyran

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)

Environmentally Hazardous 9 III UN3082

Substance, Liquid, n.o.s.

IATA (Air Cargo)



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Just Scent™ Graphite Steel*
Fragrance Oil

Page 7 of 8

Print Date: 2023-08-08

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Environmentally Hazardous 9 III UN3082 Substance, Liquid, n.o.s.

IMDG (Sea)

Environmentally Hazardous 9 III UN3082

Substance, Liquid, n.o.s.

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 2 - 5 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

140-67-0 205-427-8 0.01 - 0.1% Estragole (Methyl chavicol) (Natural Source)

123-35-3(NF 204-622-5 <= 36 ppm beta-Myrcene (Natural Source) 93-15-2 202-223-0 <= 5 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt. The following

components are NOT on the List:

476332-65-7 <= 22 ppm 2H-Indeno[4,5b] furan, decahydro-2,2,6,6,7,8,,8-heptamethyl

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H227 : Combustible liquid H301 : Toxic if swallowed H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways
H313 : May be harmful in contact with skin
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation
H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(26.46) Acute Toxicity Inhalation, Category 5
 (8.47) Sensitization, Skin, Category 1B
 (21.56) Aquatic Chronic Toxicity, Category 2
 (8.00) Reproductive Toxicity, Category 2
 (2.54) Skin Corrosion/Irritation, Category 3
 (21.56) Aquatic Chronic Toxicity, Category 2
 (21.56) Aquatic Chronic Toxicity, Category 2

Department issuing data sheet:

Department E-mail address:



Independence, OH 44131

www.WholesaleSuppliesPlus.com

Safety Data Sheet

Product: Just Scent™ Graphite Steel*
Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 8

Print Date: 2023-08-08

Remarks

(800) 359-0944

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.