## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Crafter's Choice<sup>™</sup> Green Tea\* -EO & FO Blend

Page 1 of 9 Print Date: 2023-05-05

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Crafter's Choice<sup>™</sup> Green Tea\* - EO & FO Blend

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)
Flammable Liquids, Category 4	H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Carcinogenicity, Category 2	H351 : Suspected of causing cancer
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child

#### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Crafter's Choice<sup>™</sup> Green Tea\* -Product: EO & FO Blend

Page 2 of 9 Print Date: 2023-05-05

2.2 Label elements

#### Labelling (GHS)

Hazard pictograms



#### Signal Word: Danger

#### **Hazard statements** H227 Combustible liquid H303 May be harmful if swallowed H313 May be harmful in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled H351 Suspected of causing cancer H360 May damage fertility or the unborn child H400 Very Toxic to aquatic life H411 Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### **Prevention:**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

#### **Response:**

•	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P313	Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

## **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Crafter's Choice<sup>™</sup> Green Tea\* -EO & FO Blend

Page 3 of 9 Print Date: 2023-05-05

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 2.3 Other Hazards

no data available

#### 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
101-86-0	202-983-3	20 - 30 %	H303; H316; H317; H400; H411
Hexyl cinn	amal		
122-40-7	204-541-5	10 - 20 %	H303; H316; H317; H401; H411
Amyl Cinna	amal		
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412
Limonene			
115-95-7	204-116-4	5 - 10 %	H227; H315; H317; H320; H402
Linalyl Ace	etate		
140-11-4	205-399-7	5 - 10 %	H303; H401; H412
Benzyl ace	etate		
21145-77-7	244-240-6	2 - 5 %	H302; H400; H410
Acetyl hex	amethyl tetralin		
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402
Linalool			
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H360; H401;
Butylpheny	/I Methylpropiona	al	H412
31906-04-4	250-863-4	2 - 5 %	H317; H402
Hydroxyiso	ohexyl 3-cyclohe	xene carboxalde	hyde
14901-07-6	238-969-9	1 - 2 %	H303; H401; H411
Ionone			
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
pinene <b>1205-17-0</b>	214 221 6	0.1 - 1.0 %	
	214-881-6		H303; H317; H361; H401; H411
127-91-3	204-872-5	-5-propionaldehy 0.1 - 1.0 %	
beta Pinen		0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
	-	0.4 4 0.9/	
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-Te <b>106-24-1</b>		01 109/	H202, H215, H217, H218, H402
1 <b>06-24-</b> 1 Geraniol	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
Geranioi 140-67-0	205-427-8	0.1 - 1.0 %	L 227. L 202. L 215. L 217. L 211. L 251.
			H227; H302; H315; H317; H341; H351; H401; H412
Estrayole	(Methyl Chavicol	/	

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## Safety Data Sheet

#### Product: Crafter's Choice<sup>™</sup> Green Tea\* -EO & FO Blend

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Page 4 of 9 Print Date: 2023-05-05

CAS# Ingredient	EC#	Conc. Range	GHS Classification
106-22-9 Citronello	203-375-0 N	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
4180-23-8 Anethole	224-052-0	0.1 - 1.0 %	H303; H316; H317; H401
<b>105-87-3</b> Geranyl A	203-341-5 Acetate	0.1 - 1.0 %	H315; H317; H401; H412
106-25-2 Nerol	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
<b>5392-40-5</b> Citral	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401
141-12-8 Neryl ace	205-459-2 etate	0.1 - 1.0 %	H317; H401
68737-61-1 Dimethylt	272-113-5 etrahydro Benza	0.1 - 1.0 % aldehyde	H227; H303; H313; H315; H317; H401; H411
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 9.46

4. First Aid Measures		
4.1 Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effects,	both acute and delayed	
Symptoms:	no data available	
Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substance or mixture		
During fire fighting:	Water may be ineffective	

### Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Crafter's Choice<sup>™</sup> Green Tea\* -EO & FO Blend

Page 5 of 9 Print Date: 2023-05-05

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 5.3 Advice for firefighters

#### Further information:

Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

**Exposure Limits:** ACGIH ACGIH OSHA OSHA Component TWA ppm STEL ppm TWA ppm STEL ppm 140-11-4 Benzyl acetate 10 80-56-8 20 pinene 20 127-91-3 beta Pinene

**Engineering Controls:** Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Crafter's Choice<sup>™</sup> Green Tea\* -EO & FO Blend

Page 6 of 9 Print Date: 2023-05-05

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint (G0/1) to Pale Yellow (G2/3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	176 F (80.00 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.1236
%VOC:	15.22
Specific Gravity @ 25 C:	0.9370
Density (g/mL) @ 25 C:	0.9340
Refractive Index @ 20 C:	1.4960
Soluble in:	Oil

#### 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

# 11. Toxicological Information 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3552.4642) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3625.2271) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 34.2273) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Crafter's Choice<sup>™</sup> Green Tea\* -EO & FO Blend

Page 7 of 9 Print Date: 2023-05-05

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Suspected of causing cancer
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

2. Ecological Information	
2.1 Toxicity	
Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

#### 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 101-86-0 : (20 - 30 %) : Hexyl cinnamal				
Regulator	C	lass	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	N	Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.			III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.			III		UN3082
IMDG (Sea)					

7820 E Pleasant Valley Road

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

#### Product: Crafter's Choice<sup>™</sup> Green Tea\* -EO & FO Blend

Page 8 of 9 Print Date: 2023-05-05

Independence, OH 44131 (800) 359-0944		Print Date: 2023-05-05
www.WholesaleSuppliesPlus.com	9	III UN3082
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III 0113062
15. Regulatory Information		
U.S. Federal Regulations		
TSCA (Toxic Substance Control Act)		All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA U.S. State Regulations	)	This product contains NO components of concern.
California Proposition 65 Warning		This product contains the following components:
140-67-0 205-427-8 0.1 - 1.0 %	Е	stragole (Methyl chavicol) (Natural Source)
123-35-3(NF 204-622-5 0.01 - 0.1%	b	eta-Myrcene (Natural Source)
Canadian Regulations		
DSL		100.00% of the components are listed or exempt.

#### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour

- H304 : May be fatal if swallowed and enters airways
- H317 : May cause an allergic skin reaction
- H320 : Causes eye irritation
- $\label{eq:H361} H361: Suspected \ of \ damaging \ fertility \ or \ the \ unborn \ child$
- H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

- (TFV) Risk
- (146.08) Acute Toxicity Inhalation, Category 5
- (25.25) Reproductive Toxicity, Category 1B
- (20.00) Sensitization, Skin, Category 1B
- (8.00) Reproductive Toxicity, Category 2
- (5.00) Carcinogenicity, Category 2
- (3.50) Sensitization, Skin, Category 1
- (2.33) Skin Corrosion/Irritation, Category 2
- (1.32) Aquatic Acute Toxicity, Category 1
- (1.07) Eye Damage/Eye Irritation, Category 2A

#### Department issuing data sheet:

#### Department E-mail address:

H401 : Toxic to aquatic life H410 : Very toxic to aquatic life with long lasting effects

H316 : Causes mild skin irritation

H318 : Causes serious eye damage

H302 : Harmful if swallowed

- (TFV) Risk
- (38.55) Aquatic Chronic Toxicity, Category 3

H341 : Suspected of causing genetic defects

- (24.00) Sensitization, Skin, Category 1A
- (8.42) Reproductive Toxicity, Category 1B
- (5.95) Skin Corrosion/Irritation, Category 3
- (3.79) Aquatic Chronic Toxicity, Category 2
- (2.35) Aquatic Chronic Toxicity, Category 4
- (1.41) Acute Toxicity Oral, Category 5
- (1.26) Acute Toxicity Dermal, Category 5



## **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2022-05-16 00:00

Product: Crafter's Choice<sup>™</sup> Green Tea\* -EO & FO Blend

Page 9 of 9 Print Date: 2023-05-05

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.