

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 8

Print Date: 2023-04-17

Product: Crafter's Choice™ Ice & Fire Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Ice & Fire Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms







SDS v1 GHS / OSHA

Type:

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice™ Ice & Fire **Fragrance Oil**

Page 2 of 8

Print Date: 2023-04-17

www.WholesaleSuppliesPlus.com Signal Word: Warning

Hazard	statements
nazaru	Statements

7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
esponse:	
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you fee

Res	pon	se:

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	60 - 70 %	H302; H313; H400; H411
Benzyl Benzoate			
101-86-0	202-983-3	10 - 20 %	H303; H316; H317; H400; H411
Hexyl cinr	namal		
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexamethylindanopyran			
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene			



SDS v1 GHS / OSHA

Type:

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice™ Ice & Fire Fragrance Oil

Page 3 of 8 Print Date: 2023-04-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

	CAS# Ingredient	EC#	Conc. Range	GHS Classification	
	285977-85-7	437-760-1	2 - 5 %	H319; H412	
(2,5-Dimethyl-2,3-dihydro-1H-inden-2-yl)Methanol					
	78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402	
	Linalool				
	54464-57-2	259-174-3	1 - 2 %	H315; H317; H401; H411	
	Tetramethyl Acetyloctahydronaphthalenes				
	91-64-5	202-086-7	1 - 2 %	H301; H317; H402	
	Coumarin				
	115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402	

Linalyl Acetate

5462-06-6 226-749-5 0.1 - 1.0 % H303; H317; H401

4-Methoxy-alpha-methylbenzenepropanal

106-22-9 203-375-0 0.1 - 1.0 % H303; H313; H315; H317; H319; H401

Citronellol

32210-23-4 250-954-9 0.1 - 1.0 % H303; H317; H401

4-tert-Butylcyclohexyl acetate

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 3.37

First Aid Measures 4.

Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

Extinguishing media 5.1

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material



SDS v1 GHS / OSHA Type:

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice™ Ice & Fire Fragrance Oil

Page 4 of 8 Print Date: 2023-04-17

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures 6.1

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

Methods and materials for containment and cleaning up 6.3

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. **Handling and Storage**

Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

Specific end uses

No information available

8. **Exposure Controls/Personal Protection**

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. Eye protection:

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.



Product: Crafter's Choice™ Ice & Fire Fragrance Oil

SDS v1 GHS / OSHA Type:

Revised Date: 2023-02-07 00:00

Page 5 of 8 Print Date: 2023-04-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint (G1) to Pale Yellow (G3)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

>200 F (93.33 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0371

 %VOC:
 3.44

 Specific Gravity @ 25 C:
 1.0480

 Density (g/mL) @ 25 C:
 1.0450

 Refractive Index @ 20 C:
 1.5430

Soluble in: Not determined

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1860.8411) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3263.9311) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 82.2148) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met



Fragrance Oil

Crafter's Choice™ Ice & Fire

SDS v1 GHS / OSHA Type:

Revised Date: 2023-02-07 00:00

Page 6 of 8

Print Date: 2023-04-17

UN-nr.

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Regulator

IMDG (Sea)

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

Product:

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Pack Group

Sub Risk

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4 : (60 - 70 %) : Benzyl Benzoate

Class Pack

1109010101			• • • • • • • • • • • • • • • • • • • •	•
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods		Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
	Chemicals NOI ADR/RID (International Road/Rail) Environmentally Hazardous Substance, Liquid, n.o.s. IATA (Air Cargo) Environmentally Hazardous	Chemicals NOI ADR/RID (International Road/Rail) Environmentally Hazardous 9 Substance, Liquid, n.o.s. IATA (Air Cargo) Environmentally Hazardous 9	Chemicals NOI ADR/RID (International Road/Rail) Environmentally Hazardous 9 III Substance, Liquid, n.o.s. IATA (Air Cargo) Environmentally Hazardous 9 III	Chemicals NOI ADR/RID (International Road/Rail) Environmentally Hazardous 9 III Substance, Liquid, n.o.s. IATA (Air Cargo) Environmentally Hazardous 9 III



SDS v1 GHS / OSHA

Type:

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice™ Ice & Fire Fragrance Oil

Ш

Page 7 of 8

Print Date: 2023-04-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Environmentally Hazardous Substance, Liquid, n.o.s.

9

UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA)

This product contains the following components:

1222-05-5 214-946-9 2 - 5 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% 93-15-2 202-223-0 <= 1 ppm

beta-Myrcene (Natural Source) Methyl Eugenol (Natural Source)

Canadian Regulations

DSL

100.00% of the components are listed or exempt. The following

components are NOT on the List:

149713-23-5 838-290-3 <= 1 ppm

2H-Pyran, tetrahydro-4-methyl-2-phenyl-,(2R,4S)-rel

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226: Flammable liquid and vapour H227: Combustible liquid

H301: Toxic if swallowed H303: May be harmful if swallowed

H304: May be fatal if swallowed and enters airways H315: Causes skin irritation

H317: May cause an allergic skin reaction H319: Causes serious eye irritation

H320: Causes eye irritation H401: Toxic to aquatic life

H402: Harmful to aquatic life H410: Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(60.82) Acute Toxicity Inhalation, Category 5 (48.06) Aquatic Chronic Toxicity, Category 3

(13.80) Sensitization, Skin, Category 1B (4.79) Aquatic Chronic Toxicity, Category 2

(3.44) Aquatic Chronic Toxicity, Category 4 (3.25) Aquatic Acute Toxicity, Category 1

(2.70) Skin Corrosion/Irritation, Category 3 (1.53) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

(1.07) Acute Toxicity Oral, Category 4

Department E-mail address:



Product: Crafter's Choice™ Ice & Fire Fragrance Oil

SDS v1 GHS / OSHA Type:

Revised Date: 2023-02-07 00:00

Page 8 of 8

Print Date: 2023-04-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.