

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 8 Print Date: 2023-04-17

r

Product: Crafter's ChoiceTM Intuition for Men* Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Intuition for Men* Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Reproductive Toxicity, Category 1B H360 : May damage fertility or the unborn child Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation
Carcinogenicity, Category 2 H351: Suspected of causing cancer

Reproductive Toxicity, Category 1B H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Men* Fragrance Oil

Crafter's Choice™ Intuition for

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 8

Print Date: 2023-04-17

Independence, OH 44131 (800) 359-0944







Product:

Signal Word: Danger

Hazard statements

H303 May be harmful if swallowed H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled H351 Suspected of causing cancer H360 May damage fertility or the unborn child H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P308 + P313 IF exposed or concerned: Get medical advice/attention

P312 Call a POISON CENTER or doctor/physician if you feel unwell

P313 Get medical advice/attention

P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.3 Other Hazards

no data available

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):



7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 8 Print Date: 2023-04-17

Product:

Crafter's Choice™ Intuition for Men* Fragrance Oil

CAS# Ingredient	EC#	Conc. Range	GHS Classification
54464-57-2	259-174-3	10 - 20 %	H315; H317; H401; H411
Tetrameth	nyl Acetyloctahyd	dronaphthalenes	3
1222-05-5	214-946-9	5 - 10 %	H316; H400; H410
Hexameth	nylindanopyran		
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411
Benzyl Be	enzoate		
18479-58-8	242-362-4	5 - 10 %	H227; H303; H315; H319; H402
2,6-dimet	hyloct-7-en-2-ol		
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411
Hexyl cinı	namal		
10339-55-6	233-732-6	5 - 10 %	H227; H303; H316; H317; H319; H402
Ethyl Lina	lool		
31906-04-4	250-863-4	2 - 5 %	H317; H402
Hydroxyis	ohexyl 3-cyclohe	exene carboxalo	lehyde
24851-98-7	246-495-9	1 - 2 %	H402
Methyldih	ydrojasmonate		
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ac	etate		
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H360; H401;
Butylphenyl Methylpropional		nal	H412
81-14-1	201-328-9	0.1 - 1.0 %	H351; H400; H410
Musk keta	one		
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402
Coumarin			
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
Limonene	•		
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronello	I		
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-T	orninono		

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.64

See Section 16 for full text of GHS classification codes

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Intuition for Men* Fragrance Oil

Page 4 of 8 Print Date: 2023-04-17

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Skin Exposure:

Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 8 Print Date: 2023-04-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice™ Intuition for Men* Fragrance Oil

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorless to Yellow Tint (G0-1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0152

 %VOC:
 0.78

 Specific Gravity @ 25 C:
 0.9450

 Density (g/mL) @ 25 C:
 0.9420

 Refractive Index @ 20 C:
 1.4800

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis



Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 6 of 8 Print Date: 2023-04-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Crafter's Choice™ Intuition for Product: Men* Fragrance Oil

10.6 Hazardous decomposition products None known

11. **Toxicological Information**

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3854.3088) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 56.3936) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Not classified - the classification criteria are not met Germ cell mutagenicity

Suspected of causing cancer Carcinogenicity

Reproductive toxicity May damage fertility or the unborn child

Not classified - the classification criteria are not met Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Not classified - the classification criteria are not met Aspiration hazard

12. **Ecological Information**

12.1 Toxicity

Acute acquatic toxicity Not classified - the classification criteria are not met

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available Toxicity on other organisms no data available

12.2 Persistence and degradability no data available no data available 12.3 Bioaccumulative potential 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice™ Intuition for Product:

Men* Fragrance Oil

Page 7 of 8 Print Date: 2023-04-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact:

1222-05-5 : (5 - 10 %) : Hexamethylindanopyran

Regulator Class **Pack Group** Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)

9 Ш UN3082 **Environmentally Hazardous**

Substance, Liquid, n.o.s. IATA (Air Cargo)

Ш **Environmentally Hazardous** 9 UN3082

Substance, Liquid, n.o.s.

IMDG (Sea)

Environmentally Hazardous 9 Ш UN3082

Substance, Liquid, n.o.s.

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

214-946-9 5 - 10 % 1222-05-5 Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 <= 9 ppm beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226: Flammable liquid and vapour H227: Combustible liquid

H301: Toxic if swallowed H302: Harmful if swallowed

H304: May be fatal if swallowed and enters airways H313: May be harmful in contact with skin H316: Causes mild skin irritation H317: May cause an allergic skin reaction

H320: Causes eye irritation H361 : Suspected of damaging fertility or the unborn

child

H400: Very Toxic to aquatic life H401: Toxic to aquatic life

H402: Harmful to aquatic life H410: Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 8

Product: Crafter's Choice™ Intuition for Men* Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Print Date: 2023-04-17

(88.66) Acute Toxicity Inhalation, Category 5
(38.00) Sensitization, Skin, Category 1A
(9.00) Reproductive Toxicity, Category 1B
(5.00) Carcinogenicity, Category 2
(5.00) Carcinogenicity, Category 2
(3.00) Reproductive Toxicity, Category 1B
(2.85) Skin Corrosion/Irritation, Category 2
(1.74) Aquatic Chronic Toxicity, Category 4
(1.30) Acute Toxicity Oral, Category 5
(52.60) Aquatic Chronic Toxicity, Category 1B
(5.25) Aquatic Chronic Toxicity, Category 2
(4.89) Skin Corrosion/Irritation, Category 2
(1.33) Eye Damage/Eye Irritation, Category 2A
(1.01) Reproductive Toxicity, Category 2

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.