

7820 E Pleasant Valley Road
 Independence, OH 44131
 (800) 359-0944
 www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Jack Frost* -
 EO & FO Blend**

Page 1 of 8
 Print Date: 2023-04-17

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Jack Frost* - EO & FO Blend

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier : IndiMade Brands, LLC DBA Wholesale Supplies Plus
 7820 E Pleasant Valley Road
 Independence, OH 44131
 (800) 359-0944
 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

2.2 Label elements


Labelling (GHS)

7820 E Pleasant Valley Road
 Independence, OH 44131
 (800) 359-0944
 www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Jack Frost* -
 EO & FO Blend**

Page 2 of 8
 Print Date: 2023-04-17

Hazard pictograms



Signal Word: Warning

Hazard statements

- | | |
|------|---|
| H227 | Combustible liquid |
| H302 | Harmful if swallowed |
| H313 | May be harmful in contact with skin |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H333 | May be harmful if inhaled |
| H400 | Very Toxic to aquatic life |
| H411 | Toxic to aquatic life with long lasting effects |

Precautionary Statements

Prevention:

- | | |
|------|---|
| P235 | Keep cool |
| P264 | Wash hands thoroughly after handling |
| P270 | Do not eat, drink or smoke when using this product |
| P272 | Contaminated work clothing should not be allowed out of the workplace |
| P273 | Avoid release to the environment |

Response:

- | | |
|--------------------|--|
| P301 + P312 + P330 | IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth |
| P302 + P352 | IF ON SKIN: Wash with soap and water |
| P304 + P312 | IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing |
| P333 + P313 | If skin irritation or a rash occurs: Get medical advice/attention |
| P337 + P313 | If eye irritation persists: Get medical advice/attention |
| P362 | Take off contaminated clothing and wash before reuse |
| P363 | Wash contaminated clothing before reuse |
| P370 + P378 | In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material |
| P391 | Collect Spillage |

2.3 Other Hazards

no data available

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Jack Frost* -
EO & FO Blend**

Page 3 of 8

Print Date: 2023-04-17

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	30 - 40 %	H302; H313; H400; H411
107-41-5 <i>Hexylene Glycol</i>	203-489-0	20 - 30 %	H315; H319
14073-97-3 <i>l-Menthone</i>	237-926-1	10 - 20 %	H227; H302; H315; H317; H402; H412
2216-51-5 <i>l-Menthol</i>	218-690-9	10 - 20 %	H303; H315; H320; H333; H402
491-07-6 <i>d,l-Isomenthone</i>	207-727-4	2 - 5 %	H227; H302; H315; H317; H332; H402
5989-27-5 <i>Limonene</i>	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H412
80-25-1 <i>Dihydroterpinyl acetate</i>	201-264-1	1 - 2 %	H401
16409-45-3 <i>Menthyl acetate</i>	240-459-6	1 - 2 %	H227; H401; H411
116-02-9 <i>3,5,5 Trimethyl cyclohexanol</i>	204-122-7	1 - 2 %	H227; H303; H313; H315; H319; H402; H412
91-64-5 <i>Coumarin</i>	202-086-7	1 - 2 %	H301; H317; H402
470-82-6 <i>Eucalyptol</i>	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
127-91-3 <i>beta Pinene</i>	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
80-56-8 <i>pinene</i>	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
89-81-6 <i>Piperitone</i>	201-942-7	0.1 - 1.0 %	H315; H317; H320; H402
13466-78-9 <i>delta-3-Carene</i>	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H332; H401; H411
97-53-0 <i>Eugenol</i>	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
101-86-0 <i>Hexyl cinnamal</i>	202-983-3	0.1 - 1.0 %	H303; H316; H317; H400; H411

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Jack Frost* -
EO & FO Blend**

Page 4 of 8
Print Date: 2023-04-17

Total Hydrocarbon Content (% w/w) = 3.28

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:	Refer to Section 2.2 "Response"
-------------------	---------------------------------

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable:	Carbon dioxide (CO ₂), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:	Water may be ineffective
------------------------------	--------------------------

5.3 Advice for firefighters

Further information:	Standard procedure for chemical fires
-----------------------------	---------------------------------------

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

Product: **Crafter's Choice™ Jack Frost* -
EO & FO Blend**

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Page 5 of 8
Print Date: 2023-04-17

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
80-56-8 <i>pinene</i>		20		
127-91-3 <i>beta Pinene</i>		20		
13466-78-9 <i>delta-3-Carene</i>		20		

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless to Yellow Tint (G0-1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	174 F (78.89 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0805
%VOC:	10.10

7820 E Pleasant Valley Road
 Independence, OH 44131
 (800) 359-0944
 www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Jack Frost* -
 EO & FO Blend**

Page 6 of 8
 Print Date: 2023-04-17

Specific Gravity @ 25 C:	0.9670
Density (g/mL) @ 25 C:	0.9640
Refractive Index @ 20 C:	1.4830
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 1408.0267) Harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4143.6419) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 48.1148) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Very Toxic to aquatic life
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

7820 E Pleasant Valley Road
 Independence, OH 44131
 (800) 359-0944
 www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Jack Frost* -
 EO & FO Blend**

12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :
 120-51-4 : (30 - 40 %) : Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated - Not Dangerous Goods			
ADR/RID (International Road/Rail) Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo) Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea) Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:
 89-82-7 201-943-2 0.1 - 1.0 % Pulegone (Natural Source)
 123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Jack Frost* -
EO & FO Blend**

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- | | |
|--|---|
| H226 : Flammable liquid and vapour | H301 : Toxic if swallowed |
| H303 : May be harmful if swallowed | H304 : May be fatal if swallowed and enters airways |
| H316 : Causes mild skin irritation | H317 : May cause an allergic skin reaction |
| H319 : Causes serious eye irritation | H320 : Causes eye irritation |
| H332 : Harmful if inhaled | H401 : Toxic to aquatic life |
| H402 : Harmful to aquatic life | H410 : Very toxic to aquatic life with long lasting effects |
| H412 : Harmful to aquatic life with long lasting effects | |

Total Fractional Values

- | | |
|--|---|
| (TFV) Risk | (TFV) Risk |
| (103.92) Acute Toxicity Inhalation, Category 5 | (18.00) Aquatic Chronic Toxicity, Category 3 |
| (15.10) Sensitization, Skin, Category 1B | (5.92) Skin Corrosion/Irritation, Category 3 |
| (5.78) Skin Corrosion/Irritation, Category 2 | (3.88) Eye Damage/Eye Irritation, Category 2 |
| (2.45) Eye Damage/Eye Irritation, Category 2A | (2.04) Aquatic Chronic Toxicity, Category 4 |
| (1.73) Aquatic Chronic Toxicity, Category 2 | (1.43) Eye Damage/Eye Irritation, Category 2B |
| (1.42) Acute Toxicity Oral, Category 4 | (1.33) Aquatic Acute Toxicity, Category 1 |
| (1.32) Sensitization, Skin, Category 1 | (1.32) Sensitization, Skin, Category 1A |
| (1.21) Acute Toxicity Dermal, Category 5 | |

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.