Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Jackfruit & Kiwi Fragrance Oil

Page 1 of 8 Print Date: 2023-04-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Jackfruit & Kiwi Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier : IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 4	H332 : Harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	e 29)

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 4	H332 : Harmful if inhaled

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS) Hazard pictograms

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



Signal Word: Warning

Hazard statements

alu statements	
H227	Combustible liquid
H302	Harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H332	Harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Product:

Precautionary Statements

Prevention:

Prevention:	
P235	Keep cool
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P271	Use only outdoors or in a well-ventilated area
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312 + P340	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell Remove victim to fresh air and keep at rest in a position comfortable for breathing
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

Safety Data Sheet

Kiwi Fragrance Oil

Crafter's Choice[™] Jackfruit &

P391

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

a direct water jet on burning material

Collect Spillage

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 8 Print Date: 2023-04-17

7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

Product: Crafter's Choice™ Jackfruit & Kiwi Fragrance Oil

Revised Date: 2023-02-07 00:00

Page 3 of 8 Print Date: 2023-04-17

CAS#	SuppliesPlus.com	Conc.		
CA5# Ingredient	EC#	Range	GHS Classification	
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411	
Benzyl Be	enzoate			
24851-98-7	246-495-9	10 - 20 %	H402	
Methyldih	ydrojasmonate			
2705-87-5	220-292-5	10 - 20 %	H302; H312; H317; H400; H411	
Allyl cyclo	ohexylpropionate			
104-67-6	203-225-4	5 - 10 %	H316; H402; H412	
gamma-L	Indecalactone			
67634-00-8	266-803-5	2 - 5 %	H227; H302; H315; H330; H401	
Isoamyl A	Allylglycollate			
123-68-2	204-642-4	2 - 5 %	H227; H301; H311; H331; H400; H412	
Allyl capr	oate			
123-66-0	204-640-3	2 - 5 %	H226; H315; H401	
Ethyl hex	anoate			
88-41-5	201-828-7	2 - 5 %	H227; H303; H316; H401; H411	
2-t-Butylc	yclohexyl acetate			
121-32-4	204-464-7	2 - 5 %	H303; H320; H402	
Ethyl Van	villin			
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412	
Limonene	;			
659-70-1	211-536-1	2 - 5 %	H227; H401	
	sovalerate		, -	
706-14-9	211-892-8	2 - 5 %	H316	
	Decalactone	_ 0 /0		
123-92-2	204-662-3	2 - 5 %	H226; H402	
Isoamyl a				
81782-77-6	279-815-0	2 - 5 %	H227; H400; H411	
Methyl De		2 0 /0	1227, 1100, 1111	
4940-11-8	225-582-5	2 - 5 %	H302; H401	
Ethyl Mal		2 0 /0	1002, 11101	
140-11-4	205-399-7	1 - 2 %	H303; H401; H412	
Benzyl ad		1 2 /0	1000, 1101, 1112	
106-27-4	203-380-8	1 - 2 %	H226; H401	
Isoamyl b		1 - 2 70	1220, 11401	
103-60-6	203-127-1	1 - 2 %	H316	
	yethyl isobutyrate			
2-Friendx 105-68-0	203-322-1	1 - 2 %	H226; H315; H401	
	propionate (Isopen		1220, 1010, 11701	
твоаттугр 106-72-9	203-427-2	0.1 - 1.0 %	H227: H317: H401	
		0.1 - 1.0 %	H227; H317; H401	
Dimethyl	-	01 109/	L217. L101. L111	
79-78-7	201-225-9 10ne	0.1 - 1.0 %	H317; H401; H411	

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Jackfruit & Product: **Kiwi Fragrance Oil**

7820 E Pleasant Independence, O (800) 359-0944 www.WholesaleS	H 44131		Kiwi Fragrance Oil Page 4 of 8 Print Date: 2023-04-17
CAS# Ingredient	EC#	Conc. Range	GHS Classification
	266-797-4 enyl methyl carb		H227; H317; H401
See Section 16 for full text of GHS classification codes See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 3.64			
	rst Aid Meas ation of first aid		
Inhalation	:		Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Expo	sure:		Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Expo	osure:		Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	:		Rinse mouth with water and obtain medical advice.
4.2 Most im	portant sympto	oms and effects	, both acute and delayed
Symptom	s:		no data available
Risks:			Refer to Section 2.2 "Hazard Statements"
4.3 Indicati	on of any imme	ediate medical a	ttention and special treatment needed
Treatment	t:		Refer to Section 2.2 "Response"
	re-Fighting n	neasures	
Suitable:			Carbon dioxide (CO2), Dry chemical, Foam
Unsuitabl 5.2 Special		g from the subs	Do not use a direct water jet on burning material tance or mixture
During fire 5.3 Advice	e fighting: for firefighters		Water may be ineffective
Further in	formation:		Standard procedure for chemical fires

6. **Accidental Release Measures**

Personal precautions, protective equipment and emergency procedures 6.1

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Jackfruit & Kiwi Fragrance Oil

Page 5 of 8 Print Date: 2023-04-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Lir Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl acetate	10			
123-92-2	lsoamyl acetate	50	100	100	1
Engineering 8.2 Exposure co	Controls: Use local exhaust as needed. Introls - Personal protective equipment				

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Pale Yellow (G2) to Yellow/Greenish Yellow (G5)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	162 F (72.22 C)

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Jackfruit & Kiwi Fragrance Oil

Page 6 of 8 Print Date: 2023-04-17

www.WholesaleSuppliesPlus.com	
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.2975
%VOC:	24.89
Specific Gravity @ 25 C:	0.9810
Density (g/mL) @ 25 C:	0.9780
Refractive Index @ 20 C:	1.4780
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

(LD50: 1251.9750) Harmful if swallowed
(LD50: 2304.4712) May be harmful in contact with skin
(LD50: 18.0397) Harmful if inhaled
Causes skin irritation
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
May cause an allergic skin reaction
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Jackfruit & Product: Kiwi Fragrance Oil

Page 7 of 8 Print Date: 2023-04-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

12. Ecological Information	
12.1 Toxicity	
Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available

12.4 Mobility in soil

12.5 Other adverse effects

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

no data available

14. **Transport Information**

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (20 - 30 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	Goods	
Chemicals NOI					
ADR/RID (International Roa	d/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA)

123-92-2 204-662-3 2 - 5 %

This product contains the following components: Isoamyl acetate

7820 E Pleasant Valley Road

~

Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Jackfruit & Kiwi Fragrance Oil

Page 8 of 8 Print Date: 2023-04-17

www.WholesaleSupplie	sPlus.com		
California Pro	osition 65 W	/arning	This product contains the following components:
123-35-3(NI	204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)
Canadian Regula	ions		
DSL			100.00% of the components are listed or exempt.The following components are NOT on the List:
815580-59- 94201-73-7	453-570-1 303-662-1	<= 8 ppm <= 5 ppm	3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester Tetrahydro-4-methyl-2-phenyl-2H-pyran

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H301 : Toxic if swallowed
H303 : May be harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H311 : Toxic in contact with skin	H312 : Harmful in contact with skin
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H320 : Causes eye irritation	H330 : Fatal if inhaled
H331 : Toxic if inhaled	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H412 : Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(120.00) Sensitization, Skin, Category 1	(120.00) Sensitization, Skin, Category 1A
(18.22) Aquatic Chronic Toxicity, Category 3	(3.49) Sensitization, Skin, Category 1B
(2.89) Skin Corrosion/Irritation, Category 3	(2.35) Aquatic Chronic Toxicity, Category 4
(2.17) Acute Toxicity Dermal, Category 5	(1.88) Aquatic Acute Toxicity, Category 1
(1.76) Aquatic Chronic Toxicity, Category 2	(1.60) Acute Toxicity Oral, Category 4
(1.45) Skin Corrosion/Irritation, Category 2	(1.11) Acute Toxicity Inhalation, Category 4

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.