

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 8

Print Date: 2023-04-17

# Product: Crafter's Choice<sup>™</sup> Jacob's Desire Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# . Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

**Trade Name:** Crafter's Choice<sup>TM</sup> Jacob's Desire Fragrance Oil

#### 1.2 Relevant indentified product use

**Intended use:** Compound used in customer substance/mixture/product

## 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

## 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

## 2. Hazards Identification

## 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

## Classification according to GHS

Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

## Classification OSHA (Provisions 1910.1200 of title 29)

Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

#### Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

## 2.2 Label elements

Labelling (GHS)

**Hazard pictograms** 



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 8

Print Date: 2023-04-17

# Product: Crafter's Choice<sup>TM</sup> Jacob's Desire **Fragrance Oil**

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com





## Signal Word: Warning

## **Hazard statements**

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

## **Precautionary Statements**

## Prevention:

P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product

Contaminated work clothing should not be allowed out of the workplace P272

P273 Avoid release to the environment

#### Response:

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

#### 2.3 Other Hazards

no data available

#### 3. **Composition/Information on Ingredients**

## 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
120-51-4	204-402-9	60 - 70 %	H302; H313; H400; H411		
Benzyl Benzoate					
54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411		

Tetramethyl Acetyloctahydronaphthalenes



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 8 Print Date: 2023-04-17

Product: Crafter's Choice<sup>™</sup> Jacob's Desire Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

www.WholesaleS	suppliesPlus.com	Conc.			
Ingredient	EC#	Range	GHS Classification		
105-95-3	203-347-8	5 - 10 %	H401		
Ethylene l	brassylate				
100-51-6	202-859-9	5 - 10 %	H302; H313; H319		
Benzyl Al	cohol				
19870-74-7	243-384-7	1 - 2 %	H317; H400; H410		
Cedrol methyl ether					
24851-98-7	246-495-9	1 - 2 %	H402		
Methyldih	ydrojasmonate				
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402		
Linalyl Ac	etate				
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402		
Linalool					
127-51-5	204-846-3	0.1 - 1.0 %	H316; H317; H320; H401; H411		
a-Isometh	nyl ionone				
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412		
Limonene	•				
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411		
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (Cashmeran)					
4707-47-5	225-193-0	0.1 - 1.0 %	H317; H401		
Methyl atı	rarate				
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402		
Eucalypto	o/				
63314-79-4	429-900-5	0.1 - 1.0 %	H317; H400; H412		
5-Cyclopentadecen-1-one, 3-methyl-					
See Section 16 for full text of GHS classification codes					

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.73

## 4. First Aid Measures

## 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

## 4.3 Indication of any immediate medical attention and special treatment needed



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 4 of 8

Print Date: 2023-04-17

Product: Crafter's Choice™ Jacob's Desire
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Treatment: Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

## 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

## 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

## 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

## 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

**Exposure Limits:** Contains no substances with occupational exposure limit values.

**Engineering Controls:** Use local exhaust as needed.

## 8.2 Exposure controls - Personal protective equipment



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Jacob's Desire Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 8 Print Date: 2023-04-17

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

# 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard
Color: Golden Yellow (G8)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Not determined

Not determined

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0136

 %VOC:
 0.80

 Specific Gravity @ 25 C:
 1.0570

 Density (g/mL) @ 25 C:
 1.0540

 Refractive Index @ 20 C:
 1.5360

 Soluble in:
 Oil

# 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

**10.6 Hazardous decomposition products** None known

# 11. Toxicological Information

## 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

(LD50: 1884.6736) Harmful if swallowed

Acute toxicity - Oral - (Rat) mg/kg



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 8

Print Date: 2023-04-17

Product: Crafter's Choice<sup>™</sup> Jacob's Desire Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4161.1518) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 106.3739) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

# 12. Ecological Information

## 12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

## 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (60 - 70%): Benzyl Benzoate

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Jacob's Desire
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 Igrance Oil Page 7 of 8
Print Date: 2023-04-17

(800) 359-0944 www.WholesaleSuppliesPlus.com			1 IIII Date. 2025-04-17
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IATA (Air Cargo)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	Ш	UN3082
IMDG (Sea)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	Ш	UN3082

## 15. Regulatory Information

**U.S. Federal Regulations** 

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations** 

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 <= 73 ppm beta-Myrcene (Natural Source)

**Canadian Regulations** 

**DSL** 100.00% of the components are listed or exempt.

## 16. Other Information

## GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour
H303 : May be harmful if swallowed
H304 : May be fatal if swallowed and enters airways
H316 : Causes mild skin irritation
H319 : Causes serious eye irritation
H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects
H227 : Combustible liquid
H304 : May be fatal if swallowed and enters airways
H317 : May cause an allergic skin reaction
H320 : Causes eye irritation
H402 : Harmful to aquatic life
H412 : Harmful to aquatic life with long lasting effects

## **Total Fractional Values**

(TFV) Risk
(47.00) Acute Toxicity Inhalation, Category 5
(8.00) Sensitization, Skin, Category 1B
(4.26) Aquatic Chronic Toxicity, Category 2
(3.17) Aquatic Chronic Toxicity, Category 4
(1.47) Skin Corrosion/Irritation, Category 3
(1.20) Acute Toxicity Dermal, Category 5
(TFV) Risk
(42.64) Aquatic Chronic Toxicity, Category 2
(2.75) Aquatic Acute Toxicity, Category 1
(1.21) Skin Corrosion/Irritation, Category 2
(1.20) Acute Toxicity Dermal, Category 5

## Department issuing data sheet:

## **Department E-mail address:**



**Fragrance Oil** 

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 8 of 8 Print Date: 2023-04-17

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.