

acc. to 29 CFR 1910.1200 App D



Rustic Escentuals™ Japanese Pear & Ginseng Fragrance Oil

Date of compilation: 2021-03-29

SECTION 1: Identification

1.1 Product identifier Trade name:

Rustic Escentuals[™] Japanese Pear & Ginseng Fragrance Oil

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

General use

1.3 Details of the supplier of the safety data sheet IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

Emergency information service

(800) 255 – 3924 | Domestic USA, Canada, Puerto Rico, and US Virgin Islands +1 813 – 248 – 0585 | International

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

| Section | Hazard class | Category | Hazard class and cat- egory | Hazard state- ment |
|---------|--------------------|----------|--------------------------------|-----------------------|
| A.4S | skin sensitization | 1 | Skin Sens. 1 | H317 |
| B.6 | flammable liquid | 4 | Flam. Liq. 4 | H227 |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals™ Japanese Pear & Ginseng Fragrance Oil

Date of compilation: 2021-03-29

| - Pictograms | |
|-------------------|---|
| GHS07 | |
| - Hazard stateme | ents |
| H227 | Combustible liquid. |
| H317 | May cause an allergic skin reaction. |
| - Precautionary s | tatements |
| P210 | Keep away from heat/sparks/open flames/hot surfaces. No smoking. |
| P261 | Avoid breathing dust/fume/gas/mist/vapors/spray. |
| P272 | Contaminated work clothing must not be allowed out of the workplace. |
| P280 | Wear protective gloves/eye protection/face protection. |
| P302+P352 | If on skin: Wash with plenty of water. |
| P321 | Specific treatment (see on this label). |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P363 | Wash contaminated clothing before reuse. |
| P370+P378 | In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P501 | Dispose of contents/container to industrial combustion plant. |

2.3 Other hazards

This material is combustible, but will not ignite readily.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

| IUPAC name | Identifier | Wt% | Classification acc. to GHS |
|--|------------------------------------|----------|---|
| ethyl 3-oxobutanoate | CAS No 141-97-9 | 5 - < 10 | Flam. Liq. 4 / H227 |
| 1-methyl-4-(prop-1-en-2-yl)cyclohex-1-ene; 1- methyl-4-(propan-2-yl)cyclohexa-1,4-diene; 3,7- dimethylocta-1,6-dien-3-yl phosphinite; 6,6-di- methyl-2-methylidenebicyclo[3.1.1]heptane | CAS No 68917-33-9 84929-31-7 | 5-<10 | Flam. Liq. 3 / H226 |
| 2-methylundecanal | CAS No 110-41-8 | 1 - < 5 | Flam. Liq. 4 / H227 |
| phenylmethanol | CAS No 100-51-6 | 1-<5 | Acute Tox. 4 / H302 Acute Tox. 4 / H332 |
| (2E)-3,7-dimethylocta-2,6-dienal | CAS No 5392-40-5 | 1 - < 5 | Skin Irrit. 2 / H315 Skin Sens. 1 / H317 |
| 2,6-dimethyloct-7-en-2-ol | CAS No 18479-58-8 | 1-<5 | Flam. Liq. 4 / H227 |



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals™ Japanese Pear & Ginseng Fragrance Oil

Date of compilation: 2021-03-29

| IUPAC name | Identifier | Wt% | Classification acc. to GHS |
|--|----------------------------------|------|--|
| (4R)-1-methyl-4-(prop-1-en-2-yl)cyclohex-1-ene | CAS No 5989-27-5 | 1-<5 | Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Flam. Liq. 3 / H226 |
| | CAS No 68956-56-9 | 1-<5 | Flam. Liq. 3 / H226 |
| hexyl acetate | CAS No 142-92-7 | 1-<5 | Flam. Liq. 3 / H226 |
| 3,7-dimethylocta-1,6-dien-3-ol | CAS No 78-70-6 | 1-<5 | Skin Sens. 1B / H317 Flam. Liq. 4 / H227 |
| (2E,6E)-2,6-dimethyl-10-methylidenedodeca- 2,6,11-trienal; (2E,6E,9E)-2,6,10-trimethyldo- deca-2,6,9,11-tetraenal; (4R)-1-methyl-4-(prop- 1-en-2-yl)cyclohex-1-ene; 3,7-dimethylocta-1,6- dien-3-ol; 7-methyl-3-methylideneocta-1,6- diene; octanal | CAS No 8008-57-9 8028-48-6 | 1-<5 | Flam. Liq. 3 / H226 |

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Japanese Pear & Ginseng Fragrance Oil

Date of compilation: 2021-03-29

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals™ Japanese Pear & Ginseng Fragrance Oil

Date of compilation: 2021-03-29

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals™ Japanese Pear & Ginseng Fragrance Oil

Date of compilation: 2021-03-29

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

| Coun- try | Name of sub- stance | CAS No | Identi- fier | TWA [ppm] | TWA [mg/m³] | STEL [ppm] | STEL [mg/m³] | Ceiling-C [ppm] | Ceiling-C [mg/m³] | Nota- tion | Source |
|--------------|---|-----------|-----------------|--------------|----------------|---------------|-----------------|--------------------|----------------------|---------------|---------------------|
| US | (2E)-3,7-dimethyl- octa-2,6-dienal | 5392-40-5 | TLV® | 5 | | | | | | iv | ACGIH® 2019 |
| US | 1,2-diethyl ben- zene-1,2-di- carboxylate | 84-66-2 | PEL (CA) | | 5 | | | | | | Cal/ OSHA PEL |
| US | 1,2-diethyl ben- zene-1,2-di- carboxylate | 84-66-2 | REL | | 5 (10 h) | | | | | | NIOSH REL |
| US | 1,2-diethyl ben- zene-1,2-di- carboxylate | 84-66-2 | TLV® | | 5 | | | | | | ACGIH® 2019 |

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

iv inhalable fraction and vapor

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours timeweighted average (unless otherwise specified

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals™ Japanese Pear & Ginseng Fragrance Oil

Date of compilation: 2021-03-29

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| Physical state | liquid |
|----------------|------------------------|
| Color | VERY PALE YELLOW |
| Odor | Comparable to standard |

Other safety parameters

| pH (value) | not determined |
|---|--|
| Melting point/freezing point | not determined |
| Initial boiling point and boiling range | 320 °F at 1,016 hPa |
| Flash point | 155 °F |
| Evaporation rate | Not determined |
| Flammability (solid, gas) | not relevant, (fluid) |
| Vapor pressure | 14 mmHg at 163 °C |
| Density | 0.9763 ^g / _{ml} at 25 °C |
| Vapor density | this information is not available |
| Solubility(ies) | not determined |

Partition coefficient

| - n-octanol/water (log KOW) | this information is not available |
|-----------------------------|---|
| Auto-ignition temperature | ≥383 °F (auto-ignition temperature (liquids and gases)) |
| Viscosity | not determined |
| Explosive properties | none |
| Oxidizing properties | none |



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals™ Japanese Pear & Ginseng Fragrance Oil

Date of compilation: 2021-03-29

9.2 Other information

| Solvent content | 98.99 % |
|--|--|
| Solid content | 1.009 % |
| Temperature class (USA, acc. to NEC 500) | T3A (maximum permissible surface temperature on the equip- ment: 180°C) |

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals[™] Japanese Pear & Ginseng Fragrance Oil

Date of compilation: 2021-03-29

Skin corrosion/irritation Shall not be classified as corrosive/irritant to skin. Serious eye damage/eye irritation Shall not be classified as seriously damaging to the eye or eye irritant. Respiratory or skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity Shall not be classified as germ cell mutagenic. Carcinogenicity Shall not be classified as carcinogenic. Reproductive toxicity Shall not be classified as a reproductive toxicant. Specific target organ toxicity - single exposure Shall not be classified as a specific target organ toxicant (single exposure). Specific target organ toxicity - repeated exposure Shall not be classified as a specific target organ toxicant (repeated exposure). Aspiration hazard Shall not be classified as presenting an aspiration hazard. **SECTION 12: Ecological information** 12.1 Toxicity Very toxic to aquatic life with long lasting effects. 12.2 Persistence and degradability Data are not available. 12.3 Bioaccumulative potential Data are not available. 12.4 Mobility in soil Data are not available. 12.5 Results of PBT and vPvB assessment Data are not available. 12.6 Endocrine disrupting properties Information on this property is not available. 12.7 Other adverse effects Data are not available. United States: en



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals™ Japanese Pear & Ginseng Fragrance Oil

Date of compilation: 2021-03-29

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

| 14.1 | UN number | |
|------|---|--|
| | DOT | UN 3082 |
| | IMDG-Code | UN 3082 |
| | ICAO-TI | UN 3082 |
| 14.2 | UN proper shipping name | |
| | DOT | Environmentally hazardous substance, liquid, n.o.s. |
| | IMDG-Code | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI- QUID, N.O.S. |
| | ICAO-TI | Environmentally hazardous substance, liquid, n.o.s. |
| | Technical name (hazardous ingredients) | GALAXOLIDE 50 DEP, TERPINEOL 900 |
| 14.3 | Transport hazard class(es) | |
| | DOT | 9 |
| | IMDG-Code | 9 |
| | ICAO-TI | 9 |
| 14.4 | Packing group | |
| | DOT | III |
| | IMDG-Code | III |
| | ICAO-TI | III |
| 14.5 | Environmental hazards | hazardous to the aquatic environment |
| | Environmentally hazardous substance (aquatic environment) | GALAXOLIDE 50 DEP, TERPINEOL 900 |



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals™ Japanese Pear & Ginseng Fragrance Oil

Date of compilation: 2021-03-29

| 14.6 | Special precautions for user | | | | | |
|------|---|---|--|--|--|--|
| | There is no additional information. | | | | | |
| 14.7 | 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code | | | | | |
| | The cargo is not intended to be carried in bulk. | | | | | |
| | Information for each of the UN Model Regulation | s | | | | |
| | Transport of dangerous goods by road or rail (49 | CFR US DOT) - Additional information | | | | |
| | Particulars in the shipper's declaration | UN3082, Environmentally hazardous substance, li- quid, n.o.s., (contains: GALAXOLIDE 50 DEP, TERPINEOL 900), 9, III | | | | |
| | Reportable quantity (RQ) | 29,411,765 lbs (13,352,941 kg) (BUTYL ACETATE N) | | | | |
| | Danger label(s) | 9, fish and tree | | | | |
| | | | | | | |
| | Environmental hazards | YES (hazardous to the aquatic environment) | | | | |
| | Special provisions (SP) | 8, 146, 173, 335, IB3, T4, TP1, TP29 | | | | |
| | ERG No | 171 | | | | |
| | International Maritime Dangerous Goods Code (IMDG) - Additional information | | | | | |
| | Marine pollutant | Yes (hazardous to the aquatic environment) (GALAXOLIDE 50 DEP) | | | | |
| | Danger label(s) | 9, fish and tree | | | | |
| | | | | | | |
| | Special provisions (SP) | 274, 335, 969 | | | | |
| | Excepted quantities (EQ) | E1 | | | | |
| | Limited quantities (LQ) | 5 L | | | | |
| | EmS | F-A, S-F | | | | |
| | Stowage category | A | | | | |
| | International Civil Aviation Organization (ICAO-I | ATA/DGR) - Additional information | | | | |
| | Environmental hazards | Yes (hazardous to the aquatic environment) | | | | |
| | Danger label(s) | 9, fish and tree | | | | |
| | | | | | | |
| | Special provisions (SP) | A97, A158, A197 | | | | |
| | Excepted quantities (EQ) | E1 | | | | |
| | Limited quantities (LQ) | 30 kg | | | | |



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals™ Japanese Pear & Ginseng Fragrance Oil

Date of compilation: 2021-03-29

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

| Name of substance | CAS No | Functionality | Authoritative Lists |
|--|-----------|---------------|------------------------|
| (4R)-1-methyl-4-(prop-1-en-2-yl)cyclohex-1-ene | 5989-27-5 | | EU Fragrance Allergens |
| phenylmethanol | 100-51-6 | | EU Fragrance Allergens |
| (2E)-3,7-dimethylocta-2,6-dienal | 5392-40-5 | | EU Fragrance Allergens |

- Hazardous Substances List (MN-ERTK)

| Name of substance | CAS No | References | Remarks |
|-------------------|----------|------------|---------|
| BENZYL ALCOHOL | 100-51-6 | Ι | |

Legend

T

American Industrial Hygiene Association (AIHA), "Workplace Environmental Exposure Level Guides" (1992), available from AIHA

- Hazardous Substance List (NJ-RTK)

| Name of substance | CAS No | Remarks | Classifications |
|--|----------|---------|-----------------|
| (4R)-1-methyl-4-(prop-1-en-2-yl)cyclohex-1-ene | 138-86-3 | | F2 |

Legend

F2 Flammable - Second Degree

- Hazardous Substance List (Chapter 323) (PA-RTK)

| Name acc. to inventory | CAS No | Classification |
|------------------------------------|----------|----------------|
| BENZENEMETHANOL | 100-51-6 | |
| BUTANOIC ACID, 3-OXO-, ETHYL ESTER | 141-97-9 | |



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals™ Japanese Pear & Ginseng Fragrance Oil

Date of compilation: 2021-03-29

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| Category | Rating | Description |
|---------------------|--------|--|
| Chronic | / | none |
| Health | 2 | temporary or minor injury may occur |
| Flammability | 2 | material that must be moderately heated or exposed to relatively high ambient temper- atures before ignition can occur |
| Physical hazard | 0 | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | - | |

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

| Category | Degree of hazard | Description |
|----------------|---------------------|---|
| Flammability | 2 | material that must be moderately heated or exposed to relatively high ambient temper- atures before ignition can occur |
| Health | 2 | material that, under emergency conditions, can cause temporary incapacitation or resid- ual injury |
| Instability | 0 | material that is normally stable, even under fire conditions |
| Special hazard | | |

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|---------------|--|
| 49 CFR US DOT | 49 CFR U.S. Department of Transportation |
| ACGIH® 2019 | From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presenta-tions/tlv-bei-position-statement |



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals™ Japanese Pear & Ginseng Fragrance Oil

Date of compilation: 2021-03-29

| Abbr. | Descriptions of used abbreviations |
|----------------|---|
| Acute Tox. | Acute toxicity |
| Cal/OSHA PEL | California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances |
| Ceiling-C | Ceiling value |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DOT | Department of Transportation (USA) |
| EmS | Emergency Schedule |
| ERG No | Emergency Response Guidebook - Number |
| Flam. Liq. | Flammable liquid |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Natio |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| IUPAC | International Union of Pure and Applied Chemistry |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| NIOSH REL | National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs) |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edi |
| OSHA | Occupational Safety and Health Administration (United States) |
| PBT | Persistent, Bioaccumulative and Toxic |
| ppm | Parts per million |
| RTECS | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| Skin Sens. | Skin sensitization |
| STEL | Short-term exposure limit |
| TLV® | Threshold Limit Values |
| TWA | Time-weighted average |



acc. to 29 CFR 1910.1200 App D

Rustic Escentuals™ Japanese Pear & Ginseng Fragrance Oil

Date of compilation: 2021-03-29

| Abbr. | Descriptions of used abbreviations |
|-------|--|
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|--------------------------------------|
| H226 | Flammable liquid and vapor. |
| H227 | Combustible liquid. |
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H332 | Harmful if inhaled. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.